INDEX OF AUTHORS

Abe, K. *See* Maloney, P. C.

Adamczewska, A. M. and Morris, S. Exercise in the terrestrial Christmas Island red crab *Gecarcoidea natalis*. I. Blood gas transport **188**, 235

Adamczewska, A. M. and Morris, S. Exercise in the terrestrial Christmas Island red crab *Gecarcoidea natalis*. II. Energetics of locomotion **188**, 257

Ahearn, G. A. *See* Kimura, C.

Ahearn, G. A., Zhuang, Z., Duerr, J. and Pennington, V. Role of the invertebrate electrogenic $2Na^+/1H^+$ antiporter in monovalent and divalent cation transport **196**, 319

Airriess, C. N. and McMahon, B. R. Cardiovascular adaptations enhance tolerance of environmental hypoxia in the crab *Cancer magister* **190**, 23

Albritton, L. M. *See* Christensen, H. N.

Alexander, G., Sweeting, R. and McKeown, B. The shift in visual pigment dominance in the retinae of juvenile coho salmon (*Oncorhynchus kisutch*): an indicator of smolt status **195**, 185

Ando, M. *See* Uesaka, T.

Araque, A. *See* Cattaert, D.

Ardigò, L. P. *See* Minetti, A. E.

Aréchiga, H. *See* Fernández de Miguel, F.

Arthur, P. G. *See* Farrell, A. P.

Ashley-Ross, M. A. Hindlimb kinematics during terrestrial locomotion in a salamander (*Dicamptodon tenebrosus*) **193**, 255

Ashley-Ross, M. A. Metamorphic and speed effects on hindlimb kinematics during terrestrial locomotion in the salamander *Dicamptodon tenebrosus* **193**, 285

Atsma, W. *See* Flik, G.

Axelsson, M. *See* Franklin, C. E.

Axelsson, M. *See* Kågström, J.

Axelsson, M. *See* Sundin, L.

Axelsson, M., Davison, B., Forster, M. and Nilsson, S. Blood pressure control in the Antarctic fish *Pagothenia borchgrevinki* **190**, 265

Azuma, M. *See* Lepier, A.

Badía, P. *See* Díaz, M.

Baker, M. W. *See* Chiasson, B. J.

Baldwin, J. *See* Wells, R. M. G.

Baldwin, S. A. *See* Young, J. D.

Bannasch, R. *See* Culik, B. M.

Bannasch, R., Wilson, R. P. and Culik, B. Hydrodynamic aspects of design and attachment of a back-mounted device in penguins **194**, 83

Barbera, R. *See* Salleo, A.

Barclay, C. J. Efficiency of fast- and slow-twitch muscles of the mouse performing cyclic contractions **193**, 65

Barnes, S., Syed, N. I., Bulloch, A. G. M. and Lukowiak, K. Modulation of ionic currents by dopamine in an interneurone of the respiratory central pattern generator of *Lymnaea stagnalis* **189**, 37

Beckman, O. H. *See* Prier, K. R.

Bennet-Clark, H. C. and Young, D. The scaling of song frequency in cicadas **191**, 291

Bennett, A. F. *See* Walton, B. M.

Bentley, M. G. *See* Pacey, A. A.

Berenbrink, M. and Bridges, C. R. Active Na^+-, Cl^-- and HCO_3^--dependent acid extrusion in Atlantic cod red blood cells in winter activated by hypercapnia **192**, 239

Berenbrink, M. and Bridges, C. R. Catecholamine-activated sodium/proton exchange in the red blood cells of the marine teleost *Gadus morhua* **192**, 253

Bergman, H. L. *See* Wood, C. M.

Bergner, B. *See* Paul, R. J.

Bermudez, J. *See* Pesquero, J.

Berry, M. S. *See* Wuttke, W. A.

Best, B. A. *See* Loudon, C.

Bevan, R. M., Woakes, A. J., Butler, P. J. and Boyd, I. L. The use of heart rate to estimate oxygen consumption of free-ranging black-browed albatrosses *Diomedea melanophrys* **193**, 119

Bianchini, L. and Pouysségur, J. Molecular structure and regulation of vertebrate Na^+/H^+ exchangers **196**, 337

Biber, J. *See* Murer, H.

Bickmeyer, U., Rössler, W. and Wiegand, H. Calcium channel currents in cultured pars intercerebralis neurosecretory cells of adult *Locusta migratoria* **197**, 393

Bindon, S. D., Gilmour, K. M., Fenwick, J. C. and Perry, S. F. The effects of branchial chloride cell proliferation on respiratory function in the rainbow trout *Oncorhynchus mykiss* **197**, 47

Blakely, R. D., De Felice, L. J. and Hartzell, H. C. Molecular physiology of norepinephrine and serotonin transporters **196**, 263
Blanchard, V. *See* Henry, J.-P.
Blickhan, R. *See* Cheng, H.-Y.
Blickhan, R. *See* Ting, L. H.
Boetticher, N. C. *See* Long, J. H.
Bolaños, A. *See* Díaz, M.
Bone, Q., Brown, E. R. and Travers, G. On the respiratory flow in the cuttlefish *Sepia officinalis* **194**, 153
Boorer, K. *See* Wright, E. M.
Booth, C. E. *See* Henry, R. P.
Borland, S. C. *See* Phillips, J. B.
Boron, W. F., Waisbren, S. J., Modlin, I. M. and Geibel, J. P. Unique permeability barrier of the apical surface of parietal and chief cells in isolated perfused gastric glands **196**, 347
Botton, D. *See* Henry, J.-P.
Boutilier, R. G. *See* Gamperl, A. K.
Bovell, D. L. *See* Ko, W. H.
Boyd, I. L. *See* Bevan, R. M.
Branco, L. G. S. *See* Wang, T.
Bräucker, R., Machemer-Röhnisch, S. and Machemer, H. Graviresponses in *Paramecium caudatum* and *Didinium nasutum* examined under varied hypergravity conditions **197**, 271
Bräunig, P., Stevenson, P. A. and Evans, P. D. A locust octopamine-immunoreactive dorsal unpaired median neurone forming terminal networks on sympathetic nerves **192**, 225
Bridges, C. R. *See* Berenbrink, M.
Brill, R. W. *See* Dewar, H.
Brill, R. W. and Jones, D. R. The influence of hematocrit, temperature and shear rate on the viscosity of blood from a high-energy-demand teleost, the yellowfin tuna *Thunnus albacares* **189**, 199
Brogan, S. *See* Dow, J. A. T.
Browman, H. I. and Hawryshyn, C. W. Retinoic acid modulates retinal development in the juveniles of a teleost fish **193**, 191
Browman, H. I., Novales-Flamarique, I. and Hawryshyn, C. W. Ultraviolet photoreception contributes to prey search behaviour in two species of zooplanktivorous fishes **186**, 187
Brown, E. R. *See* Bone, Q.
Bryant, S. H. *See* Kleene, S. J.
Buckingham, S. D., Hue, B. and Sattelle, D. B. Actions of bicuculline on cell body and neuropilar membranes of identified insect neurones **186**, 235
Budelmann, B. U. *See* Ferguson, G. P.
Budelmann, B. U. and Williamson, R. Directional sensitivity of hair cell afferents in the *Octopus* statocyst **187**, 245
Bulloch, A. G. M. *See* Barnes, S.
Bulloch, A. G. M. *See* Ewadinger, N. M.
Buno, W. *See* Cattaert, D.
Burr, D. B. *See* Yoshikawa, T.
Büschges, A. The physiology of sensory cells in the ventral scoloparium of the stick insect femoral chordotonal organ **189**, 285
Bush, B. M. H. *See* Skorupski, P.
Busquets-Turner, L. *See* Kimura, C.
Butler, P. J. *See* Bevan, R. M.
Butler, P. J. *See* Reed, J. Z.

Calabrese, R. L. *See* Gramoll, S.
Cameron, B. A. and Tufts, B. L. *In vitro* investigation of the factors contributing to the unique CO_2 transport properties of blood in the sea lamprey (*Petromyzon marinus*) **197**, 337
Cameron, J. N. *See* Neufeld, D. S.
Carew, T. J. *See* Kuenzi, F. M.
Carter, C. G., Owen, S. F., He, Z.-Y., Watt, P. W., Scrimgeour, C., Houlihan, D. F. and Rennie, M. J. Determination of protein synthesis in rainbow trout, *Oncorhynchus mykiss*, using a stable isotope **189**, 279
Caspari, T., Will, A., Opekarová, M., Sauer, N. and Tanner, W. Hexose/H^+ symporters in lower and higher plants **196**, 483
Cattaert, D., Araque, A., Buno, W. and Clarac, F. Motor neurones of the crayfish walking system possess TEA^+-revealed regenerative electrical properties **188**, 339
Cech, J. J. *See* Sanderson, S. L.
Chambers, C. *See* Reed, J. Z.
Chavez, A. *See* Olson, K. R.
Cheer, A. Y. *See* Sanderson, S. L.
Chen, J. *See* Yoshikawa, T.
Cheng, H.-Y. and Blickhan, R. Note on the calculation of propeller efficiency using elongated body theory **192**, 169
Cheng, J. *See* Krulwich, T. A.
Chernaya, G. *See* Reeves, J. P.
Chiasson, B. J., Baker, M. W. and Croll, R. P. Morphological changes and functional recovery following axotomy of a serotonergic cerebrobuccal neurone in the land snail *Achatina fulica* **192**, 147
Christensen, H. N., Albritton, L. M., Kakuda, D. K. and MacLeod, C. L. Gene-product designations for amino acid transporters **196**, 51

Christensen, H. N., Greene, A. A., Kakuda, D. K. and MacLeod, C. L. Special transport and neurological significance of two amino acids in a configuration conventionally designated as D **196**, 297
Christie, A. E., Hall, C., Oshinsky, M. and Marder, E. Buccalin-like and myomodulin-like peptides in the stomatogastric ganglion of the crab *Cancer borealis* **193**, 337
Chung, J. S., Goldsworthy, G. J. and Coast, G. M. Haemolymph and tissue titres of achetakinins in the house cricket *Acheta domesticus*: effect of starvation and dehydration **193**, 307
Claiborne, J. B., Walton, J. S. and Compton-McCullough, D. Acid–base regulation, branchial transfers and renal output in a marine teleost fish (the long-horned sculpin *Myoxocephalus octodecimspinosus*) during exposure to low salinities **193**, 79
Clarac, F. *See* Cattaert, D.
Clatworthy, A. L. and Walters, E. T. Comparative analysis of hyperexcitability and synaptic facilitation induced by nerve injury in two populations of mechanosensory neurones of *Aplysia californica* **190**, 217
Coast, G. M. *See* Chung, J. S.
Coast, G. M. and Kay, I. The effects of *Acheta* diuretic peptide on isolated Malpighian tubules from the house cricket *Acheta domesticus* **187**, 225
Cobey, S. *See* Smith, B. H.
Coemans, M. A. J. M., Vos Hzn, J. J. and Nuboer, J. F. W. The orientation of the E-vector of linearly polarized light does not affect the behaviour of the pigeon *Columba livia* **191**, 107
Coles, M. M. L. *See* Field, L. H.
Comeau, S. C. *See* Hicks, J. W.
Compton-McCullough, D. *See* Claiborne, J. B.
Condrescu, M. *See* Reeves, J. P.
Conklin, D. J. *See* Olson, K. R.
Cooke, I. *See* Keller, R.
Coombs, S. Nearfield detection of dipole sources by the goldfish (*Carassius auratus*) and the mottled sculpin (*Cottus bairdi*) **190**, 109
Cosson, J. C. *See* Pacey, A. A.
Cousins, K. L. *See* Farrell, A. P.
Cousins, K. L. *See* Olson, K. R.
Crockford, T. *See* Johnston, I. A.
Croll, R. P. *See* Chiasson, B. J.
Culik, B. *See* Bannasch, R.
Culik, B. M., Wilson, R. P. and Bannasch, R. Underwater swimming at low energetic cost by pygoscelid penguins **197**, 65
Cummings, S. A. *See* Moffett, D. F.
Cunningham, K. W. and Fink, G. R. Ca^{2+} transport in *Saccharomyces cerevisiae* **196**, 157
Currie, S. *See* Kieffer, J. D.
Curtin, A. L. *See* Morris, S.
Cutts, C. J. and Speakman, J. R. Energy savings in formation flight of pink-footed geese **189**, 251

Davies, A. *See* Young, J. D.
Davis, N. T. *See* Veenstra, J. A.
Davison, B. *See* Axelsson, M.
Davison, W. *See* Sundin, L.
Day, S. *See* Guimaraes, A. C.
De Couet, H. G. *See* Kimura, C.
De Felice, L. J. *See* Blakely, R. D.
Decker, H. *See* Paul, R. J.
Demaurex, N. and Grinstein, S. Na^+/H^+ antiport: regulation by ATP and role in cell volume regulation **196**, 389
Denny, M. W. Extreme drag forces and the survival of wind- and water-swept organisms **194**, 97
Desnos, C. *See* Henry, J.-P.
Dewar, H. and Graham, J. B. Studies of tropical tuna swimming performance in a large water tunnel. I. Energetics **192**, 13
Dewar, H. and Graham, J. B. Studies of tropical tuna swimming performance in a large water tunnel. III. Kinematics **192**, 45
Dewar, H., Graham, J. B. and Brill, R. W. Studies of tropical tuna swimming performance in a large water tunnel. II. Thermoregulation **192**, 33
Dial, K. P. *See* Tobalske, B. W.
Díaz, M., Lorenzo, A., Gómez, T., Badía, P. and Bolaños, A. Effects of barium chloride on electrolyte transport across isolated colons from normal and aldosterone-treated lizards (*Gallotia galloti*) **186**, 9
Dickinson, M. H. The effects of wing rotation on unsteady aerodynamic performance at low Reynolds numbers **192**, 179
Dickinson, M. H. *See* Tu, M. S.
Dickson, K. A. Tunas as small as 207 mm fork length can elevate muscle temperatures significantly above ambient water temperature **190**, 79
Didyk, N. E. *See* Gilmour, K. M.
Dietz, T. J. Acclimation of the threshold induction temperatures for 70-kDa and 90-kDa heat shock proteins in the fish *Gillichthys mirabilis* **188**, 333
Dijkstra, S. *See* Leyssens, A.
Dionne, V. E. and Dubin, A. E. Transduction diversity in olfaction **194**, 1

Doll, C. J., Hochachka, P. W. and Hand, S. C. A microcalorimetric study of turtle cortical slices: insights into brain metabolic depression **191**, 141
Douglass, J. K. *See* Wilkens, L. A.
Dow, J. A. T., Maddrell, S. H. P., Görtz, A., Skaer, N. J. V., Brogan, S. and Kaiser, K. The Malpighian tubules of *Drosophila melanogaster*: a novel phenotype for studies of fluid secretion and its control **197**, 421
Driedzic, W. R. *See* Pelster, B.
Driedzic, W. R. *See* Sephton, D. H.
Dubin, A. E. *See* Dionne, V. E.
Dudley, R. and Srygley, R. B. Flight physiology of neotropical butterflies: allometry of airspeeds during natural free flight **191**, 125
Duerr, J. *See* Ahearn, G. A.
Duval, A. *See* Tribut, F.

Edgecomb, R. S., Harth, C. E. and Schneiderman, A. M. Regulation of feeding behavior in adult *Drosophila melanogaster* varies with feeding regime and nutritional state **197**, 215
Efinger, R. *See* Paul, R. J.
Egginton, S. *See* Wilson, R. W.
Ehret, G., Keilwerth, E. and Kamada, T. The lung–eardrum pathway in three treefrog and four dendrobatid frog species: some properties of sound transmission **195**, 329
Elder, H. Y. *See* Ko, W. H.
Emilío, M. G. *See* Marvão, P.
Evans, P. D. The effects of myomodulin and structurally related neuropeptides on skeletal neuromuscular transmission in the locust **190**, 253
Evans, P. D. *See* Bräunig, P.
Evans, P. D. *See* Robb, S.
Ewadinger, N. M., Syed, N. I., Lukowiak, K. and Bulloch, A. G. M. Differential tracer coupling between pairs of identified neurones in the mollusc *Lymnaea stagnalis* **192**, 291

Farrell, A. P. *See* Olson, K. R.
Farrell, A. P., Franklin, C. E., Arthur, P. G., Thorarensen, H. and Cousins, K. L. Mechanical performance of an *in situ* perfused heart from the turtle *Chrysemys scripta* during normoxia and anoxia at 5 °C and 15 °C **191**, 207
Farrelly, C. A. and Greenaway, P. Gas exchange through the lungs and gills in air-breathing crabs **187**, 113
Fedak, M. A. *See* Reed, J. Z.
Fenwick, J. C. *See* Bindon, S. D.
Ferguson, G. P., Messenger, J. B. and Budelmann, B. U. Gravity and light influence the countershading reflexes of cuttlefish *Sepia officinalis* **191**, 247
Ferlic, R. *See* Olson, K. R.
Fernandes, P. L. *See* Marvão, P.
Fernández de Miguel, F. and Aréchiga, H. Circadian locomotor activity and its entrainment by food in the crayfish *Procambarus clarki* **190**, 9
Ferreira H. G. *See* Marvão, P.
Ferreira, K. G. *See* Marvão, P.
Feuerlein, R. J. and Weber, R. E. Rapid and simultaneous measurement of anodic and cathodic haemoglobins and ATP and GTP concentrations in minute quantities of fish blood **189**, 273
Field, L. H. and Coles, M. M. L. The position-dependent nature of postural resistance reflexes in the locust **188**, 65
Fink, G. R. *See* Cunningham, K. W.
Finley, K. D. *See* MacLeod, C. L.
Flik, G. *See* Verbost, P. M.
Flik, G., Verbost, P. M., Atsma, W. and Lucu, C. Calcium transport in gill plasma membranes of the crab *Carcinus maenas*: evidence for carriers driven by ATP and a Na^+ gradient **195**, 109
Forbush III, B. *See* Riordan, J. R.
Forster, M. *See* Axelsson, M.
Forster, M. E. *See* Sundin, L.
Fournier, R. A. and Weber, J.-M. Locomotory energetics and metabolic fuel reserves of the Virginia opossum **197**, 1
Franklin, C. E. *See* Farrell, A. P.
Franklin, C. E. *See* Johnston, I. A.
Franklin, C. E. and Axelsson, M. The intrinsic properties of an *in situ* perfused crocodile heart **186**, 269
Friet, S. C. *See* Pinder, A. W.
Frillingos, S. *See* Kaback, H. R.
Fugelli, K. *See* Thoroed, S. M.
Full, R. J. *See* Ting, L. H.
Fullard, J. H., Simmons, J. A. and Saillant, P. A. Jamming bat echolocation: the dogbane tiger moth *Cycnia tenera* times its clicks to the terminal attack calls of the big brown bat *Eptesicus fuscus* **194**, 285

Gamperl, A. K., Pinder, A. W. and Boutilier, R. G. Effect of coronary ablation and adrenergic stimulation on *in vivo* cardiac performance in trout (*Oncorhynchus mykiss*) **186**, 127

Gamperl, A. K., Pinder, A. W., Grant, R. R. and Boutilier, R. G. Influence of hypoxia and adrenaline administration on coronary blood flow and cardiac performance in seawater rainbow trout (*Oncorhynchus mykiss*) **193**, 209
Gardner, J. P. *See* Reeves, J. P.
Gasnier, B. *See* Henry, J.-P.
Geibel, J. P. *See* Boron, W. F.
Gerencser, G. A. and Stevens, B. R. Thermodynamics of symport and antiport catalyzed by cloned or native transporters **196**, 59
Gesteland, R. C. *See* Kleene, S. J.
Gibb, A. C., Jayne, B. C. and Lauder, G. V. Kinematics of pectoral fin locomotion in the bluegill sunfish *Lepomis macrochirus* **189**, 133
Gillis, G. B. and Lauder, G. V. Aquatic prey transport and the comparative kinematics of *Ambystoma tigrinum* feeding behaviors **187**, 159
Gilmour, K. M. *See* Bindon, S. D.
Gilmour, K. M., Didyk, N. E., Reid, S. G. and Perry, S. F. Down-regulation of red blood cell β-adrenoreceptors in response to chronic elevation of plasma catecholamine levels in the rainbow trout **186**, 309
Gilmour, K. M. and Perry, S. F. The effects of hypoxia, hyperoxia or hypercapnia on the acid–base disequilibrium in the arterial blood of rainbow trout **192**, 269
Giordana, B. and Parenti, P. Determinants for the activity of the neutral amino acid/K^+ symport in lepidopteran larval midgut **196**, 145
Glass, M. L. *See* Wang, T.
Goldsworthy, G. J. *See* Chung, J. S.
Gómez, T. *See* Díaz, M.
Gonzales, R. J. and McDonald, D. G. The relationship between oxygen uptake and ion loss in fish from diverse habitats **190**, 95
Gordon, M. S. *See* Plaut, I.
Görtz, A. *See* Dow, J. A. T.
Gosline, J. M. *See* Katz, S. L.
Graham, J. B. *See* Dewar, H.
Gramoll, S., Schmidt, J. and Calabrese, R. L. Switching in the activity state of an interneuron that controls coordination of the hearts in the medicinal leech (*Hirudo medicinalis*) **186**, 157
Grant, R. R. *See* Gamperl, A. K.
Gras, H. *See* Kohstall-Schnell, D.
Greenaway, P. *See* Farrelly, C. A.
Greenaway, P. *See* Varley, D. G.
Greene, A. A. *See* Christensen, H. N.
Grémillet, D. J. H. and Plös, A. L. The use of stomach temperature records for the calculation of daily food intake in cormorants **189**, 105
Grinstein, S. *See* Demaurex, N.
Grinstein, S. and Wieczorek, H. Cation antiports of animal plasma membranes **196**, 307
Groeneveld, A. *See* Verburg-van Kemenade, B. M. L.
Guderley, H. *See* Johnston, I. A.
Guffanti, A. A. *See* Krulwich, T. A.
Guimaraes, A. C., Herzog, W., Hulliger, M., Zhang, Y. T. and Day, S. EMG–force relationship of the cat soleus muscle studied with distributed and non-periodic stimulation of ventral root filaments **186**, 75
Guimaraes, A. C., Herzog, W., Hulliger, M., Zhang, Y. T. and Day, S. Effects of muscle length on the EMG–force relationship of the cat soleus muscle studied using non-periodic stimulation of ventral root filaments **193**, 49

Hafstad, E. *See* Yoshikawa, T.
Haley, S. R. *See* Kimura, C.
Hall, C. *See* Christie, A. E.
Hand, S. C. *See* Doll, C. J.
Hanrahan, J. W. *See* Riordan, J. R.
Hara, T. J. *See* Kitada, Y.
Harris-Warrick, R. M. *See* Zhang, B.
Harth, C. E. *See* Edgecomb, R. S.
Hartzell, H. C. *See* Blakely, R. D.
Harvey, W. R. *See* Lepier, A.
Harvey, W. R. *See* Martin, F. G.
Harvey, W. R. *See* Parthasarathy, R.
Harvey, W. R. *See* Xie, T.
Harvey, W. R. and Slayman, C. L. Coupling as a way of life **196**, 1
Hawryshyn, C. W. *See* Browman, H. I.
Haylett, B. *See* Keller, R.
He, Z.-Y. *See* Carter, C. G.
Hediger, M. A. Structure, function and evolution of solute transporters in prokaryotes and eukaryotes **196**, 15
Hedrick, M. S., Katz, S. L. and Jones, D. R. Periodic air-breathing behaviour in a primitive fish revealed by spectral analysis **197**, 429
Hefter, G. T. *See* Withers, P. C.
Heigenhauser, G. J. F. *See* Wang, Y.
Heisler, N. *See* Stinner, J. N.
Heller, K.-G. and Krahe, R. Sound production and hearing in the pyralid moth *Symmoracma minoralis* **187**, 101
Hennig, R. M., Weber, T., Huber, F., Kleindienst, H.-U., Moore, T. E. and Popov, A. V. Auditory threshold change in singing cicadas **187**, 45

Hennig, R. M., Weber, T., Moore, T. E., Huber, F., Kleindienst, H.-U. and Popov, A. V. Function of the tensor muscle in the cicada *Tibicen linnei* **187**, 33
Henry, J.-P., Botton, D., Sagne, C., Isambert, M.-F., Desnos, C., Blanchard, V., Raisman-Vozari, R., Krejci, E., Massoulie, J. and Gasnier, B. Biochemistry and molecular biology of the vesicular monoamine transporter from chromaffin granules **196**, 251
Henry, R. P., Booth, C. E., Lallier, F. H. and Walsh, P. J. Post-exercise lactate production and metabolism in three species of aquatic and terrestrial decapod crustaceans **186**, 215
Henson, M. M. *See* Keating, A. W.
Henson, O. W. *See* Keating, A. W.
Hermann, P. M., Ter Maat, A. and Jansen, R. F. The neural control of egg-laying behaviour in the pond snail *Lymnaea stagnalis*: motor control of shell turning **197**, 79
Herzog, W. *See* Guimaraes, A. C.
Herzog, W., Zatsiorsky, V., Prilutsky, B. I. and Leonard, T. R. Variations in force–time histories of cat gastrocnemius, soleus and plantaris muscles for consecutive walking steps **191**, 19
Hessinger, D. A. *See* Watson, G. M.
Hicks, J. *See* Pelster, B.
Hicks, J. W. and Comeau, S. C. Vagal regulation of intracardiac shunting in the turtle *Pseudemys scripta* **186**, 109
Hirayama, B. H. *See* Wright, E. M.
Hirsch, H. V. B. and Tompkins, L. The flexible fly: experience-dependent development of complex behaviors in *Drosophila melanogaster* **195**, 1
Hochachka, P. W. *See* Doll, C. J.
Hochachka, P. W. *See* West, T. G.
Hogstrand, C., Wilson, R. W., Polgar, D. and Wood, C. M. Effects of zinc on the kinetics of branchial calcium uptake in freshwater rainbow trout during adaptation to waterborne zinc **186**, 55
Holmgren, S. *See* Kågström, J.
Hopkins, T. E. *See* Walsh, P. J.
Houlihan, D. F. *See* Carter, C. G.
Huber, F. *See* Hennig, R. M.
Hue, B. *See* Buckingham, S. D.
Hulliger, M. *See* Guimaraes, A. C.

Ichikawa, T. Motion-sensitive cells: putative larval neurones incorporated into the optic lobe of the adult swallowtail butterfly **195**, 361
Inoue, J. *See* Kobayashi, T.
Isaacson, L. C. and Nicolson, S. W. Concealed transepithelial potentials and current rectification in tsetse fly Malpighian tubules **186**, 199
Isambert, M.-F. *See* Henry, J.-P.

Jackel, C., Krenz, W.-D. and Nagy, F. Bicuculline/baclofen-insensitive GABA response in crustacean neurones in culture **191**, 167
Jansen, R. F. *See* Hermann, P. M.
Jayne, B. C. *See* Gibb, A. C.
Jenkinson, D. M. *See* Ko, W. H.
Jian, S. *See* Simmons, P. J.
John-Alder, H. B. *See* Marsh, R. L.
Johnsen, S. Extraocular sensitivity to polarized light in an echinoderm **195**, 281
Johnson, A. S. and Koehl, M. A. R. Maintenance of dynamic strain similarity and environmental stress factor in different flow habitats: thallus allometry and material properties of a giant kelp **195**, 381
Johnson, C. H., Nakaoka, Y. and Miwa, I. The effects of altering extracellular potassium ion concentration on the membrane potential and circadian clock of *Paramecium bursaria* **197**, 295
Johnson, P. S. *See* Uhl, G. R.
Johnston, I. A., Guderley, H., Franklin, C. E., Crockford, T. and Kamunde, C. Are mitochondria subject to evolutionary temperature adaptation? **195**, 293
Jones, D. R. *See* Brill, R. W.
Jones, D. R. *See* Hedrick, M. S.
Jones, J. Architecture and composition of the muscles that drive stomatopod eye movements **188**, 317
Josephson, R. K. *See* Stokes, D. R.
Josephson, R. K. and Stokes, D. R. Contractile properties of a high-frequency muscle from a crustacean. I. Activation patterns *in vivo* **187**, 261
Josephson, R. K. and Stokes, D. R. Contractile properties of a high-frequency muscle from a crustacean. III. Mechanical power output **187**, 295
Jung, H. *See* Kaback, H. R.
Jung, K. *See* Kaback, H. R.
Jursky, F., Tamura, S., Tamura, A., Mandiyan, S., Nelson, H. and Nelson, N. Structure, function and brain localization of neurotransmitter transporters **196**, 283

Kaback, H. R., Frillingos, S., Jung, H., Jung, K., Privé, G. G., Ujwal, M. L., Weitzman, C., Wu, J. and Zen, K. The lactose permease meets Frankenstein **196**, 183

Kågström, J., Axelsson, M. and Holmgren, S. Cardiovascular responses to scyliorhinin I and II in the rainbow trout, *Oncorhynchus mykiss*, *in vivo* and *in vitro* **191**, 155
Kaiser, K. *See* Dow, J. A. T.
Kakuda, D. K. *See* Christensen, H. N.
Kakuda, D. K. *See* MacLeod, C. L.
Kakuda, D. K. and MacLeod, C. L. Na^+-independent transport (uniport) of amino acids and glucose in mammalian cells **196**, 93
Kamada, T. *See* Ehret, G.
Kamunde, C. *See* Johnston, I. A.
Kanner, B. I. Sodium-coupled neurotransmitter transport: structure, function and regulation **196**, 237
Katoh, K. and Naitoh, Y. Control of cellular contraction by calcium in *Vorticella* **189**, 163
Katz, S. L. *See* Hedrick, M. S.
Katz, S. L. and Gosline, J. M. Scaling modulus as a degree of freedom in the design of locust legs **187**, 207
Kawakami, T. *See* Kobayashi, T.
Kay, I. *See* Coast, G. M.
Kayar, S. R., Hoppeler, H., Jones, J. H., Longworth, K., Armstrong, R. B., Laughlin, M. H., Lindstedt, S. L., Bicudo, J. E. P. W., Groebe, K., Taylor, C. R. and Weibel, E. R. Capillary blood transit time in muscles in relation to body size and aerobic capacity **194**, 69
Keating, A. W., Henson, O. W., Henson, M. M., Lancaster, W. C. and Xie, D. H. Doppler-shift compensation by the mustached bat: quantitative data **188**, 115
Keen, J. E. *See* Olson, K. R.
Keilwerth, E. *See* Ehret, G.
Keller, R., Haylett, B. and Cooke, I. Neurosecretion of crustacean hyperglycemic hormone evoked by axonal stimulation or elevation of saline K^+ concentration quantified by a sensitive immunoassay method **188**, 293
Kieffer, J. D., Currie, S. and Tufts, B. L. Effects of environmental temperature on the metabolic and acid–base responses of rainbow trout to exhaustive exercise **194**, 299
Kimura, C., Ahearn, G. A., Busquets-Turner, L., Haley, S. R., Nagao, C. and De Couet, H. G. Immunolocalization of an antigen associated with the invertebrate electrogenic $2Na^+/1H^+$ antiporter **189**, 85
Kirkpatrick, S. J. Scale effects on the stresses and safety factors in the wing bones of birds and bats **190**, 195
Kitada, Y. and Hara, T. J. Effects of diluted natural water and altered ionic environments on gustatory responses in rainbow trout (*Oncorhynchus mykiss*) **186**, 173
Kito, Y. *See* Michinomae, M.
Kleene, S. J., Gesteland, R. C. and Bryant, S. H. An electrophysiological survey of frog olfactory cilia **195**, 307
Kleindienst, H.-U. *See* Hennig, R. M.
Kne, T. *See* Olson, K. R.
Ko, W. H., O'Dowd, J. J. M., Pediani, J. D., Bovell, D. L., Elder, H. Y., Jenkinson, D. M. and Wilson, S. M. Extracellular ATP can activate autonomic signal transduction pathways in cultured equine sweat gland epithelial cells **190**, 239
Kobayashi, H. *See* Mukai, Y.
Kobayashi, T., Ushitani, H., Wada, H., Inoue, J., Kawakami, T. and Sugi, H. Effect of mechanical vibration on active tension in the longitudinal retractor muscle of a sea cucumber *Stichopus japonicus* **194**, 319
Koch, U. T. *See* Pfau, H. K.
Koehl, M. A. R. *See* Johnson, A. S.
Koehl, M. A. R. *See* Loudon, C.
Kohstall-Schnell, D. and Gras, H. Activity of giant interneurones and other wind-sensitive elements of the terminal ganglion in the walking cricket **193**, 157
Kondagunta, G. V. *See* Schaefer, P .L.
Kooyman, G. L. and Ponganis, P. J. Emperor penguin oxygen consumption, heart rate and plasma lactate levels during graded swimming exercise **195**, 199
Kowalski, K. A. *See* Olson, K. R.
Krahe, R. *See* Heller, K.-G.
Krejci, E. *See* Henry, J.-P.
Krenz, W.-D. *See* Jackel, C.
Krulwich, T. A., Cheng, J. and Guffanti, A. A. The role of monovalent cation/proton antiporters in Na^+-resistance and pH homeostasis in *Bacillus*: an alkaliphile *versus* a neutralophile **196**, 457
Krumschnabel, G., Malle, S., Schwarzbaum, P. J. and Wieser, W. Glycolytic function in goldfish hepatocytes at different temperatures: relevance for Na^+ pump activity and protein synthesis **192**, 285
Kuenzi, F. M. and Carew, T. J. Head waving in *Aplysia californica*. I. Behavioural characterization of searching movements **195**, 35
Kuenzi, F. M. and Carew, T. J. Head waving in *Aplysia californica*. II. Functional anatomy and muscular activity during behaviour **195**, 53
Kuenzi, F. M. and Carew, T. J. Head waving in *Aplysia californica*. III. Interganglionic pathways underlying the coordination and control of searching movements **195**, 75

Kuramoto, T. Spiking induced by cooling in the myocardium of the lobster *Panulirus japonicus* **197**, 413

la Spada, G. *See* Salleo, A.
Lagerspetz, K. Y. H. *See* Tiiska, A. J.
Lallier, F. H. *See* Henry, R. P.
Lampert, G. J. *See* Machin, J.
Lamprecht, I. *See* Schultze-Motel, P.
Lancaster, W. C. *See* Keating, A. W.
Lapied, B. *See* Tribut, F.
Larochelle, J. *See* St-Laurent, R.
Lauder, G. V. *See* Gibb, A. C.
Lauder, G. V. *See* Gillis, G. B.
Laurent, P. *See* Wood, C. M.
Lehman, H. K. *See* Veenstra, J. A.
Leonard, T. R. *See* Herzog, W.
Lepier, A., Azuma, M., Harvey, W. R. and Wieczorek, H. K^+/H^+ antiport in the tobacco hornworm midgut: the K^+-transporting component of the K^+ pump **196**, 361
Leyssens, A., Dijkstra, S., Van Kerkhove, E. and Steels, P. Mechanisms of K^+ uptake across the basal membrane of Malpighian tubules of *Formica polyctena*: the effect of ions and inhibitors **195**, 123
Libersat, F. The dorsal giant interneurons mediate evasive behavior in flying cockroaches **197**, 405
Lill, H. *See* Nelson, N.
Lin, H., Pfeiffer, D. C., Vogl, A. W., Pan, J. and Randall, D. J. Immunolocalization of H^+-ATPase in the gill epithelia of rainbow trout **195**, 169
Lohmann, C. M. F. *See* Lohmann, K. J.
Lohmann, K. J. and Lohmann, C. M. F. Acquisition of magnetic directional preference in hatchling loggerhead sea turtles **190**, 1
Lohmann, K. J. and Lohmann, C. M. F. Detection of magnetic inclination angle by sea turtles: a possible mechanism for determining latitude **194**, 23
Long, J. H., McHenry, M. J. and Boetticher, N. C. Undulatory swimming: how traveling waves are produced and modulated in sunfish (*Lepomis gibbosus*) **192**, 129
Loo, D. D. F. *See* Wright, E. M.
Lorenzo, A. *See* Díaz, M.
Lostao, M. P. *See* Wright, E. M.
Loudon, C., Best, B. A. and Koehl, M. A. R. When does motion relative to neighboring surfaces alter the flow through arrays of hairs? **193**, 233
Loveridge, J. P. *See* Seymour, R. S.
Lucu, C. *See* Flik, G.
Lukowiak, K. *See* Barnes, S.
Lukowiak, K. *See* Ewadinger, N. M.
Lüthi, T. E. Molecules that become redistributed during regeneration of the leech central nervous system **186**, 43
Lykkeboe, G. *See* Wang, T.

Machemer, H. *See* Bräucker, R.
Machemer-Röhnisch, S. *See* Bräucker, R.
Machin, J., Smith, J. J. B. and Lampert, G. J. Evidence for hydration-dependent closing of pore structures in the cuticle of *Periplaneta americana* **192**, 83
Mackenzie, B. *See* Wright, E. M.
MacLeod, C. L. *See* Christensen, H. N.
MacLeod, C. L. *See* Kakuda, D. K.
MacLeod, C. L., Finley, K. D. and Kakuda, D. K. y^+-type cationic amino acid transport: expression and regulation of the *mCAT* genes **196**, 109
Maddrell, S. H. P. *See* Dow, J. A. T.
Maina, J. N. *See* Wood, C. M.
Malle, S. *See* Krumschnabel, G.
Maloney, P. C. Bacterial and plant antiporters **196**, 439
Maloney, P. C., Yan, R.-T. and Abe, K. Bacterial anion exchange: reductionist and integrative approaches to membrane biology **196**, 471
Mandiyan, S. *See* Jursky, F.
Marder, E. *See* Christie, A. E.
Markovich, D. *See* Murer, H.
Marsh, R. L. and John-Alder, H. B. Jumping performance of hylid frogs measured with high-speed cine film **188**, 131
Marsh, R. L. and Olson, J. M. Power output of scallop adductor muscle during contractions replicating the *in vivo* mechanical cycle **193**, 139
Martin, F. G. and Harvey, W. R. Ionic circuit analysis of K^+/H^+ antiport and amino acid/K^+ symport energized by a proton-motive force in *Manduca sexta* larval midgut vesicles **196**, 77
Marvão, P., Emílio, M. G., Ferreira, K. G., Fernandes, P. L. and Ferreira H. G. Ion transport in the intestine of *Anguilla anguilla*: gradients and translocators **193**, 97
Massoulie, J. *See* Henry, J.-P.
Masuda, H. *See* Michinomae, M.
McDonald, D. G. *See* Gonzales, R. J.
McHenry, M. J. *See* Long, J. H.
McKean, T. A. *See* Streeby, D. R.
McKeown, B. *See* Alexander, G.
McMahon, B. R. *See* Airriess, C. N.
Messenger, J. B. *See* Ferguson, G. P.
Michinomae, M., Masuda, H., Siedou, M. and Kito, Y. Structural basis for wavelength discrimination in the banked retina of the firefly squid *Watasenia scintillans* **193**, 1

Minetti, A. E., Ardigò, L. P. and Saibene, F. Mechanical determinants of the minimum energy cost of gradient running in humans **195**, 211
Miwa, I. *See* Johnson, C. H.
Miyamoto, T. *See* Okada, Y.
Modlin, I. M. *See* Boron, W. F.
Modlin, R. F. *See* Nilsson, D.-E.
Moffett, D. F. and Cummings, S. A. Transepithelial potential and alkalization in an *in situ* preparation of tobacco hornworm (*Manduca sexta*) midgut **194**, 341
Moore, T. E. *See* Hennig, R. M.
Morgan, I. J., Potts, W. T. W. and Oates, K. Intracellular ion concentrations in branchial epithelial cells of brown trout (*Salmo trutta* L.) determined by X-ray microanalysis **194**, 139
Mori, S. *See* Yoshikawa, T.
Morris, S. *See* Adamczewska, A. M.
Morris, S., Curtin, A. L. and Thompson, M. B. Heterothermy, torpor, respiratory gas exchange, water balance and the effect of feeding in Gould's long-eared bat *Nyctophilus gouldi* **197**, 309
Morrison, G. *See* Withers, P. C.
Moussatos, V. V. *See* Slayman, C. L.
Mukai, Y., Yoshikawa, H. and Kobayashi, H. The relationship between the length of the cupulae of free neuromasts and feeding ability in larvae of the willow shiner *Gnathopodon elongatus caerulescens* (Teleostei, Cyprinidae) **197**, 399
Munger, R. S. *See* Wood, C. M.
Munger, S. *See* Wilson, R. W.
Munsch, T. *See* Wuttke, W. A.
Murer, H. , Markovich, D. and Biber, J. Renal and small intestinal sodium-dependent symporters of phosphate and sulphate **196**, 167

Nagao, C. *See* Kimura, C.
Nagashima, K. *See* Uesaka, T.
Nagy, F. *See* Jackel, C.
Naitoh, Y. *See* Katoh, K.
Naitoh, Y. *See* Tominaga, T.
Nakaoka, Y. *See* Johnson, C. H.
Nakaoka, Y. *See* Okamoto, K.-I.
Narahara, A. *See* Wood, C. M.
Nelson, H. *See* Jursky, F.
Nelson, N. Energizing porters by proton-motive force **196**, 7
Nelson, N. *See* Jursky, F.
Nelson, N. and Lill, H. Porters and neurotransmitter transporters **196**, 213
Neufeld, D. S. and Cameron, J. N. Effect of the external concentration of calcium on the postmoult uptake of calcium in blue crabs (*Callinectes sapidus*) **187**, 1
Neufeld, D. S. and Cameron, J. N. Mechanism of the net uptake of water in moulting blue crabs (*Callinectes sapidus*) acclimated to high and low salinities **187**, 11
Newlon, D. L. *See* Stinner, J. N.
Nicolson, S. W. *See* Isaacson, L. C.
Nielsen, O. B. *See* Wang, T.
Nikinmaa, M. *See* Virkki, L. V.
Nilsson, D.-E. and Modlin, R. F. A mysid shrimp carrying a pair of binoculars **189**, 213
Nilsson, S. *See* Axelsson, M.
Nilsson, S. *See* Sundin, L.
Nordmann, J. J. *See* Raji, A.
Novales-Flamarique, I. *See* Browman, H. I.
Nuboer, J. F. W. *See* Coemans, M. A. J. M.

O'Donnell, M. J. *See* Wright, J. C.
O'Dowd, J. J. M. *See* Ko, W. H.
Oates, K. *See* Morgan, I. J.
Ogden, L. *See* Turrigiano, G. G.
Okada, Y., Miyamoto, T. and Sato, T. Activation of cation conductance by acetic acid in taste cells isolated from the bullfrog **187**, 19
Okamoto, K.-I. and Nakaoka, Y. Reconstitution of the metachronal waves in ciliated cortical sheets of *Paramecium*. I. Wave stabilities **192**, 61
Okamoto, K.-I. and Nakaoka, Y. Reconstitution of the metachronal waves in ciliated cortical sheets of *Paramecium*. II. Asymmetry of the ciliary movements **192**, 73
Olson, J. M. The ontogeny of shivering thermogenesis in the red-winged blackbird (*Agelaius phoeniceus*) **191**, 59
Olson, J. M. *See* Marsh, R. L.
Olson, K. R., Chavez, A., Conklin, D. J., Cousins, K. L., Farrell, A. P., Ferlic, R., Keen, J. E., Kne, T., Kowalski, K. A. and Veldman, T. Localization of angiotensin II responses in the trout cardiovascular system **194**, 117
Onken, H. *See* Riestenpatt, S.
Opekarová, M. *See* Caspari, T.
Oshinsky, M. *See* Christie, A. E.
Osse, J. W. M. *See* van den Berg, C.
Owen, S. F. *See* Carter, C. G.

Pacey, A. A., Cosson, J. C. and Bentley, M. G. The acquisition of forward motility in the spermatozoa of the polychaete *Arenicola marina* **195**, 259

Packard, M. J. Mobilization of shell calcium by the chick chorioallantoic membrane *in vitro* **190**, 141
Padan, E. and Schuldiner, S. Molecular physiology of the Na^+/H^+ antiporter in *Escherichia coli* **196**, 443
Palacín, M. A new family of proteins (rBAT and 4F2hc) involved in cationic and zwitterionic amino acid transport: a tale of two proteins in search of a transport function **196**, 123
Pan, J. *See* Lin, H.
Panayotova-Heiermann, M. *See* Wright, E. M.
Pang, T.-S. *See* Withers, P. C.
Parenti, P. *See* Giordana, B.
Parthasarathy, R. *See* Xie, T.
Parthasarathy, R. and Harvey, W. R. Potential differences influence amino acid/Na^+ symport rates in larval *Manduca sexta* midgut brush-border membrane vesicles **189**, 55
Parthasarathy, R., Xie, T., Wolfersberger, M. G. and Harvey, W. R. Substrate structure and amino acid/K^+ symport in brush-border membrane vesicles from larval *Manduca sexta* midgut **197**, 237
Paul, R. J., Bergner, B., Pfeffer-Seidl, A., Decker, H., Efinger, R. and Storz, H. Gas transport in the haemolymph of arachnids. I. Oxygen transport and the physiological role of haemocyanin **188**, 25
Paul, R. J., Pfeffer-Seidl, A., Efinger, R., Pörtner, H. O. and Storz, H. Gas transport in the haemolymph of arachnids. II. Carbon dioxide transport and acid–base balance **188**, 47
Pediani, J. D. *See* Ko, W. H.
Pelster, B. Adrenergic control of swimbladder perfusion in the European eel *Anguilla anguilla* **189**, 237
Pelster, B., Hicks, J. and Driedzic, W. R. Contribution of the pentose phosphate shunt to the formation of CO_2 in swimbladder tissue of the eel **197**, 119
Pennington, V. *See* Ahearn, G. A.
Perry, S. F. *See* Bindon, S. D.
Perry, S. F. *See* Gilmour, K. M.
Perry, S. F. *See* Walsh, P. J.
Perry, S. F. and Reid, S. G. The effects of acclimation temperature on the dynamics of catecholamine release during acute hypoxia in the rainbow trout *Oncorhynchus mykiss* **186**, 289
Pesquero, J., Roig, T., Bermudez, J. and Sanchez, J. Energy metabolism by trout red blood cells: substrate utilisation **193**, 183
Peterson, C. C. *See* Walton, B. M.
Pfau, H. K. and Koch, U. T. The functional morphology of singing in the cricket **195**, 147
Pfeffer-Seidl, A. *See* Paul, R. J.
Pfeiffer, D. C. *See* Lin, H.
Philippi, M. and Sillau, A. H. Oxidative capacity distribution in skeletal muscle fibers of the rat **189**, 1
Phillips, J. B. and Borland, S. C. Use of a specialized magnetoreception system for homing by the eastern red-spotted newt *Notophthalmus viridescens* **188**, 275
Pinder, A. W. *See* Gamperl, A. K.
Pinder, A. W. and Friet, S. C. Oxygen transport in egg masses of the amphibians *Rana sylvatica* and *Ambystoma maculatum*: convection, diffusion and oxygen production by algae **197**, 17
Plaut, I. and Gordon, M. S. Swimming metabolism of wild-type and cloned zebrafish *Brachydanio rerio* **194**, 209
Plös, A. L. *See* Grémillet, D. J. H.
Polgar, D. *See* Hogstrand, C.
Ponganis, P. J. *See* Kooyman, G. L.
Popov, A. V. *See* Hennig, R. M.
Pörtner, H. O. *See* Paul, R. J.
Potts, W. T. W. *See* Morgan, I. J.
Pouysségur, J. *See* Bianchini, L.
Prier, K. R., Beckman, O. H. and Tublitz, N. J. Modulating a modulator: biogenic amines at subthreshold levels potentiate peptide-mediated cardioexcitation of the heart of the tobacco hawkmoth *Manduca sexta* **197**, 377
Prilutsky, B. I. *See* Herzog, W.
Privé, G. G. *See* Kaback, H. R.

Raisman-Vozari, R. *See* Henry, J.-P.
Raji, A. and Nordmann, J. J. Stimulus–secretion coupling in the neurohypophysis of the jerboa *Jaculus orientalis* **195**, 19
Ramia, M. and Swan, M. A. The swimming of unipolar cells of *Spirillum volutans*: theory and observations **187**, 75
Randall, D. J. *See* Lin, H.
Reed, J. Z., Butler, P. J. and Fedak, M. A. The metabolic characteristics of the locomotory muscles of grey seals (*Halichoerus grypus*), harbour seals (*Phoca vitulina*) and Antarctic fur seals (*Arctocephalus gazella*) **194**, 33
Reed, J. Z., Chambers, C., Fedak, M. A. and Butler, P. J. Gas exchange of captive freely diving grey seals (*Halichoerus grypus*) **191**, 1
Reeves, J. P., Condrescu, M., Chernaya, G. and Gardner, J. P. Na^+/Ca^{2+} antiport in the mammalian heart **196**, 375
Reichert, J. *See* Wright, J. C.
Reid, S. G. *See* Gilmour, K. M.

Reid, S. G. *See* Perry, S. F.
Rennie, M. J. *See* Carter, C. G.
Riestenpatt, S., Zeiske, W. and Onken, H. Cyclic AMP stimulation of electrogenic uptake of Na^+ and Cl^- across the gill epithelium of the Chinese crab *Eriocheir sinensis* **188**, 159
Rind, F. C. *See* Simmons, P. J.
Riordan, J. R., Forbush III, B. and Hanrahan, J. W. The molecular basis of chloride transport in shark rectal gland **196**, 405
Ritzmann, R. E. *See* Schaefer, P .L.
Robb, S. and Evans, P. D. The modulatory effect of SchistoFLRFamide on heart and skeletal muscle in the locust *Schistocerca gregaria* **197**, 437
Roig, T. *See* Pesquero, J.
Rombout, J. H. W. M. *See* Verburg-van Kemenade, B. M. L.
Rössler, W. *See* Bickmeyer, U.

Sagne, C. *See* Henry, J.-P.
Saibene, F. *See* Minetti, A. E.
Saillant, P. A. *See* Fullard, J. H.
Salleo, A., la Spada, G. and Barbera, R. Gadolinium is a powerful blocker of the activation of nematocytes of *Pelagia noctiluca* **187**, 201
Sanchez, J. *See* Pesquero, J.
Sanderson, S. L., Cech, J. J. and Cheer, A. Y. Paddlefish buccal flow velocity during ram suspension feeding and ram ventilation **186**, 145
Santiesteban, A. J. *See* Yoshikawa, T.
Sato, T. *See* Okada, Y.
Sattelle, D. B. *See* Buckingham, S. D.
Sauer, N. *See* Caspari, T.
Schaefer, P .L., Kondagunta, G. V. and Ritzmann, R. E. Motion analysis of escape movements evoked by tactile stimulation in the cockroach *Periplaneta americana* **190**, 287
Schaerer, S. *See* Teyke, T.
Schirmanns, K. and Zeiske, W. An investigation of the midgut K^+ pump of the tobacco hornworm (*Manduca sexta*) using specific inhibitors and amphotericin B **188**, 191
Schirmanns, K. and Zeiske, W. K^+ channel permeation and block in the midgut epithelium of the tobacco hornworm *Manduca sexta* **197**, 179
Schmidt, J. *See* Gramoll, S.
Schneider, H. *See* Skiebe, P.
Schneider, T., Thalau, H.-P., Semm, P. and Wiltschko, W. Melatonin is crucial for the migratory orientation of pied flycatchers (*Ficedula hypoleuca* Pallas) **194**, 255
Schneiderman, A. M. *See* Edgecomb, R. S.
Schoenmakers, Th. J. M. *See* Verbost, P. M.
Schuldiner, S. *See* Padan, E.
Schulte, P. M. *See* West, T. G.
Schultze-Motel, P. and Lamprecht, I. Correlation of sound generation and metabolic heat flux in the bumblebee *Bombus lapidarius* **187**, 315
Schurmann, H. and Steffensen, J. F. Spontaneous swimming activity of Atlantic cod *Gadus morhua* exposed to graded hypoxia at three temperatures **197**, 129
Schwarzbaum, P. J. *See* Krumschnabel, G.
Scrimgeour, C. *See* Carter, C. G.
Selverston, A. I. *See* Turrigiano, G. G.
Semm, P. *See* Schneider, T.
Sephton, D. H. and Driedzic, W. R. Glucose metabolism by sea raven (*Hemitripterus americanus*) and rainbow trout (*Oncorhynchus mykiss*) erythrocytes **194**, 167
Seymour, R. S. and Loveridge, J. P. Embryonic and larval respiration in the arboreal foam nests of the African frog *Chiromantis xerampelina* **197**, 31
Shaw, S. R. Detection of airborne sound by a cockroach 'vibration detector': a possible missing link in insect auditory evolution **193**, 13
Sibbing, F. A. *See* van den Berg, C.
Siedou, M. *See* Michinomae, M.
Sillau, A. H. *See* Philippi, M.
Silva, A. L. and Wright, S. H. Short-term cell volume regulation in *Mytilus californianus* gill **194**, 47
Simkiss, K. and Taylor, M. G. Calcium magnesium phosphate granules: atomistic simulations explaining cell death **190**, 131
Simmons, J. A. *See* Fullard, J. H.
Simmons, P. J., Jian, S. and Rind, F. C. Characterisation of large second-order ocellar neurones of the blowfly *Calliphora erythrocephala* **191**, 231
Skaer, N. J. V. *See* Dow, J. A. T.
Skiebe, P. and Schneider, H. Allatostatin peptides in the crab stomatogastric nervous system: inhibition of the pyloric motor pattern and distribution of allatostatin-like immunoreactivity **194**, 195
Skorupski, P., Vescovi, P. J. and Bush, B. M. H. Integration of positive and negative feedback loops in a crayfish muscle **187**, 305
Slayman, C. L. Metamorphosis of research on ion-coupled metabolite transport **196**, 139

Slayman, C. L. *See* Harvey, W. R.
Slayman, C. L., Moussatos, V. V. and Webb, W. W. Endosomal accumulation of pH indicator dyes delivered as acetoxymethyl esters **196**, 419
Smith, B. H. and Cobey, S. The olfactory memory of the honeybee *Apis mellifera*. II. Blocking between odorants in binary mixtures **195**, 91
Smith, J. J. B. *See* Machin, J.
Smits, A. W. *See* West, N. H.
Speakman, J. R. *See* Cutts, C. J.
Srygley, R. B. *See* Dudley, R.
St-Laurent, R. and Larochelle, J. The cooling power of the pigeon head **194**, 329
Steels, P. *See* Leyssens, A.
Steffensen, J. F. *See* Schurmann, H.
Stephenson, R. Diving energetics in lesser scaup (*Aythya affinis* Eyton) **190**, 155
Stevens, B. R. *See* Gerencser, G. A.
Stevenson, P. A. *See* Bräunig, P.
Stinner, J. N., Newlon, D. L. and Heisler, N. Extracellular and intracellular carbon dioxide concentration as a function of temperature in the toad *Bufo marinus* **195**, 345
Stokes, D. R. *See* Josephson, R. K.
Stokes, D. R. and Josephson, R. K. Contractile properties of a high-frequency muscle from a crustacean. II. Contraction kinetics **187**, 275
Storz, H. *See* Paul, R. J.
Streeby, D. R. and McKean, T. A. The effect of ATP-sensitive potassium channel modulation on heart rate in isolated muskrat and guinea pig hearts **197**, 101
Sugi, H. *See* Kobayashi, T.
Sun, T. C. *See* Yoshikawa, T.
Sundin, L., Axelsson, M., Nilsson, S., Davison, W. and Forster, M. E. Evidence of regulatory mechanisms for the distribution of blood between the arterial and the venous compartments in the hagfish gill pouch **190**, 281
Swan, M. A. *See* Ramia, M.
Sweeting, R. *See* Alexander, G.
Syed, N. I. *See* Barnes, S.
Syed, N. I. *See* Ewadinger, N. M.
Syme, D. A. The efficiency of frog ventricular muscle **197**, 143

Tamura, A. *See* Jursky, F.
Tamura, S. *See* Jursky, F.
Tanner, W. *See* Caspari, T.
Taylor, M. G. *See* Simkiss, K.
Ter Maat, A. *See* Hermann, P. M.
Teyke, T. and Schaerer, S. Blind Mexican cave fish (*Astyanax hubbsi*) respond to moving visual stimuli **188**, 89
Thalau, H.-P. *See* Schneider, T.
Thomas, F. I. M. Physical properties of gametes in three sea urchin species **194**, 263
Thomas, S. *See* Walsh, P. J.
Thompson, M. B. *See* Morris, S.
Thorarensen, H. *See* Farrell, A. P.
Thoroed, S. M. and Fugelli, K. The Na^+-independent taurine influx in flounder erythrocytes and its association with the volume regulatory taurine efflux **186**, 245
Tiiska, A. J. and Lagerspetz, K. Y. H. Thermal acclimation, neuromuscular synaptic delay and miniature end-plate current decay in the frog *Rana temporaria* **187**, 131
Ting, L. H., Blickhan, R. and Full, R. J. Dynamic and static stability in hexapedal runners **197**, 251
Tobalske, B. W. and Dial, K. P. Neuromuscular control and kinematics of intermittent flight in budgerigars (*Melopsittacus undulatus*) **187**, 1
Tominaga, T. and Naitoh, Y. Comparison between thermoreceptor and mechanoreceptor currents in *Paramecium caudatum* **189**, 117
Tompkins, L. *See* Hirsch, H. V. B.
Travers, G. *See* Bone, Q.
Tribut, F., Duval, A. and Lapied, B. Two distinct receptors are activated by arecoline on cockroach sixth abdominal ganglion DUM neurones **186**, 325
Tse, C. M. *See* Young, J. D.
Tu, M. S. and Dickinson, M. H. Modulation of negative work output from a steering muscle of the blowfly *Calliphora vicina* **192**, 207
Tublitz, N. J. *See* Prier, K. R.
Tucker, B. C. *See* Walsh, P. J.
Tufts, B. L. *See* Cameron, B. A.
Tufts, B. L. *See* Kieffer, J. D.
Turrigiano, G. G., Van Wormhoudt, A., Ogden, L. and Selverston, A. I. Partial purification, tissue distribution and modulatory activity of a crustacean cholecystokinin-like peptide **187**, 181

Uesaka, T., Yano, K., Yamasaki, M., Nagashima, K. and Ando, M. Somatostatin-related peptides isolated from the eel gut: effects on ion and water absorption across the intestine of the seawater eel **188**, 205
Uhl, G. R. and Johnson, P. S. Neurotransmitter transporters: three important gene families for neuronal function **196**, 229
Ujwal, M. L. *See* Kaback, H. R.
Ushitani, H. *See* Kobayashi, T.

van den Berg, C. A quantitative, three-dimensional method for analyzing rotational movement from single-view movies **191**, 283
van den Berg, C., van den Boogaart, J. G. M., Sibbing, F. A. and Osse, J. W. M. Implications of gill arch movements for filter-feeding: an X-ray cinematographical study of filter-feeding white bream (*Blicca bjoerkna*) and common bream (*Abramis brama*) **191**, 257
van den Boogaart, J. G. M. *See* van den Berg, C.
Van Kerkhove, E. *See* Leyssens, A.
van Rens, B. T. T. M. *See* Verburg-van Kemenade, B. M. L.
Van Wormhoudt, A. *See* Turrigiano, G. G.
Varley, D. G. and Greenaway, P. Nitrogenous excretion in the terrestrial carnivorous crab *Geograpsus grayi*: site and mechanism of excretion **190**, 179
Veenstra, J. A., Lehman, H. K. and Davis, N. T. Allatotropin is a cardioacceleratory peptide in *Manduca sexta* **188**, 347
Veldman, T. *See* Olson, K. R.
Verbost, P. M. *See* Flik, G.
Verbost, P. M., Schoenmakers, Th. J. M., Flik, G. and Wendelaar Bonga S. E. Kinetics of ATP- and Na^+-gradient driven Ca^{2+} transort in basolateral membranes from gills of freshwater- and seawater-adapted tilapia **186**, 95
Verburg-van Kemenade, B. M. L., Groeneveld, A., van Rens, B. T. T. M. and Rombout, J. H. W. M. Characterization of macrophages and neutrophilic granulocytes from the pronephros of carp (*Cyprinus carpio*) **187**, 143
Vescovi, P. J. *See* Skorupski, P.
Virkki, L. V. and Nikinmaa, M. Activation and physiological role of Na^+/H^+ exchange in lamprey (*Lampetra fluviatilis*) erythrocytes **191**, 89
Vogl, A. W. *See* Lin, H.
Vos Hzn, J. J. *See* Coemans, M. A. J. M.

Wada, H. *See* Kobayashi, T.
Waisbren, S. J. *See* Boron, W. F.
Walsh, P. J. *See* Henry, R. P.
Walsh, P. J. *See* Wood, C. M.
Walsh, P. J., Tucker, B. C. and Hopkins, T. E. Effects of confinement/crowding on ureogenesis in the gulf toadfish *Opsanus beta* **191**, 195
Walsh, P. J., Wood, C. M., Perry, S. F. and Thomas, S. Urea transport by hepatocytes and red blood cells of selected elasmobranch and teleost fishes **193**, 321
Walters, E. T. *See* Clatworthy, A. L.
Walton, B. M., Peterson, C. C. and Bennett, A. F. Is walking costly for anurans? The energetic cost of walking in the northern toad *Bufo boreas halophilus* **197**, 165
Walton, J. S. *See* Claiborne, J. B.
Wang, T., Branco, L. G. S. and Glass, M. L. Ventilatory responses to hypoxia in the toad *Bufo paracnemis* before and after a decrease in haemoglobin oxygen-carrying capacity **186**, 1
Wang, T., Nielsen, O. B. and Lykkeboe, G. The relative contributions of red and white blood cells to whole-blood energy turnover in trout **190**, 43
Wang, Y., Heigenhauser, G. J. F. and Wood, C. M. Integrated responses to exhaustive exercise and recovery in rainbow trout white muscle: acid–base, phosphogen, carbohydrate, lipid, ammonia, fluid volume and electrolyte metabolism **195**, 227
Watson, G. M. and Hessinger, D. A. Antagonistic frequency tuning of hair bundles by different chemoreceptors regulates nematocyst discharge **187**, 57
Watt, P. W. *See* Carter, C. G.
Webb, W. W. *See* Slayman, C. L.
Weber, J.-M. *See* Fournier, R. A.
Weber, R. E. *See* Feuerlein, R. J.
Weber, R. E. and White, F. N. Chloride-dependent organic phosphate sensitivity of the oxygenation reaction in crocodilian hemoglobins **192**, 1
Weber, T. *See* Hennig, R. M.
Weibel, E. R. *See* **Kayar, S. R.**
Weissburg, M. J. and Zimmer-Faust, R. K. Odor plumes and how blue crabs use them in finding prey **197**, 349
Weitzman, C. *See* Kaback, H. R.
Wells, R. M. G. and Baldwin, J. Oxygen transport in marine green turtle (*Chelonia mydas*) hatchling: blood viscosity and control of hemoglobin oxygen-affinity **188**, 103
Wendelaar Bonga S. E. *See* Verbost, P. M.
West, N. H. and Smits, A. W. Cardiac output in conscious toads (*Bufo marinus*) **186**, 315
West, T. G., Schulte, P. M. and Hochachka, P. W. Implications of hyperglycemia for post-exercise resynthesis of glycogen in trout skeletal muscle **189**, 69
White, F. N. *See* Weber, R. E.
Wieczorek, H. *See* Grinstein, S.
Wieczorek, H. *See* Lepier, A.
Wiegand, H. *See* Bickmeyer, U.
Wieser, W. *See* Krumschnabel, G.

Wilkens, L. A. and Douglass, J. K. A stimulus paradigm for analysis of near-field hydrodynamic sensitivity in crustaceans **189**, 263
Will, A. *See* Caspari, T.
Williamson, R. *See* Budelmann, B. U.
Wilson, R. P. *See* Bannasch, R.
Wilson, R. P. *See* Culik, B. M.
Wilson, R. W. *See* Hogstrand, C.
Wilson, R. W. and Egginton, S. Assessment of maximum sustainable swimming performance in rainbow trout (*Oncorhynchus mykiss*) **192**, 299
Wilson, R. W., Wright, P. M., Munger, S. and Wood, C. M. Ammonia excretion in freshwater rainbow trout (*Oncorhynchus mykiss*) and the importance of gill boundary layer acidification: lack of evidence for Na^+/NH_4^+ exchange **191**, 37
Wilson, S. M. *See* Ko, W. H.
Wiltschko, W. *See* Schneider, T.
Withers, P. C., Morrison, G., Hefter, G. T. and Pang, T.-S. Role of urea and methylamines in buoyancy of elasmobranchs **188**, 175
Woakes, A. J. *See* Bevan, R. M.
Wolfersberger, M. G. Uniporters, symporters and antiporters **196**, 5
Wolfersberger, M. G. *See* Parthasarathy, R.
Wolfersberger, M. G. *See* Xie, T.
Wood, C. M. *See* Hogstrand, C.
Wood, C. M. *See* Walsh, P. J.
Wood, C. M. *See* Wang, Y.
Wood, C. M. *See* Wilson, R. W.
Wood, C. M., Bergman, H. L., Laurent, P., Maina, J. N., Narahara, A. and Walsh, P. J. Urea production, acid–base regulation and their interactions in the Lake Magadi tilapia, a unique teleost adapted to a highly alkaline environment **189**, 13
Wood, C. M. and Munger, R. S. Carbonic anhydrase injection provides evidence for the role of blood acid–base status in stimulating ventilation after exhaustive exercise in rainbow trout **194**, 225
Wright, E. M., Loo, D. D. F., Panayotova-Heiermann, M., Lostao, M. P., Hirayama, B. H., Mackenzie, B., Boorer, K. and Zampighi, G. 'Active' sugar transport in eukaryotes **196**, 197
Wright, J. C., O'Donnell, M. J. and Reichert, J. Effects of ammonia-loading on *Porcellio scaber*: glutamine and glutamate synthesis, ammonia excretion and toxicity **188**, 143
Wright, P. M. *See* Wilson, R. W.
Wright, S. H. *See* Silva, A. L.
Wu, J. *See* Kaback, H. R.
Wuttke, W. A., Munsch, T. and Berry, M. S. Intracellular pH of giant salivary gland cells of the leech *Haementeria ghilianii*: regulation and effects on secretion **189**, 179

Xie, D. H. *See* Keating, A. W.
Xie, T. *See* Parthasarathy, R.
Xie, T., Parthasarathy, R., Wolfersberger, M. G. and Harvey, W. R. Anomalous glutamate/alkali cation symport in larval *Manduca sexta* midgut **194**, 181

Yamasaki, M. *See* Uesaka, T.
Yan, R.-T. *See* Maloney, P. C.
Yano, K. *See* Uesaka, T.
Yao, S. Y.-M. *See* Young, J. D.
Yoshikawa, H. *See* Mukai, Y.
Yoshikawa, T., Mori, S., Santiesteban, A. J., Sun, T. C., Hafstad, E., Chen, J. and Burr, D. B. The effects of muscle fatigue on bone strain **188**, 217
Young, D. *See* Bennet-Clark, H. C.
Young, J. D., Yao, S. Y.-M., Tse, C. M., Davies, A. and Baldwin, S. A. Functional and molecular characteristics of a primitive vertebrate glucose transporter: studies of glucose transport by erythrocytes from the Pacific hagfish (*Eptatretus stouti*) **186**, 23

Zampighi, G. *See* Wright, E. M.
Zatsiorsky, V. *See* Herzog, W.
Zeiske, W. *See* Riestenpatt, S.
Zeiske, W. *See* Schirmanns, K.
Zen, K. *See* Kaback, H. R.
Zhang, B. and Harris-Warrick, R. M. Multiple receptors mediate the modulatory effects of serotonergic neurons in a small neural network **190**, 55
Zhang, Y. T. *See* Guimaraes, A. C.
Zhuang, Z. *See* Ahearn, G. A.
Zimmer-Faust, R. K. *See* Weissburg, M. J.
Zollikofer, C. P. E. Stepping patterns in ants. I. Influence of speed and curvature **192**, 95
Zollikofer, C. P. E. Stepping patterns in ants. II. Influence of body morphology **192**, 107
Zollikofer, C. P. E. Stepping patterns in ants. III. Influence of load **192**, 119
Zou, D.-J. Respiratory rhythm in the isolated central nervous system of newborn opossum **197**, 201

INDEX OF SUBJECTS

ABC transporter
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Abramis brama
gill arch movements during filter-feeding: VAN DEN BERG, VAN DEN BOOGAART, SIBBING AND OSSE **191**, 257.
Acclimation
catecholamine release in hypoxic trout: PERRY AND REID **186**, 289.
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
Acetylcholine receptor
actions of bicuculline on identified cockroach neurones: BUCKINGHAM, HUE AND SATTELLE **186**, 235.
Achatina fulica
effect of injury on a snail cerebrobuccal neurone: CHIASSON, BAKER AND CROLL **192**, 147.
Acheta domesticus
achetakinins in the house cricket: CHUNG, GOLDSWORTHY AND COAST **193**, 307.
effects of *Acheta* diuretic peptide: COAST AND KAY **187**, 225.
Achetakinin
achetakinins in the house cricket: CHUNG, GOLDSWORTHY AND COAST **193**, 307.
Acid
a unique permeability barrier in gastric gland cells: BORON, WAISBREN, MODLIN AND GEIBEL **196**, 347.
Acid–base balance
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
carbon dioxide transport in the haemolymph of arachnids: PAUL, PFEFFER-SEIDL, EFINGER, PÖRTNER AND STORZ **188**, 47.
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.
Acid–base disequilibrium
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
Acid–base regulation
acid–base regulation in fish exposed to low salinities: CLAIBORNE, WALTON AND COMPTON-McCULLOUGH **193**, 79.
ammonia excretion in freshwater rainbow trout: WILSON, WRIGHT, MUNGER AND WOOD **191**, 37.
Acid-induced current
acid-induced current in frog taste cells: OKADA, MIYAMOTO AND SATO **187**, 19.
Acoustic communication
sound production and hearing in a moth: HELLER AND KRAHE **187**, 101.
Acoustic monitoring
sound and heat flux in bumblebees: SCHULTZE-MOTEL AND LAMPRECHT **187**, 315.
Acoustics
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
Acris gryllus
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.
Activation pattern
activity patterns of a crustacean muscle: JOSEPHSON AND STOKES **187**, 261.
Active transport
thermodynamics of symport and antiport: GERENCSER AND STEVENS **196**, 59.
Acute zone
a mysid shrimp carrying a pair of binoculars: NILSSON AND MODLIN **189**, 213.
***Ad libitum* feeding**
regulation of feeding behaviour in *Drosophila*: EDGECOMB, HARTH AND SCHNEIDERMAN **197**, 215.
Adaptation
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
Adenylates
metabolic depression in turtle brain: DOLL, HOCHACHKA AND HAND **191**, 141.
Adrenaline
adrenaline-stimulated cardiac output in trout: GAMPERL, PINDER AND BOUTILIER **186**, 127.

adrenaline-stimulated cardiac performance in hypoxic trout: GAMPERL, PINDER, GRANT AND BOUTILIER **193**, 209.
catecholamine release in hypoxic trout: PERRY AND REID **186**, 289.
Adrenergic stimulation
Na^+/H^+ exchange in lamprey erythrocytes: VIRKKI AND NIKINMAA **191**, 89.
trout blood energy turnover: WANG, NIELSEN AND LYKKEBOE **190**, 43.
Adrenoreceptors
β-adrenoceptor down-regulation in fish red blood cells: GILMOUR, DIDYK, REID AND PERRY **186**, 309.
Adjustment mechanisms
functional morphology of singing in the cricket: PFAU AND KOCH **195**, 147.
Advection
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
Aerobic diving
gas exchange of freely diving grey seals: REED, CHAMBERS, FEDAK AND BUTLER **191**, 1.
Aerobic swimming
maximum sustainable swimming performance in trout: WILSON AND EGGINTON **192**, 299.
Aerodynamics
aerodynamics of wing rotation: DICKINSON **192**, 179.
Agelaius phoeniceus
ontogeny of shivering in blackbirds: OLSON **191**, 59.
Agonist
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.
Air-breathing
periodic air-breathing in a primitive fish: HEDRICK, KATZ AND JONES **197**, 429.
Airspeed
allometry of airspeeds in free-flying butterflies: DUDLEY AND SRYGLEY **191**, 125.
Alanine
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MACLEOD **196**, 297.
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
Albatross
heart rate and oxygen consumption of albatrosses: BEVAN, WOAKES, BUTLER AND BOYD **193**, 119.
Aldosterone
effects of Ba^{2+} on colonic NaCl transport: DÍAZ, LORENZO, GÓMEZ, BADÍA AND BOLAÑOS **186**, 9.
Algal morphology
allometry and mechanics of a giant kelp: JOHNSON AND KOEHL **195**, 381.
Alkaliphile
antiporters and pH homeostasis: KRULWICH, CHENG AND GUFFANTI **196**, 457.
Alkalization
active alkalization by *Manduca sexta* midgut: MOFFETT AND CUMMINGS **194**, 341.
Allatostatin
allatostatin in the stomatogastric nervous system: SKIEBE AND SCHNEIDER **194**, 195.
Allatotropin
allatotropin is a cardioacceleratory peptide in *Manduca sexta*: VEENSTRA, LEHMAN AND DAVIS **188**, 347.
Allometry
allometry and mechanics of a giant kelp: JOHNSON AND KOEHL **195**, 381.
allometry of airspeeds in free-flying butterflies: DUDLEY AND SRYGLEY **191**, 125.
capillary blood transit time and body size: KAYAR, HOPPELER, JONES, LONGWORTH, ARMSTRONG, LAUGHLIN, LINDSTEDT, BICUDO, GROEBE, TAYLOR AND WEIBEL **194**, 69.
Allosteric effects
phosphate binding in crocodilian hemoglobins: WEBER AND WHITE **192**, 1.
Ambystoma maculatum
oxygen transport in amphibian egg masses: PINDER AND FRIET **197**, 17.
Ambystoma tigrinum
kinematics of feeding behaviour in a salamander: GILLIS AND LAUDER **187**, 159.
Amia calva
periodic air-breathing in a primitive fish: HEDRICK, KATZ AND JONES **197**, 429.
Amiloride
fluid secretion by *Drosophila* Malpighian tubules: DOW, MADDRELL, GÓRTZ, SKAER, BROGAN AND KAISER **197**, 421.

invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.

Amino acid
amino acid transport designations: CHRISTENSEN, ALBRITTON, KAKUDA AND MacLEOD **196**, 51.
confinement and ureogenesis in toadfish: WALSH, TUCKER AND HOPKINS **191**, 195.
fish gustation and ionic environment: KITADA AND HARA **186**, 173.
proteins involved in amino acid transport: PALACÍN **196**, 123.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.

Amino acid absorption
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.

Amino acid transport
proteins involved in amino acid transport: PALACÍN **196**, 123.
y^+-type cationic amino acid transport: MacLEOD, FINLEY AND KAKUDA **196**, 109.

Amino acid uptake
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.

Aminobutanoic acid
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.

α-Aminobutyric acid
brain neurotransmitter transporters: JURSKY, TAMURA, TAMURA, MANDIYAN, NELSON AND NELSON **196**, 283.

Ammonia
a unique permeability barrier in gastric gland cells: BORON, WAISBREN, MODLIN AND GEIBEL **196**, 347.
acid–base regulation in fish exposed to low salinities: CLAIBORNE, WALTON AND COMPTON-McCULLOUGH **193**, 79.
ammonia excretion in a terrestrial crab: VARLEY AND GREENAWAY **190**, 179.
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.

Ammonia excretion
ammonia excretion in freshwater rainbow trout: WILSON, WRIGHT, MUNGER AND WOOD **191**, 37.

Ammonia loading
effects of ammonia loading in *Porcellio scaber*: WRIGHT, O'DONNELL AND REICHERT **188**, 143.

Amphibian
magnetoreception and homing in a newt: PHILLIPS AND BORLAND **188**, 275.
oxygen transport in amphibian egg masses: PINDER AND FRIET **197**, 17.
respiration in arboreal foam nests: SEYMOUR AND LOVERIDGE **197**, 31.
the energetic cost of walking in a toad: WALTON, PETERSON AND BENNETT **197**, 165.

Amphibian hearing
lung–eardrum sound transmission in frogs: EHRET, KEILWERTH AND KAMADA **195**, 329.

Amphotericin
insect midgut K^+ channel: SCHIRMANNS AND ZEISKE **197**, 179.

Anaerobiosis
energetics of locomotion in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 257.

Angiotensin
blood pressure control in Antartic fish: AXELSSON, DAVISON, FORSTER AND NILSSON **190**, 265.

Angiotensin II
effects of angiotensin II on trout vasculature: OLSON, CHAVEZ, CONKLIN, COUSINS, FARRELL, FERLIC, KEEN, KNE, KOWALSKI AND VELDMAN **194**, 117.

Anguilla anguilla
control of swimbladder perfusion: PELSTER **189**, 237.
ion transport in eel intestine: MARVÃO, EMILIO, FERREIRA AND FERNANDES **193**, 97.

Anguilla japonica
structure and function of eel somatostatins: UESAKA, YANO, YAMASAKI, NAGASHIMA AND ANDO **188**, 205.

Anguilla rostrata
carbon dioxide formation in eel swimbladder tissue: PELSTER, HICKS AND DRIEDZIC **197**, 119.

Anion exchange
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.

Anion movement
carbon dioxide transport in sea lamprey blood: CAMERON AND TUFTS **197**, 337.
Annelida
acquisition of motility by polychaete spermatozoa: PACEY, COSSON AND BENTLEY **195**, 259.
Anoxia
metabolic depression in turtle brain: DOLL, HOCHACHKA AND HAND **191**, 141.
performance of normoxic and anoxic turtle hearts: FARRELL, FRANKLIN, ARTHUR, THORARENSEN AND COUSINS **191**, 207.
Anser brachyrhynchus
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
Ant
effect of body morphology on stepping patterns in ants: ZOLLIKOFER **192**, 107.
effect of load on stepping patterns in ants: ZOLLIKOFER **192**, 119.
effect of speed on stepping patterns in ants: ZOLLIKOFER **192**, 95.
Antagonist
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.
Antartic
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
Antenna
flow through arrays of hairs: LOUDON, BEST AND KOEHL **193**, 233.
Antennal glands
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Antibiotics
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Antibody
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Antidepressant
norepinephrine and serotonin transporters: BLAKELY, DE FELICE AND HARTZELL **196**, 263.
Antigen
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Antiport
bacterial and plant antiporters: MALONEY **196**, 439.
thermodynamics of symport and antiport: GERENCSER AND STEVENS **196**, 59.
Antiporter
cation antiports of animal plasma membranes: GRINSTEIN AND WIECZOREK **196**, 307.
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
neurotransmitter transporters: UHL AND JOHNSON **196**, 229.
regulation of Na^+/H^+ antiport: DEMAUREX AND GRINSTEIN **196**, 389.
Aorta
cardiac output in conscious toads: WEST AND SMITS **186**, 315.
Apis mellifera
the olfactory memory of the honeybee: SMITH AND COBEY **195**, 91.
Aplysia californica
head waving movements of *Aplysia*: KUENZI AND CAREW **195**, 35.
injury-induced alterations in sensory neurones: CLATWORTHY AND WALTERS **190**, 217.
interganglionic control of head waving in *Aplysia*: KUENZI AND CAREW **195**, 75.
muscle anatomy and activity of *Aplysia*: KUENZI AND CAREW **195**, 53.
Aptenodytes forsteri
effect of exercise on penguins: KOOYMAN AND PONGANIS **195**, 199.
Aptychotremata vincentiana
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
Aquatic mechanoreceptors
stimulus paradigm for aquatic mechanoreceptors: WILKENS AND DOUGLASS **189**, 263.
Arabidopsis
hexose/H^+ symporters in plants: CASPARI, WILL, OPEKAROVÁ, SAUER AND TANNER **196**, 483.
Arachnid
carbon dioxide transport in the haemolymph of arachnidsoxygen transport in the haemolymph of arachnids: PAUL, PFEFFER-SEIDL, EFINGER, PÖRTNER AND STORZ **188**, 47.

oxygen transport in the haemolymph of arachnids: PAUL, BERGNER, PFEFFER-SEIDL, DECKER, EFINGER AND STORZ **188**, 25.
Arctocephalus gazella
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.
Arecoline
arecoline-induced nicotinic and muscarinic responses of DUM neurones: TRIBUT, DUVAL AND LAPIED **186**, 325.
Arenicola marina
acquisition of motility by polychaete spermatozoa: PACEY, COSSON AND BENTLEY **195**, 259.
Arginine
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
y^+-type cationic amino acid transport: MACLEOD, FINLEY AND KAKUDA **196**, 109.
Argopecten irradians
power output of scallop adductor muscle: MARSH AND OLSON **193**, 139.
Arthropod
flow through arrays of hairs: LOUDON, BEST AND KOEHL **193**, 233.
stability in hexapedal runners: TING, BLICKHAN AND FULL **197**, 251.
Ascending interneurone
activity of giant interneurones in walking crickets: KOHSTALL-SCHNELL AND GRAS **193**, 157.
Aspartate
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MACLEOD **196**, 297.
Astyanax hubbsi
visual behaviour of blind cave fish: TEYKE AND SCHAERER **188**, 89.
Asynchronous muscle
effect of muscle length on force: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **193**, 49.
Atlantic cod
swimming activity during hypoxia in cod: SCHURMANN AND STEFFENSEN **197**, 129.
ATP
haemoglobin, ATP and GTP assay in fish: FEUERLEIN AND WEBER **189**, 273.
phosphate binding in crocodilian hemoglobins: WEBER AND WHITE **192**, 1.
ATP-dependence
regulation of Na^+/H^+ antiport: DEMAUREX AND GRINSTEIN **196**, 389.
ATP depletion
Na^+/Ca^{2+} antiport in the mammalian heart: REEVES, CONDRESCU, CHERNAYA AND GARDNER **196**, 375.
Auditory evolution
a cockroach auditory-vibration sensor: SHAW **193**, 13.
Auditory periphery
lung–eardrum sound transmission in frogs: EHRET, KEILWERTH AND KAMADA **195**, 329.
Auditory threshold modulation
auditory threshold change in singing cicadas: HENNIG, WEBER, HUBER, KLEINDIENST, MOORE AND POPOV **187**, 45.
Auxis rochei
small tunas can elevate muscle temperature: DICKSON **190**, 79.
Auxis thazard
small tunas can elevate muscle temperature: DICKSON **190**, 79.
Axial muscle
kinematics of undulatory swimming: LONG, MCHENRY AND BOETTICHER **192**, 129.
Axial skeleton
kinematics of undulatory swimming: LONG, MCHENRY AND BOETTICHER **192**, 129.
Axotomy
injury-induced alterations in sensory neurones: CLATWORTHY AND WALTERS **190**, 217.
Aythya affinis
energetics of diving lesser scaup: STEPHENSON **190**, 155.
Azetidine carboxylates
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MACLEOD **196**, 297.

Ba^{2+}
effects of Ba^{2+} on colonic NaCl transport: DÍAZ, LORENZO, GÓMEZ, BADÍA AND BOLAÑOS **186**, 9.

effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.

Bacillus firmus
antiporters and pH homeostasis: KRULWICH, CHENG AND GUFFANTI **196**, 457.

Bacillus subtilis
antiporters and pH homeostasis: KRULWICH, CHENG AND GUFFANTI **196**, 457.

Bacillus thuringiensis* δ-*endotoxin
determinants for amino acid/K^+ symport: GIORDANA AND PARENTI **196**, 145.

Baclofen
GABA response in crustacean neurones: JACKEL, KRENZ AND NAGY **191**, 167.

Bacteria
bacterial and plant antiporters: MALONEY **196**, 439.

Bacterial flagella
swimming kinematics of *Spirillum volutans*: RAMIA AND SWAN **187**, 75.

Bafilomycin
fluid secretion by *Drosophila* Malpighian tubules: DOW, MADDRELL, GÖRTZ, SKAER, BROGAN AND KAISER **197**, 421.

Bafilomycin A_1
blocking the midgut K^+ pump of *Manduca sexta*: SCHIRMANNS AND ZEISKE **188**, 191.

Band 3
carbon dioxide transport in sea lamprey blood: CAMERON AND TUFTS **197**, 337.

Banked retina
structure of firefly squid banked retina: MICHINOMAE, MASUDA, SIEDOU AND KITO **193**, 1.

Bat
Doppler-shift compensation by moustached bats: KEATING, HENSON, HENSON, LANCASTER AND XIE **188**, 115.
heterothermy in the long-eared bat: MORRIS, CURTIN AND THOMPSON **197**, 309.
jamming bat echolocation: the clicks of the dogbane tiger moth: FULLARD, SIMMONS AND SAILLANT **194**, 285.
wing bone stresses and safety factors: KIRKPATRICK **190**, 195.

BCECF-AM
mistargetting of ion-indicator dyes: SLAYMAN, MOUSSATOS AND WEBB **196**, 419.

Behaviour
developmental plasticity in *Drosophila*: HIRSCH AND TOMPKINS **195**, 1.
kinematics of feeding behaviour in a salamander: GILLIS AND LAUDER **187**, 159.
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
swimming activity during hypoxia in cod: SCHURMANN AND STEFFENSEN **197**, 129.

Betaine
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
cell volume regulation in *Mytilus californianus* gill: SILVA AND WRIGHT **194**, 47.

Bicuculline
actions of bicuculline on identified cockroach neurones: BUCKINGHAM, HUE AND SATTELLE **186**, 235.
GABA response in crustacean neurones: JACKEL, KRENZ AND NAGY **191**, 167.

Big brown bat
jamming bat echolocation: the clicks of the dogbane tiger moth: FULLARD, SIMMONS AND SAILLANT **194**, 285.

Bile salt
fish gustation and ionic environment: KITADA AND HARA **186**, 173.

Biocytin
dye coupling in *Lymnaea stagnalis* neurones: EWADINGER, SYED, LUKOWIAK AND BULLOCH **192**, 291.

Bioenergetics
the lactose permease meets Frankenstein: KABACK, FRILLINGOS, JUNG, JUNG, PRIVÉ, UJWAL, WEITZMAN, WU AND ZEN **196**, 183.

Biogenic amine
norepinephrine and serotonin transporters: BLAKELY, DE FELICE AND HARTZELL **196**, 263.
potentiation of a response to a peptide by biogenic amines: PRIER, BECKMAN AND TUBLITZ **197**, 377.
terminal networks of a locust DUM neurone: BRÄUNIG, STEVENSON AND EVANS **192**, 225.

Biomechanics
allometry and mechanics of a giant kelp: JOHNSON AND KOEHL **195**, 381.
extreme drag forces on wind- and water-swept organisms: DENNY **194**, 97.

flow through arrays of hairs: LOUDON, BEST AND KOEHL **193**, 233.
mechanics and energetics of gradient running: MINETTI, ARDIGÒ AND SAIBENE **195**, 211.
the effects of muscle fatigue on bone strain: YOSHIKAWA, MORI, SANTIESTEBAN, SUN, HAFSTAD, CHEN AND BURR **188**, 217.

Bird
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
the cooling power of the pigeon head: ST-LAURENT AND LAROCHELLE **194**, 329.
wing bone stresses and safety factors: KIRKPATRICK **190**, 195.

Bivalve
cell volume regulation in *Mytilus californianus* gill: SILVA AND WRIGHT **194**, 47.

Blaberus discoidalis
stability in hexapedal runners: TING, BLICKHAN AND FULL **197**, 251.

Blicca bjoerkna
gill arch movements during filter-feeding: VAN DEN BERG, VAN DEN BOOGAART, SIBBING AND OSSE **191**, 257.

Blocking
the olfactory memory of the honeybee: SMITH AND COBEY **195**, 91.

Blood
oxygen transport in a sea turtle: WELLS AND BALDWIN **188**, 103.
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.
viscosity of yellowfin tuna blood: BRILL AND JONES **189**, 199.

Blood cell metabolism
trout blood energy turnover: WANG, NIELSEN AND LYKKEBOE **190**, 43.

Blood chemistry
maximum sustainable swimming performance in trout: WILSON AND EGGINTON **192**, 299.

Blood flow
capillary blood transit time and body size: KAYAR, HOPPELER, JONES, LONGWORTH, ARMSTRONG, LAUGHLIN, LINDSTEDT, BICUDO, GROEBE, TAYLOR AND WEIBEL **194**, 69.
cardiovascular responses to hypoxic axposure: AIRRIESS AND McMAHON **190**, 23.
control of swimbladder perfusion: PELSTER **189**, 237.
maximum sustainable swimming performance in trout: WILSON AND EGGINTON **192**, 299.

Blood gas transport
gas transport in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 235.

Blood oxygen-affinity
haemoglobin, ATP and GTP assay in fish: FEUERLEIN AND WEBER **189**, 273.

Blood pressure
blood pressure control in Antartic fish: AXELSSON, DAVISON, FORSTER AND NILSSON **190**, 265.
control of swimbladder perfusion: PELSTER **189**, 237.
effects of angiotensin II on trout vasculature: OLSON, CHAVEZ, CONKLIN, COUSINS, FARRELL, FERLIC, KEEN, KNE, KOWALSKI AND VELDMAN **194**, 117.

Blowfly
blowfly ocellar neurones: SIMMONS, JIAN AND RIND **191**, 231.
work output of a blowfly steering muscle: TU AND DICKINSON **192**, 207.

Blue crab
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.

Bluegill sunfish
kinematics of pectoral fin locomotion: GIBB, JAYNE AND LAUDER **189**, 133.

Body morphology
effect of body morphology on stepping patterns in ants: ZOLLIKOFER **192**, 107.

Body size
effect of body morphology on stepping patterns in ants: ZOLLIKOFER **192**, 107.

Bombus lapidarius
sound and heat flux in bumblebees: SCHULTZE-MOTEL AND LAMPRECHT **187**, 315.

Bombyx mori
determinants for amino acid/K^+ symport: GIORDANA AND PARENTI **196**, 145.

Bone
the effects of muscle fatigue on bone strain: YOSHIKAWA, MORI, SANTIESTEBAN, SUN, HAFSTAD, CHEN AND BURR **188**, 217.

Boundary element
swimming kinematics of *Spirillum volutans*: RAMIA AND SWAN **187**, 75.

Boundary layer
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
Brachydanio rerio
swimming metabolism of zebrafish: PLAUT AND GORDON **194**, 209.
Brain
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Bream
gill arch movements during filter-feeding: VAN DEN BERG, VAN DEN BOOGAART, SIBBING AND OSSE **191**, 257.
Brittlestar
extraocular polarization sensitivity in an echinoderm: JOHNSEN **195**, 281.
Brown trout
intracellular ion concentrations in trout gill cells: MORGAN, POTTS AND OATES **194**, 139.
Brush-border membrane
glutamate symport in larval *Manduca sexta*: XIE, PARTHASARATHY, WOLFERSBERGER AND HARVEY **194**, 181.
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Na^+/phosphate and Na^+/sulphate symport: MURER, MARKOVICH AND BIBER **196**, 167.
Buccal flow
buccal flow velocity in paddlefish: SANDERSON, CECH AND CHEER **186**, 145.
Buccal ganglia
effect of injury on a snail cerebrobuccal neurone: CHIASSON, BAKER AND CROLL **192**, 147.
Budgerigar
intermittent flight in the budgerigar: TOBALSKE AND DIAL **187**, 1.
Bufo boreas halophilus
the energetic cost of walking in a toad: WALTON, PETERSON AND BENNETT **197**, 165.
Bufo marinus
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
cardiac output in conscious toads: WEST AND SMITS **186**, 315.
Bufo paracnemis
ventilatory control in *Bufo paracnemis*: WANG, BRANCO AND GLASS **186**, 1.
Bumblebee
sound and heat flux in bumblebees: SCHULTZE-MOTEL AND LAMPRECHT **187**, 315.
Bumetanide
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
fluid secretion by *Drosophila* Malpighian tubules: DOW, MADDRELL, GÖRTZ, SKAER, BROGAN AND KAISER **197**, 421.
Buoyancy
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
energetics of diving lesser scaup: STEPHENSON **190**, 155.
Butterfly
allometry of airspeeds in free-flying butterflies: DUDLEY AND SRYGLEY **191**, 125.
motion-sensitive neurones in a butterfly: ICHIKAWA **195**, 361.

Ca^{2+} antiporter
Ca^{2+} transport in yeast: CUNNINGHAM AND FINK **196**, 157.
Ca^{2+}-ATPase
ATP- and Na^+-driven Ca^{2+} transport in tilapia: VERBOST, SCHOENMAKERS AND FLIK **186**, 95.
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Ca^{2+}-induced Ca^{2+} release
control of contraction in *Vorticella*: KATOH AND NAITOH **189**, 163.
Ca^{2+}/Na^+ exchange
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Ca^{2+} pump
Ca^{2+} transport in yeast: CUNNINGHAM AND FINK **196**, 157.
Cable properties
electrophysiology of frog olfactory cilia: KLEENE, GESTELAND AND BRYANT **195**, 307.
Calcification
calcium uptake in postmoult crabs: NEUFELD AND CAMERON **187**, 1.

Calcium
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
mobilization of shell calcium *in vitro*: PACKARD **190**, 141.
Calcium channel
calcium channel currents in locust neurones: BICKMEYER, RÖSSLER AND WIEGAND **197**, 393.
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
stimulus–secretion coupling in jerboa neurohypophysis: RAJI AND NORDMANN **195**, 19.
Calcium signalling
Ca^{2+} transport in yeast: CUNNINGHAM AND FINK **196**, 157.
Calcium spike
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
Calcium transport
calcium transport in crab gills: FLIK, VERBOST, ATSMA AND LUCU **195**, 109.
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Calcium-activated chloride channel
electrophysiology of frog olfactory cilia: KLEENE, GESTELAND AND BRYANT **195**, 307.
Callinectes sapidus
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
calcium uptake in postmoult crabs: NEUFELD AND CAMERON **187**, 1.
lactate metabolism in crabs: HENRY, BOOTH, LALLIER AND WALSH **186**, 215.
water uptake in moulting crabs: NEUFELD AND CAMERON **187**, 11.
Calliphora erythrocephala
blowfly ocellar neurones: SIMMONS, JIAN AND RIND **191**, 231.
Calliphora vicina
work output of a blowfly steering muscle: TU AND DICKINSON **192**, 207.
Calmodulin
Ca^{2+} transport in yeast: CUNNINGHAM AND FINK **196**, 157.
Calorimetry
metabolic depression in turtle brain: DOLI, HOCHACHKA AND HAND **191**, 141.
Camouflage
sensory control of *Sepia* countershading: FERGUSON, MESSENGER AND BUDELMANN **191**, 247.
Cancer borealis
allatostatin in the stomatogastric nervous system: SKIEBE AND SCHNEIDER **194**, 195.
buccalin and myomodulin in the crab stomatogastric ganglion: CHRISTIE, HALL, OSHINSKY AND MARDER **193**, 337.
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.
Cancer magister
cardiovascular responses to hypoxic exposure: AIRRIESS AND McMAHON **190**, 23.
Capacity
maximum sustainable swimming performance in trout: WILSON AND EGGINTON **192**, 299.
Capillarity
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.
Carassius auratus
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
Carbon dioxide
a unique permeability barrier in gastric gland cells: BORON, WAISBREN, MODLIN AND GEIBEL **196**, 347.
carbon dioxide transport in sea lamprey blood: CAMERON AND TUFTS **197**, 337.
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
gas transport in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 235.
heterothermy in the long-eared bat: MORRIS, CURTIN AND THOMPSON **197**, 309.
Carbon dioxide production
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
Carbon dioxide transport
carbon dioxide transport in the haemolymph of arachnids : PAUL, PFEFFER-SEIDL, EFINGER, PÖRTNER AND STORZ **188**, 47.

Carbonic anhydrase
lactate metabolism in crabs: HENRY, BOOTH, LALLIER AND WALSH **186**, 215.
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.
Carcharhinus obscurus
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
Carcinus maenas
activity patterns of a crustacean muscle: JOSEPHSON AND STOKES **187**, 261.
calcium transport in crab gills: FLIK, VERBOST, ATSMA AND LUCU **195**, 109.
contraction kinetics of a crustacean muscle: STOKES AND JOSEPHSON **187**, 275.
power output of a crustacean muscle: JOSEPHSON AND STOKES **187**, 295.
Cardiac ATP depletion
Na^+/Ca^{2+} antiport in the mammalian heart: REEVES, CONDRESCU, CHERNAYA AND GARDNER **196**, 375.
Cardiac frequency
in conscious toads: WEST AND SMITS: **186**, 315.
ventilatory control in *Bufo paracnemis*: WANG, BRANCO AND GLASS **186**, 1.
Cardiac output
cardiac output in conscious toads: WEST AND SMITS **186**, 315.
cardiovascular responses to hypoxic exposure: AIRRIESS AND McMAHON **190**, 23.
intrinsic properties of perfused crocodile hearts: FRANKLIN AND AXELSSON **186**, 269.
performance of normoxic and anoxic turtle hearts: FARRELL, FRANKLIN, ARTHUR, THORARENSEN AND COUSINS **191**, 207.
Cardiac performance
adrenaline-stimulated cardiac output in trout: GAMPERL, PINDER AND BOUTILIER **186**, 127.
adrenaline-stimulated cardiac performance in hypoxic trout: GAMPERL, PINDER, GRANT AND BOUTILIER **193**, 209.
Cardioacceleratory peptide
allatotropin is a cardioacceleratory peptide in *Manduca sexta*: VEENSTRA, LEHMAN AND DAVIS **188**, 347.
Cardiovascular blood flow
distribution of blood flow though the hagfish gill: SUNDIN, AXELSSON, NILSSON, DAVISON AND FORSTER **190**, 281.
intracardiac shunting in turtle: HICKS AND COMEAU **186**, 109.
Cardisoma carnifex
neurosecretion of crab hyperglycaemic hormone: KELLER, HAYLETT AND COOKE **188**, 293.
Cardisoma guanhumi
lactate metabolism in crabs: HENRY, BOOTH, LALLIER AND WALSH **186**, 215.
Cardisoma hertipes
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Caretta caretta
latitude detection in sea turtles: LOHMANN AND LOHMANN **194**, 23.
sea turtle magnetic compass: LOHMANN AND LOHMANN **190**, 1.
Carnitine
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
Carotid
cardiac output in conscious toads: WEST AND SMITS **186**, 315.
Carp
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Carrier
uniporters, symporters and antiporters: WOLFERSBERGER **196**, 5.
Cat
effect of muscle length on force: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **193**, 49.
EMG–force relationship of cat soleus muscle: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **186**, 75.
force measurements in cat muscle: HERZOG, ZATSIORSKY, PRILUTSKY AND LEONARD **191**, 19.
CAT
y^+-type cationic amino acid transport: MACLEOD, FINLEY AND KAKUDA **196**, 109.
Catecholamines
adrenaline-stimulated cardiac performance in hypoxic trout: GAMPERL, PINDER, GRANT AND BOUTILIER **193**, 209.
β-adrenoceptor down-regulation in fish red blood cells: GILMOUR, DIDYK, REID AND PERRY **186**, 309.

blood pressure control in Antartic fish: AXELSSON, DAVISON, FORSTER AND NILSSON **190**, 265.
catecholamine release in hypoxic trout: PERRY AND REID **186**, 289.
catecholamines and Na^+/H^+ exchange in cod red blood cells: BERENBRINK AND BRIDGES **192**, 253.
control of swimbladder perfusion: PELSTER **189**, 237.
distribution of blood flow though the hagfish gill: SUNDIN, AXELSSON, NILSSON, DAVISON AND FORSTER **190**, 281.
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.

Cave fish
visual behaviour of blind cave fish: TEYKE AND SCHAERER **188**, 89.

Cell culture
purinergic receptors in equine sweat gland epithelial cells: KO, O'DOWD, PEDIANI, BOVELL, ELDER, JENKINSON AND WILSON **190**, 239.

Cell volume regulation
cell volume regulation in *Mytilus californianus* gill: SILVA AND WRIGHT **194**, 47.
osmolarity-sensitive taurine channels in flounder: THOROED AND FUGELLI **186**, 245.

Cellular contraction
control of contraction in *Vorticella*: KATOH AND NAITOH **189**, 163.

Central nervous system
respiratory rhythm in neonatal opossum: ZOU **197**, 201.

Cephalopod
directional sensitivity of octopus hair cells: BUDELMANN AND WILLIAMSON **187**, 245.
respiratory flow in *Sepia officinalis*: BONE, BROWN AND TRAVERS **194**, 153.
sensory control of *Sepia* countershading: FERGUSON, MESSENGER AND BUDELMANN **191**, 247.

CFTR
chloride transport in shark rectal gland: RIORDAN, FORBUSH III AND HANRAHAN **196**, 405.

Channel
uniporters, symporters and antiporters: WOLFERSBERGER **196**, 5.

Chelonia mydas
oxygen transport in a sea turtle: WELLS AND BALDWIN **188**, 103.

Chemoreception
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.

Chemoreceptor
regulation of nematocyst discharge: WATSON AND HESSINGER **187**, 57.

Chicken embryo
mobilization of shell calcium *in vitro*: PACKARD **190**, 141.

Chiromantis xerampelina
respiration in arboreal foam nests: SEYMOUR AND LOVERIDGE **197**, 31.

Chlorella
hexose/H^+ symporters in plants: CASPARI, WILL, OPEKAROVÁ, SAUER AND TANNER **196**, 483.

Chloride/bicarbonate exchange
carbon dioxide transport in sea lamprey blood: CAMERON AND TUFTS **197**, 337.

Chloride binding
phosphate binding in crocodilian hemoglobins: WEBER AND WHITE **192**, 1.

Chloride cell
ATP- and Na^+-driven Ca^{2+} transport in tilapia: VERBOST, SCHOENMAKERS, FLIK AND WENDELAAR BONGA **186**, 95.
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.

Chloride channel
chloride transport in shark rectal gland: RIORDAN, FORBUSH III AND HANRAHAN **196**, 405.

Chloride transport
chloride transport in shark rectal gland: RIORDAN, FORBUSH III AND HANRAHAN **196**, 405.

Cholecystokinin
bioactivity of a crustacean cholecystokinin: TURRIGIANO, VAN WORMHOUDT, OGDEN AND SELVERSTON **187**, 181.
distribution of blood flow though the hagfish gill: SUNDIN, AXELSSON, NILSSON, DAVISON AND FORSTER **190**, 281.

Cholinergic receptor
arecoline-induced nicotinic and muscarinic responses of DUM neurones: TRIBUT, DUVAL AND LAPIED **186**, 325.

Cholinergic regulation
intracardiac shunting in turtle: HICKS AND COMEAU **186**, 109.

Chordotonal organ
locust postural position-dependent resistance reflexes: FIELD AND COLES **188**, 65.

physiology of the femoral chordotonal organ: BÜSCHGES **189**, 285.
Chordotonal sensilla
a cockroach auditory-vibration sensor: SHAW **193**, 13.
Chorioallantois
mobilization of shell calcium *in vitro*: PACKARD **190**, 141.
Chromaffin granule
the vesicular monoamine transporter: HENRY, BOTTON, SAGNE, ISAMBERT, DESNOS, BLANCHARD, RAISMAN-VOZARI, KREJCI, MASSOULIE AND GASNIER **196**, 251.
Chromatophore
sensory control of *Sepia* countershading: FERGUSON, MESSENGER AND BUDELMANN **191**, 247.
Chrysemys picta
metabolic depression in turtle brain: DOLL, HOCHACHKA AND HAND **191**, 141.
Chrysemys scripta
performance of normoxic and anoxic turtle hearts: FARRELL, FRANKLIN, ARTHUR, THORARENSEN AND COUSINS **191**, 207.
Cicada
auditory threshold change in singing cicadas: HENNIG, WEBER, HUBER, KLEINDIENST, MOORE AND POPOV **187**, 45.
function of cicada tensor muscle: HENNIG, WEBER, MOORE, HUBER, KLEINDIENST AND POPOV **187**, 33.
scaling of cicada song frequency: BENNET-CLARK AND YOUNG **191**, 291.
Cilia
ciliary movements and metachronal waves: OKAMOTO AND NAKAOKA **192**, 73.
electrophysiology of frog olfactory cilia: KLEENE, GESTELAND AND BRYANT **195**, 307.
stability of ciliary metachronal waves: OKAMOTO AND NAKAOKA **192**, 61.
Cinematography
three-dimensional method for analysing single-view movies: VAN DEN BERG **191**, 283.
Cinemicrography
swimming kinematics of *Spirillum volutans*: RAMIA AND SWAN **187**, 75.
Circadian rhythm
food and locomotor activity in crayfish: FERNÁNDEZ DE MIGUEL AND ARÉCHIGA **190**, 9.
circadian rhythm and membrane potential in *Paramecium*: JOHNSON, NAKAOKA AND MIWA **197**, 295.
Circannual control
crucial role of melatonin in migratory orientation: SCHNEIDER, THALAU, SEMM AND WILTSCHKO **194**, 255.
Circuit analysis
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
Circulation
control of swimbladder perfusion: PELSTER **189**, 237.
gastrointestinal blood flow in trout: KÅGSTRÖM, AXELSSON AND HOLMGREN **191**, 155.
Cl^-/HCO_3^- exchange
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
Cl^- secretion
effects of Ba^{2+} on colonic NaCl transport: DÍAZ, LORENZO, GÓMEZ, BADÍA AND BOLAÑOS **186**, 9.
Cloned transporter
thermodynamics of symport and antiport: GERENCSER AND STEVENS **196**, 59.
Clones
swimming metabolism of zebrafish: PLAUT AND GORDON **194**, 209.
Cocaine
neurotransmitter transporters: UHL AND JOHNSON **196**, 229.
norepinephrine and serotonin transporters: BLAKELY, DE FELICE AND HARTZELL **196**, 263.
Cockroach
actions of bicuculline on identified cockroach neurones: BUCKINGHAM, HUE AND SATTELLE **186**, 235.
arecoline-induced nicotinic and muscarinic responses of DUM neurones: TRIBUT, DUVAL AND LAPIED **186**, 325.
auditory-vibration sensor: SHAW **193**, 13.
cockroach giant interneurones mediate evasion during flight: LIBERSAT **197**, 405.
stability in hexapedal runners: TING, BLICKHAN AND FULL **197**, 251.
Cockroach integument
electrical conductance of cockroach cuticle: MACHIN, SMITH AND LAMPERT **192**, 83.
Cod
catecholamines and Na^+/H^+ exchange in cod red blood cells: BERENBRINK AND BRIDGES **192**, 253.

regulation of pHi in Atlantic cod red blood cells: BERENBRINK AND BRIDGES **192**, 239.
Collar flap
respiratory flow in *Sepia officinalis*: BONE, BROWN AND TRAVERS **194**, 153.
Colobocentrotus atratus
physical properties of sea urchin gametes: THOMAS **194**, 263.
Columba livia
polarization sensitivity of the pigeon: COEMANS, VOS HZN AND NUBOER **191**, 107.
the cooling power of the pigeon head: ST-LAURENT AND LAROCHELLE **194**, 329.
Compartmental capacitances
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
Compound eye
a mysid shrimp carrying a pair of binoculars: NILSSON AND MODLIN **189**, 213.
Computer modelling
inorganic granules and cell death: SIMKISS AND TAYLOR **190**, 131.
Conductance
heterothermy in the long-eared bat: MORRIS, CURTIN AND THOMPSON **197**, 309.
switching the activity state of a neurone: GRAMOLL, SCHMIDT AND CALABRESE **186**, 157.
Cone
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
Confinement
confinement and ureogenesis in toadfish: WALSH, TUCKER AND HOPKINS **191**, 195.
Confocal microscope
mistargetting of ion-indicator dyes: SLAYMAN, MOUSSATOS AND WEBB **196**, 419.
Confocal microscopy
buccalin and myomodulin in the crab stomatogastric ganglion: CHRISTIE, HALL, OSHINSKY AND MARDER **193**, 337.
Connectives
redistribution of molecules during neural regeneration: LÜTHI **186**, 43.
Contraction
contraction kinetics of a crustacean muscle: STOKES AND JOSEPHSON **187**, 275.
control of contraction in *Vorticella*: KATOH AND NAITOH **189**, 163.
Contrast
blowfly ocellar neurones: SIMMONS, JIAN AND RIND **191**, 231.
Cooling
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
Cormorant
daily food intake in cormorants: GRÉMILLET AND PLÖS **189**, 105.
Coronary artery
adrenaline-stimulated cardiac output in trout: GAMPERL, PINDER AND BOUTILIER **186**, 127.
adrenaline-stimulated cardiac performance in hypoxic trout: GAMPERL, PINDER, GRANT AND BOUTILIER **193**, 209.
Cortical neurone
metabolic depression in turtle brain: DOLL, HOCHACHKA AND HAND **191**, 141.
Corticotropin-releasing factor
effects of *Acheta* diuretic peptide: COAST AND KAY **187**, 225.
Cortisol
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
Cost of transport
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
locomotory energetics and metabolic fuel consumption of an opossum: FOURNIER AND WEBER **197**, 1.
tuna swimming energetics: DEWAR AND GRAHAM **192**, 13.
Cotransport
glutamate symport in larval *Manduca sexta*: XIE, PARTHASARATHY, WOLFERSBERGER AND HARVEY **194**, 181.
ion-coupled metabolite transport: SLAYMAN **196**, 139.
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
Cotransport–symport
coupling as a way of life: HARVEY AND SLAYMAN **196**, 1.

Cotransporter
uniporters, symporters and antiporters: WOLFERSBERGER **196**, 5.
Cottus bairdi
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
Countershading
sensory control of *Sepia* countershading: FERGUSON, MESSENGER AND BUDELMANN **191**, 247.
Countertransport
cation antiports of animal plasma membranes: GRINSTEIN AND WIECZOREK **196**, 307.
Coupling stoichiometry
ion-coupled metabolite transport: SLAYMAN **196**, 139.
Courtship
developmental plasticity in *Drosophila*: HIRSCH AND TOMPKINS **195**, 1.
CO_2 excretion
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.
CO_2 formation
carbon dioxide formation in eel swimbladder tissue: PELSTER, HICKS AND DRIEDZIC **197**, 119.
Crab
allatostatin in the stomatogastric nervous system: SKIEBE AND SCHNEIDER **194**, 195.
buccalin and myomodulin in the crab stomatogastric ganglion: CHRISTIE, HALL, OSHINSKY AND MARDER **193**, 337.
calcium transport in crab gills: FLIK, VERBOST, ATSMA AND LUCU **195**, 109.
calcium uptake in postmoult crabs: NEUFELD AND CAMERON **187**, 1.
cardiovascular responses to hypoxic exposure: AIRRIESS AND McMAHON **190**, 23.
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
lactate metabolism in crabs: HENRY, BOOTH, LALLIER AND WALSH **186**, 215.
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.
water uptake in moulting crabs: NEUFELD AND CAMERON **187**, 11.
Crayfish
food and locomotor activity in crayfish: FERNÁNDEZ DE MIGUEL AND ARÉCHIGA **190**, 9.
plateau properties of crustacean motor neurones: CATTAERT, ARAQUE, BUNO AND CLARAC **188**, 339.
reflex subgroups of crayfish motor neurones: SKORUPSKI, VESCOVI AND BUSH **187**, 305.
Cricket
activity of giant interneurones in walking crickets: KOHSTALL-SCHNELL AND GRAS **193**, 157.
functional morphology of singing in the cricket: PFAU AND KOCH **195**, 147.
Crocodile
intrinsic properties of perfused crocodile hearts: FRANKLIN AND AXELSSON **186**, 269.
phosphate binding in crocodilian hemoglobins: WEBER AND WHITE **192**, 1.
Crocodylus porosus
intrinsic properties of perfused crocodile hearts: FRANKLIN AND AXELSSON **186**, 269.
Crustacea
a mysid shrimp carrying a pair of binoculars: NILSSON AND MODLIN **189**, 213.
activity patterns of a crustacean muscle: JOSEPHSON AND STOKES **187**, 261.
allatostatin in the stomatogastric nervous system: SKIEBE AND SCHNEIDER **194**, 195.
buccalin and myomodulin in the crab stomatogastric ganglion: CHRISTIE, HALL, OSHINSKY AND MARDER **193**, 337.
calcium uptake in postmoult crabs: NEUFELD AND CAMERON **187**, 1.
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
food and locomotor activity in crayfish: FERNÁNDEZ DE MIGUEL AND ARÉCHIGA **190**, 9.
stimulus paradigm for aquatic mechanoreceptors: WILKENS AND DOUGLASS **189**, 263.
stomatopod eye musculature: JONES **188**, 317.
water uptake in moulting crabs: NEUFELD AND CAMERON **187**, 11.
Crustacean neurone
GABA response in crustacean neurones: JACKEL, KRENZ AND NAGY **191**, 167.
Cuniculina impigra
physiology of the femoral chordotonal organ: BÜSCHGES **189**, 285.

Cupiennius salei
oxygen transport in the haemolymph of arachnids: PAUL, BERGNER, PFEFFER-SEIDL, DECKER, EFINGER AND STORZ **188**, 25.
carbon dioxide transport in the haemolymph of arachnids: PAUL, PFEFFER-SEIDL, EFINGER, PÖRTNER AND STORZ **188**, 47.
Cupula
feeding ability of larval fish with regenerating cupulae: MUKAI, YOSHIKAWA AND KOBAYASHI **197**, 399.
Current rectification
electrophysiology of tsetse fly Malpighian tubules: ISAACSON AND NICOLSON **186**, 199.
Current-noise analysis
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
Current–voltage curves
ion-coupled metabolite transport: SLAYMAN **196**, 139.
Cuticle permeability
electrical conductance of cockroach cuticle: MACHIN, SMITH AND LAMPERT **192**, 83.
Cuttlefish
respiratory flow in *Sepia officinalis*: BONE, BROWN AND TRAVERS **194**, 153.
sensory control of *Sepia* countershading: FERGUSON, MESSENGER AND BUDELMANN **191**, 247.
Cyclic AMP
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
effects of *Acheta* diuretic peptide: COAST AND KAY **187**, 225.
fluid secretion by *Drosophila* Malpighian tubules: DOW, MADDRELL, GÖRTZ, SKAER, BROGAN AND KAISER **197**, 421.
regulation of nematocyst discharge: WATSON AND HESSINGER **187**, 57.
Cyclic contraction
power output of scallop adductor muscle: MARSH AND OLSON **193**, 139.
Cyclic GMP
ciliary movements and metachronal waves: OKAMOTO AND NAKAOKA **192**, 73.
stability of ciliary metachronal waves: OKAMOTO AND NAKAOKA **192**, 61.
Cyclic-nucleotide-gated channel
electrophysiology of frog olfactory cilia: KLEENE, GESTELAND AND BRYANT **195**, 307.
Cycloheximide
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
Cycnia tenera
jamming bat echolocation: the clicks of the dogbane tiger moth: FULLARD, SIMMONS AND SAILLANT **194**, 285.
Cyprinind fish
feeding ability of larval fish with regenerating cupulae: MUKAI, YOSHIKAWA AND KOBAYASHI **197**, 399.
Cyprinus carpio
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Cysteine-scanning mutagenesis
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.
the lactose permease meets Frankenstein: KABACK, FRILLINGOS, JUNG, JUNG, PRIVÉ, UJWAL, WEITZMAN, WU AND ZEN **196**, 183.
Cystine
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.
Cystinuria
proteins involved in amino acid transport: PALACÍN **196**, 123.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Cytochalasin D
Na^+/Ca^{2+} antiport in the mammalian heart: REEVES, CONDRESCU, CHERNAYA AND GARDNER **196**, 375.
Cytoskeleton
Na^+/Ca^{2+} antiport in the mammalian heart: REEVES, CONDRESCU, CHERNAYA AND GARDNER **196**, 375.

Daphnia pulex
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
Defensive sounds
jamming bat echolocation: the clicks of the dogbane tiger moth: FULLARD, SIMMONS AND SAILLANT **194**, 285.

Degeneration
effect of injury on a snail cerebrobuccal neurone: CHIASSON, BAKER AND CROLL **192**, 147.
Depth
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
Dermal glands
electrical conductance of cockroach cuticle: MACHIN, SMITH AND LAMPERT **192**, 83.
Detensor tympani muscle
auditory threshold change in singing cicadas: HENNIG, WEBER, HUBER, KLEINDIENST, MOORE AND POPOV **187**, 45.
Development
developmental plasticity in *Drosophila*: HIRSCH AND TOMPKINS **195**, 1.
ontogeny of shivering in blackbirds: OLSON **191**, 59.
oxygen transport in a sea turtle: WELLS AND BALDWIN **188**, 103.
oxygen transport in amphibian egg masses: PINDER AND FRIET **197**, 17.
Dicamptodon tenebrosus
salamander hindlimb kinematics: ASHLEY-ROSS **193**, 255.
salamander locomotion: ASHLEY-ROSS **193**, 285.
Didelphis virginiana
locomotory energetics and metabolic fuel consumption of an opossum: FOURNIER AND WEBER **197**, 1.
Didinium nasutum
graviresponses in *Paramecium* and *Didinium*: BRÄUCKER, MACHEMER-RÖHNISCH AND MACHEMER **197**, 271.
Diethylthiadicarbocyanine iodide
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
Diffusion
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
Dihydro-ouabain
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
Dihydrorhodamine 123
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Diomedea melanophrys
heart rate and oxygen consumption of albatrosses: BEVAN, WOAKES, BUTLER AND BOYD **193**, 119.
Dioptromysis paucispinosa
a mysid shrimp carrying a pair of binoculars: NILSSON AND MODLIN **189**, 213.
Diphosphoglycerate
phosphate binding in crocodilian haemoglobins: WEBER AND WHITE **192**, 1.
Dipole
stimulus paradigm for aquatic mechanoreceptors: WILKENS AND DOUGLASS **189**, 263.
Direct calorimetry
sound and heat flux in bumblebees: SCHULTZE-MOTEL AND LAMPRECHT **187**, 315.
Direct muscle force measurements
force measurements in cat muscle: HERZOG, ZATSIORSKY, PRILUTSKY AND LEONARD **191**, 19.
Directional sensitivity
directional sensitivity of octopus hair cells: BUDELMANN AND WILLIAMSON **187**, 245.
stimulus paradigm for aquatic mechanoreceptors: WILKENS AND DOUGLASS **189**, 263.
Discharge
gadolinium blocks activation of nematocytes: SALLEO, LA SPADA AND BARBERA **187**, 201.
Dissociated secretory terminals
neurosecretion of crab hyperglycaemic hormone: KELLER, HAYLETT AND COOKE **188**, 293.
Disturbance
extreme drag forces on wind- and water-swept organisms: DENNY **194**, 97.
Diuretic peptide
achetakinins in the house cricket: CHUNG, GOLDSWORTHY AND COAST **193**, 307.
effects of *Acheta* diuretic peptide: COAST AND KAY **187**, 225.
Diving
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.
Diving duck
energetics of diving lesser scaup: STEPHENSON **190**, 155.

Dog
the effects of muscle fatigue on bone strain: YOSHIKAWA, MORI, SANTIESTEBAN, SUN, HAFSTAD, CHEN AND BURR **188**, 217.
Dopamine
dopamine modulation of K^+ and Ca^{2+} channels: BARNES, SYED, BULLOCH AND LUKOWIAK **189**, 37.
Doppler shift compensation
Doppler-shift compensation by moustached bats: KEATING, HENSON, HENSON, LANCASTER AND XIE **188**, 115.
Doubly labelled water
heart rate and oxygen consumption of albatrosses: BEVAN, WOAKES, BUTLER AND BOYD **193**, 119.
Drag
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
allometry and mechanics of a giant kelp: JOHNSON AND KOEHL **195**, 381.
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
energetics of diving lesser scaup: STEPHENSON **190**, 155.
extreme drag forces on wind- and water-swept organisms: DENNY **194**, 97.
Drosophila
aerodynamics of wing rotation: DICKINSON **192**, 179.
developmental plasticity in *Drosophila*: HIRSCH AND TOMPKINS **195**, 1.
DUM neurone
arecoline-induced nicotinic and muscarinic responses of DUM neurones: TRIBUT, DUVAL AND LAPIED **186**, 325.
Dye coupling
dye coupling in *Lymnaea stagnalis* neurones: EWADINGER, SYED, LUKOWIAK AND BULLOCH **192**, 291.
Dynamic strain similarity
allometry and mechanics of a giant kelp: JOHNSON AND KOEHL **195**, 381.

Ear
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
Echinoderm
extraocular polarization sensitivity in an echinoderm: JOHNSEN **195**, 281.
Echinometra mathaei
physical properties of sea urchin gametes: THOMAS **194**, 263.
Echolocation
Doppler-shift compensation by moustached bats: KEATING, HENSON, HENSON, LANCASTER AND XIE **188**, 115.
Eddy diffusion
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
Eel
carbon dioxide formation in eel swimbladder tissue: PELSTER, HICKS AND DRIEDZIC **197**, 119.
control of swimbladder perfusion: PELSTER **189**, 237.
ion transport in eel intestine: MARVÃO, EMILÍO, FERREIRA AND FERNANDES **193**, 97.
structure and function of eel somatostatins: UESAKA, YANO, YAMASAKI, NAGASHIMA AND ANDO **188**, 205.
Efficiency
efficiency of frog ventricular muscle: SYME **197**, 143.
elongated body theory and propellor efficiency: CHENG AND BLICKHAN **192**, 169.
Egg mass
oxygen transport in amphibian egg masses: PINDER AND FRIET **197**, 17.
respiration in arboreal foam nests: SEYMOUR AND LOVERIDGE **197**, 31.
Egg-laying behaviour
motor control of shell turning in *Lymnaea stagnalis*: HERMANN, TER MAAT AND JANSEN **197**, 79.
Eggshell
mobilization of shell calcium *in vitro*: PACKARD **190**, 141.
Elasmobranch
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
Electrical coupling
dye coupling in *Lymnaea stagnalis* neurones: EWADINGER, SYED, LUKOWIAK AND BULLOCH **192**, 291.
Electrical potential differences
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
Electrogenic Na^+ absorption
effects of Ba^{2+} on colonic NaCl transport: DÍAZ, LORENZO, GÓMEZ, BADÍA AND BOLAÑOS **186**, 9.

Electrogenic transport
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Electromyography
effect of muscle length on force: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **193**, 49.
EMG–force relationship of cat soleus muscle: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **186**, 75.
intermittent flight in the budgerigar: TOBALSKE AND DIAL **187**, 1.
maximum sustainable swimming performance in trout: WILSON AND EGGINTON **192**, 299.
muscle anatomy and activity of *Aplysia*: KUENZI AND CAREW **195**, 53.
Electrophoretic transport
ion-coupled metabolite transport: SLAYMAN **196**, 139.
Electrophysiology
fish gustation and ionic environment: KITADA AND HARA **186**, 173.
ELISA
neurosecretion of crab hyperglycaemic hormone: KELLER, HAYLETT AND COOKE **188**, 293.
Embryo
respiration in arboreal foam nests: SEYMOUR AND LOVERIDGE **197**, 31.
End-plate current
thermal acclimation of frog end-plate: TIISKA AND LAGERSPETZ **187**, 131.
Endosome
mistargetting of ion-indicator dyes: SLAYMAN, MOUSSATOS AND WEBB **196**, 419.
Endothermy
ontogeny of shivering in blackbirds: OLSON **191**, 59.
physiological thermoregulation in tuna: DEWAR, GRAHAM AND BRILL **192**, 33.
small tunas can elevate muscle temperature: DICKSON **190**, 79.
Energetics
efficiency of mouse muscle: BARCLAY **193**, 65.
elongated body theory and propellor efficiency: CHENG AND BLICKHAN **192**, 169.
mechanics and energetics of gradient running: MINETTI, ARDIGÒ AND SAIBENE **195**, 211.
the energetic cost of walking in a toad: WALTON, PETERSON AND BENNETT **197**, 165.
tuna swimming energetics: DEWAR AND GRAHAM **192**, 13.
Energy cost
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
Energy expenditure
heart rate and oxygen consumption of albatrosses: BEVAN, WOAKES, BUTLER AND BOYD **193**, 119.
locomotory energetics and metabolic fuel consumption of an opossum: FOURNIER AND WEBER **197**, 1.
Energy saving
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
Energy transduction
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
Environmental constraints
visual behaviour of blind cave fish: TEYKE AND SCHAERER **188**, 89.
Enzyme activity
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.
Epifluorescence
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Epithelial cell
purinergic receptors in equine sweat gland epithelial cells: KO, O'DOWD, PEDIANI, BOVELL, ELDER, JENKINSON AND WILSON **190**, 239.
Epithelium
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Eptatretus cirrhatus
distribution of blood flow though the hagfish gill: SUNDIN, AXELSSON, NILSSON, DAVISON AND FORSTER **190**, 281.
Eptatretus stouti
glucose transport in hagfish erythrocytes: YOUNG, YAO, TSE AND DAVIES **186**, 23.

Eptesicus fuscus
jamming bat echolocation: the clicks of the dogbane tiger moth: FULLARD, SIMMONS AND SAILLANT **194**, 285.
Eriocheir sinensis
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
Erythrocyte
effects of angiotensin II on trout vasculature: OLSON, CHAVEZ, CONKLIN, COUSINS, FARRELL, FERLIC, KEEN, KNE, KOWALSKI AND VELDMAN **194**, 117.
glucose metabolism by sea raven and trout red blood cells: SEPHTON AND DRIEDZIC **194**, 167.
glucose transport in hagfish erythrocytes: YOUNG, YAO, TSE, DAVIES AND BALDWIN **186**, 23.
Na^+/H^+ exchange in lamprey erythrocytes: VIRKKI AND NIKINMAA **191**, 89.
osmolarity-sensitive taurine channels in flounder: THOROED AND FUGELLI **186**, 245.
Escape
cockroach giant interneurones mediate evasion during flight: LIBERSAT **197**, 405.
Escape response
motion analysis of tactile-mediated escape movements: SCHAEFER, KONDAGUNTA AND RITZMANN **190**, 287.
Escherichia coli
Na^+/H^+ antiporters in *Escherichia coli*: PADAN AND SCHULDINER **196**, 443.
Ethionine
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
Euryhaline
acid–base regulation in fish exposed to low salinities: CLAIBORNE, WALTON AND COMPTON-McCULLOUGH **193**, 79.
Eurypelma californicum
carbon dioxide transport in the haemolymph of arachnids: PAUL, PFEFFER-SEIDL, EFINGER, PÖRTNER AND STORZ **188**, 47.
oxygen transport in the haemolymph of arachnids: PAUL, BERGNER, PFEFFER-SEIDL, DECKER, EFINGER AND STORZ **188**, 25.
Euthynnus affinis
tuna swimming energetics: DEWAR AND GRAHAM **192**, 13.
Euthynnus lineatus
small tunas can elevate muscle temperature: DICKSON **190**, 79.
Evolution
functional morphology of singing in the cricket: PFAU AND KOCH **195**, 147.
porters and neurotransmitter transporters: NELSON AND LILL **196**, 213.
Exchange diffusion–antiport
coupling as a way of life: HARVEY AND SLAYMAN **196**, 1.
Exchanger
uniporters, symporters and antiporters: WOLFERSBERGER **196**, 5.
Excitability
injury-induced alterations in sensory neurones: CLATWORTHY AND WALTERS **190**, 217.
Exercise
blood pressure control in Antartic fish: AXELSSON, DAVISON, FORSTER AND NILSSON **190**, 265.
energetics of locomotion in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 257.
gas transport in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 235.
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
lactate metabolism in crabs: HENRY, BOOTH, LALLIER AND WALSH **186**, 215.
locomotory energetics and metabolic fuel consumption of an opossum: FOURNIER AND WEBER **197**, 1.
muscle glucose uptake in exercised trout: WEST, SCHULTE AND HOCHACHKA **189**, 69.
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.
Exhaustive exercise
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.
Extra-ocular photoreceptor
visual behaviour of blind cave fish: TEYKE AND SCHAERER **188**, 89.
Extracellular carbon dioxide content
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
Extraocular light perception
extraocular polarization sensitivity in an echinoderm: JOHNSEN **195**, 281.

Eye
blowfly ocellar neurones: SIMMONS, JIAN AND RIND **191**, 231.
Eye movements
a mysid shrimp carrying a pair of binoculars: NILSSON AND MODLIN **189**, 213.
stomatopod eye musculature: JONES **188**, 317.
Eye muscle
stomatopod eye musculature: JONES **188**, 317.

4F2hc
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.
proteins involved in amino acid transport: PALACÍN **196**, 123.
Facilitated diffusion–uniport
coupling as a way of life: HARVEY AND SLAYMAN **196**, 1.
Facilitated transport
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.
Fatigue
the effects of muscle fatigue on bone strain: YOSHIKAWA, MORI, SANTIESTEBAN, SUN, HAFSTAD, CHEN AND BURR **188**, 217.
Fatty acid
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
Feeding
buccal flow velocity in paddlefish: SANDERSON, CECH AND CHEER **186**, 145.
daily food intake in cormorants: GRÉMILLET AND PLÖS **189**, 105.
feeding ability of larval fish with regenerating cupulae: MUKAI, YOSHIKAWA AND KOBAYASHI **197**, 399.
kinematics of feeding behaviour in a salamander: GILLIS AND LAUDER **187**, 159.
regulation of feeding behaviour in *Drosophila*: EDGECOMB, HARTH AND SCHNEIDERMANN **197**, 215.
Fertilization
physical properties of sea urchin gametes: THOMAS **194**, 263.
Fibre type
mitochondrial distribution in rat skeletal muscle fibres: PHILIPPI AND SILLAU **189**, 1.
Fibroblast
mistargetting of ion-indicator dyes: SLAYMAN, MOUSSATOS AND WEBB **196**, 419.
Ficendula hypoleuca
crucial role of melatonin in migratory orientation: SCHNEIDER, THALAU, SEMM AND WILTSCHKO **194**, 255.
Filiform hairs
activity of giant interneurones in walking crickets: KOHSTALL-SCHNELL AND GRAS **193**, 157.
Filling pressure
intrinsic properties of perfused crocodile hearts: FRANKLIN AND AXELSSON **186**, 269.
Filter feeding
flow through arrays of hairs: LOUDON, BEST AND KOEHL **193**, 233.
gill arch movements during filter-feeding: VAN DEN BERG, VAN DEN BOOGAART, SIBBING AND OSSE **191**, 257.
Firefly squid
structure of firefly squid banked retina: MICHINOMAE, MASUDA, SIEDOU AND KITO **193**, 1.
Fish
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
elongated body theory and propellor efficiency: CHENG AND BLICKHAN **192**, 169.
haemoglobin, ATP and GTP assay in fish: FEUERLEIN AND WEBER **189**, 273.
kinematics of pectoral fin locomotion: GIBB, JAYNE AND LAUDER **189**, 133.
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
temperature adaptation of muscle mitochondria: JOHNSTON, GUDERLEY, FRANKLIN, CROCKFORD AND KAMUNDE **195**, 293.
FITC
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Flagellum abductor
activity patterns of a crustacean muscle: JOSEPHSON AND STOKES **187**, 261.
contraction kinetics of a crustacean muscle: STOKES AND JOSEPHSON **187**, 275.
power output of a crustacean muscle: JOSEPHSON AND STOKES **187**, 295.

Flight
aerodynamics of wing rotation: DICKINSON **192**, 179.
allometry of airspeeds in free-flying butterflies: DUDLEY AND SRYGLEY **191**, 125.
cockroach giant interneurones mediate evasion during flight: LIBERSAT **197**, 405.
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
intermittent flight in the budgerigar: TOBALSKE AND DIAL **187**, 1.
the cooling power of the pigeon head: ST-LAURENT AND LAROCHELLE **194**, 329.
Flounder
osmolarity-sensitive taurine channels in flounder: THOROED AND FUGELLI **186**, 245.
Flow cytometry
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Fluid secretion
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
effects of *Acheta* diuretic peptide: COAST AND KAY **187**, 225.
Fluid-dynamics
extreme drag forces on wind- and water-swept organisms: DENNY **194**, 97.
Fluorescence spectroscopy
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
Fluorescent dyes
a unique permeability barrier in gastric gland cells: BORON, WAISBREN, MODLIN AND GEIBEL **196**, 347.
Foam
respiration in arboreal foam nests: SEYMOUR AND LOVERIDGE **197**, 31.
Food
food and locomotor activity in crayfish: FERNÁNDEZ DE MIGUEL AND ARÉCHIGA **190**, 9.
Food deprivation
regulation of feeding behaviour in *Drosophila*: EDGECOMB, HARTH AND SCHNEIDERMAN **197**, 215.
Foraging
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
Force
effect of muscle length on force: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **193**, 49.
EMG–force relationship of cat soleus muscle: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **186**, 75.
Force-sharing
force measurements in cat muscle: HERZOG, ZATSIORSKY, PRILUTSKY AND LEONARD **191**, 19.
Force–velocity curve
power output of scallop adductor muscle: MARSH AND OLSON **193**, 139.
Formation
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
Formicidae
effect of body morphology on stepping patterns in ants: ZOLLIKOFER **192**, 107.
effect of load on stepping patterns in ants: ZOLLIKOFER **192**, 119.
effect of speed on stepping patterns in ants: ZOLLIKOFER **192**, 95.
Forskolin
fluid secretion by *Drosophila* Malpighian tubules: DOW, MADDRELL, GÖRTZ, SKAER, BROGAN AND KAISER **197**, 421.
Foxhound
the effects of muscle fatigue on bone strain: YOSHIKAWA, MORI, SANTIESTEBAN, SUN, HAFSTAD, CHEN AND BURR **188**, 217.
Freeze-fracture
active sugar transport: WRIGHT, LOO, PANAYOTOVA-HEIERMANN, LOSTAO, HIRAYAMA, MACKENZIE, BOORER AND ZAMPIGHI **196**, 197.
Freshwater fish
differences in oxygen uptake and ion loss among fish: GONZALES AND McDONALD **190**, 95.
Frog
acid-induced current in frog taste cells: OKADA, MIYAMOTO AND SATO **187**, 19.
efficiency of frog ventricular muscle: SYME **197**, 143.
lung–eardrum sound transmission in frogs: EHRET, KEILWERTH AND KAMADA **195**, 329.
respiration in arboreal foam nests: SEYMOUR AND LOVERIDGE **197**, 31.
thermal acclimation of frog end-plate: TIISKA AND LAGERSPETZ **187**, 131.

Furgaleus ventralis
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.

GABA
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MacLEOD **196**, 297.
GABA receptor
actions of bicuculline on identified cockroach neurones: BUCKINGHAM, HUE AND SATTELLE **186**, 235.
GABA response in crustacean neurones: JACKEL, KRENZ AND NAGY **191**, 167.
Gadolinium
gadolinium blocks activation of nematocytes: SALLEO, LA SPADA AND BARBERA **187**, 201.
Gadus morhua
catecholamines and Na^+/H^+ exchange in cod red blood cells: BERENBRINK AND BRIDGES **192**, 253.
regulation of pHi in Atlantic cod red blood cells: BERENBRINK AND BRIDGES **192**, 239.
swimming activity during hypoxia in cod: SCHURMANN AND STEFFENSEN **197**, 129.
Gait patterns
effect of speed on stepping patterns in ants: ZOLLIKOFER **192**, 95.
Gallotia galloti
effects of Ba^{2+} on colonic NaCl transport: DÍAZ, LORENZO, GÓMEZ, BADÍA AND BOLAÑOS **186**, 9.
Gamete
physical properties of sea urchin gametes: THOMAS **194**, 263.
Gas exchange
differences in oxygen uptake and ion loss among fish: GONZALES AND McDONALD **190**, 95.
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Gas transfer
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
Gastric mill rhythm
bioactivity of a crustacean cholecystokinin: TURRIGIANO, VAN WORMHOUDT, OGDEN AND SELVERSTON **187**, 181.
Gastropod
effect of injury on a snail cerebrobuccal neurone: CHIASSON, BAKER AND CROLL **192**, 147.
Gecarcinus lateralis
lactate metabolism in crabs: HENRY, BOOTH, LALLIER AND WALSH **186**, 215.
Gecarcoidea natalis
energetics of locomotion in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 257.
gas transport in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 235.
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Gene family
porters and neurotransmitter transporters: NELSON AND LILL **196**, 213.
Geograpsus grayi
ammonia excretion in a terrestrial crab: VARLEY AND GREENAWAY **190**, 179.
***Geograpsus* species**
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Giant interneurone
activity of giant interneurones in walking crickets: KOHSTALL-SCHNELL AND GRAS **193**, 157.
cockroach giant interneurones mediate evasion during flight: LIBERSAT **197**, 405.
Gill
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
ammonia excretion in freshwater rainbow trout: WILSON, WRIGHT, MUNGER AND WOOD **191**, 37.
ATP- and Na^+-driven Ca^{2+} transport in tilapia: VERBOST, SCHOENMAKERS, FLIK AND WENDELAAR BONGA **186**, 95.
calcium transport in crab gills: FLIK, VERBOST, ATSMA AND LUCU **195**, 109.
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.

immunolocalization of H^+-ATPase in fish gills: LIN, PFEIFFER, VOGL, PAN AND RANDALL **195**, 169.
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
intracelluar ion concentrations in trout gill cells: MORGAN, POTTS AND OATES **194**, 139.
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Gill pouch
distribution of blood flow though the hagfish gill: SUNDIN, AXELSSON, NILSSON, DAVISON AND FORSTER **190**, 281.
Gillichthys mirabilis
stress protein threshold induction temperatures: DIETZ **188**, 333.
Glibenclamide
cardiac K_{ATP} channels in muskrat: STREEBY AND McKEAN **197**, 101.
Glossina morsitans
electrophysiology of tsetse fly Malpighian tubules: ISAACSON AND NICOLSON **186**, 199.
Glucose
energy metabolism of trout red blood cells: PESQUERO, ROIG, BERMUDEZ AND SANCHEZ **193**, 183.
facilitated nutrient transport: KAKUDA AND MacLEOD **196**, 93.
glucose transport in hagfish erythrocytes: YOUNG, YAO, TSE, DAVIES AND BALDWIN **186**, 23.
muscle glucose uptake in exercised trout: WEST, SCHULTE AND HOCHACHKA **189**, 69.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Glucose metabolism
carbon dioxide formation in eel swimbladder tissue: PELSTER, HICKS AND DRIEDZIC **197**, 119.
Glucose transport
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.
GLUT
facilitated nutrient transport: KAKUDA AND MacLEOD **196**, 93.
Glutamate
effects of ammonia loading in *Porcellio scaber*: WRIGHT, O'DONNELL AND REICHERT **188**, 143.
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Glutamate/alkali symport
glutamate symport in larval *Manduca sexta*: XIE, PARTHASARATHY, WOLFERSBERGER AND HARVEY **194**, 181.
Glutamine
effects of ammonia loading in *Porcellio scaber*: WRIGHT, O'DONNELL AND REICHERT **188**, 143.
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.
Glutamine synthetase
confinement and ureogenesis in toadfish: WALSH, TUCKER AND HOPKINS **191**, 195.
Glycine
brain neurotransmitter transporters: JURSKY, TAMURA, TAMURA, MANDIYAN, NELSON AND NELSON **196**, 283.
Glycogen
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
Glycogenesis
muscle glucose uptake in exercised trout: WEST, SCHULTE AND HOCHACHKA **189**, 69.
Glycolysis
glucose metabolism by sea raven and trout red blood cells: SEPHTON AND DRIEDZIC **194**, 167.
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
P-glycoprotein
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Glycosylation
norepinephrine and serotonin transporters: BLAKELY, DE FELICE AND HARTZELL **196**, 263.
Gnathopogon elongatus caerulescens
feeding ability of larval fish with regenerating cupulae: MUKAI, YOSHIKAWA AND KOBAYASHI **197**, 399.

Goldfish
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
Goose communication
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
Gradient running
mechanics and energetics of gradient running: MINETTI, ARDIGÒ AND SAIBENE **195**, 211.
Gravikinesis
graviresponses in *Paramecium* and *Didinium*: BRÄUCKER, MACHEMER-RÖHNISCH AND MACHEMER **197**, 271.
Green turtle
oxygen transport in a sea turtle: WELLS AND BALDWIN **188**, 103.
Grey seal
gas exchange of freely diving grey seals: REED, CHAMBERS, FEDAK AND BUTLER **191**, 1.
Growth factor
vertebrate Na^+/H^+ exchangers: BIANCHINI AND POUYSSÉGUR **196**, 337.
Growth hormone
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
Gryllus bimaculatus
activity of giant interneurones in walking crickets: KOHSTALL-SCHNELL AND GRAS **193**, 157.
functional morphology of singing in the cricket: PFAU AND KOCH **195**, 147.
GTP
haemoglobin, ATP and GTP assay in fish: FEUERLEIN AND WEBER **189**, 273.
Gustatory response
fish gustation and ionic environment: KITADA AND HARA **186**, 173.
Gut
gastrointestinal blood flow in trout: KÅGSTRÖM, AXELSSON AND HOLMGREN **191**, 155.

H^+ excretion
acid–base regulation in fish exposed to low salinities: CLAIBORNE, WALTON AND COMPTON-McCULLOUGH **193**, 79.
H^+ pump
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
H^+-ATPase
immunolocalization of H^+-ATPase in fish gills: LIN, PFEIFFER, VOGL, PAN AND RANDALL **195**, 169.
H^+ V-ATPase
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
5-HT receptor
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.
Haematocrit
viscosity of yellowfin tuna blood: BRILL AND JONES **189**, 199.
Haementeria ghilianii
pH of leech giant salivary gland cells: WUTTKE, MUNSCH AND BERRY **189**, 179.
Haemocyanin
gas transport in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 235.
oxygen transport in the haemolymph of arachnids: PAUL, BERGNER, PFEFFER-SEIDL, DECKER, EFINGER AND STORZ **188**, 25.
Haemoglobin
haemoglobin, ATP and GTP assay in fish: FEUERLEIN AND WEBER **189**, 273.
oxygen transport in a sea turtle: WELLS AND BALDWIN **188**, 103.
phosphate binding in crocodilian haemoglobins: WEBER AND WHITE **192**, 1.
Haemoglobin oxygen-affinity
capillary blood transit time and body size: KAYAR, HOPPELER, JONES, LONGWORTH, ARMSTRONG, LAUGHLIN, LINDSTEDT, BICUDO, GROEBE, TAYLOR AND WEIBEL **194**, 69.
Haemoglobin oxygen-carrying capacity
ventilatory control in *Bufo paracnemis*: WANG, BRANCO AND GLASS **186**, 1.
Hagfish
distribution of blood flow though the hagfish gill: SUNDIN, AXELSSON, NILSSON, DAVISON AND FORSTER **190**, 281.
Hair bundle
regulation of nematocyst discharge: WATSON AND HESSINGER **187**, 57.
Hair cell
directional sensitivity of octopus hair cells: BUDELMANN AND WILLIAMSON **187**, 245.

Halichoerus grypus
gas exchange of freely diving grey seals: REED, CHAMBERS, FEDAK AND BUTLER **191**, 1.
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.
Haliplanella luciae
regulation of nematocyst discharge: WATSON AND HESSINGER **187**, 57.
HCO_3^- dehydration
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
Head
the cooling power of the pigeon head: ST-LAURENT AND LAROCHELLE **194**, 329.
Head waving
head waving movements of *Aplysia*: KUENZI AND CAREW **195**, 35.
interganglionic control of head waving in *Aplysia*: KUENZI AND CAREW **195**, 75.
muscle anatomy and activity of *Aplysia*: KUENZI AND CAREW **195**, 53.
Hearing
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
sound production and hearing in a moth: HELLER AND KRAHE **187**, 101.
Heart
adrenaline-stimulated cardiac output in trout: GAMPERL, PINDER AND BOUTILIER **186**, 127.
adrenaline-stimulated cardiac performance in hypoxic trout: GAMPERL, PINDER, GRANT AND BOUTILIER **193**, 209.
cardiovascular responses to hypoxic exposure: AIRRIESS AND McMAHON **190**, 23.
effects of angiotensin II on trout vasculature: OLSON, CHAVEZ, CONKLIN, COUSINS, FARRELL, FERLIC, KEEN, KNE, KOWALSKI AND VELDMAN **194**, 117.
efficiency of frog ventricular muscle: SYME **197**, 143.
intrinsic properties of perfused crocodile hearts: FRANKLIN AND AXELSSON **186**, 269.
Na^+/Ca^{2+} antiport in the mammalian heart: REEVES, CONDRESCU, CHERNAYA AND GARDNER **196**, 375.
performance of normoxic and anoxic turtle hearts: FARRELL, FRANKLIN, ARTHUR, THORARENSEN AND COUSINS **191**, 207.
switching the activity state of a neurone: GRAMOLL, SCHMIDT AND CALABRESE **186**, 157.
Heart rate
effect of exercise on penguins: KOOYMAN AND PONGANIS **195**, 199.
heart rate and oxygen consumption of albatrosses: BEVAN, WOAKES, BUTLER AND BOYD **193**, 119.
performance of normoxic and anoxic turtle hearts: FARRELL, FRANKLIN, ARTHUR, THORARENSEN AND COUSINS **191**, 207.
Heart-rate conditioning
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
Heartbeat
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
Heat balance
physiological thermoregulation in tuna: DEWAR, GRAHAM AND BRILL **192**, 33.
Heat exchange
small tunas can elevate muscle temperature: DICKSON **190**, 79.
Heat production
efficiency of mouse muscle: BARCLAY **193**, 65.
Heat shock response
stress protein threshold induction temperatures: DIETZ **188**, 333.
Helix aspersa
inorganic granules and cell death: SIMKISS AND TAYLOR **190**, 131.
Helmholtz resonator
scaling of cicada song frequency: BENNET-CLARK AND YOUNG **191**, 291.
Hemitripterus americanus
glucose metabolism by sea raven and trout red blood cells: SEPHTON AND DRIEDZIC **194**, 167.
Hepatocyte
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.
Hepatopancreas
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Heterothermy
heterothermy in the long-eared bat: MORRIS, CURTIN AND THOMPSON **197**, 309.
Hexose transport
hexose/H^+ symporters in plants: CASPARI, WILL, OPEKAROVÁ, SAUER AND TANNER **196**, 483.

High pH
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.
Hirudo medicinalis
redistribution of molecules during neural regeneration: LÜTHI **186**, 43.
switching the activity state of a neurone: GRAMOLL, SCHMIDT AND CALABRESE **186**, 157.
Histochemistry
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.
Holthuisana transversa
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Homarus americanus
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Homing
magnetoreception and homing in a newt: PHILLIPS AND BORLAND **188**, 275.
Homosexuality
developmental plasticity in *Drosophila*: HIRSCH AND TOMPKINS **195**, 1.
Honeybee
the olfactory memory of the honeybee: SMITH AND COBEY **195**, 91.
Horse
purinergic receptors in equine sweat gland epithelial cells: KO, O'DOWD, PEDIANI, BOVELL, ELDER, JENKINSON AND WILSON **190**, 239.
House cricket
achetakinins in the house cricket: CHUNG, GOLDSWORTHY AND COAST **193**, 307.
effects of *Acheta* diuretic peptide: COAST AND KAY **187**, 225.
HPLC purification
structure and function of eel somatostatins: UESAKA, YANO, YAMASAKI, NAGASHIMA AND ANDO **188**, 205.
Hydrodynamics
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
elongated body theory and propellor efficiency: CHENG AND BLICKHAN **192**, 169.
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
stimulus paradigm for aquatic mechanoreceptors: WILKENS AND DOUGLASS **189**, 263.
Hydrostatic skeleton
head waving movements of *Aplysia*: KUENZI AND CAREW **195**, 35.
interganglionic control of head waving in *Aplysia*: KUENZI AND CAREW **195**, 75.
muscle anatomy and activity of *Aplysia*: KUENZI AND CAREW **195**, 53.
Hyla cinerea
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.
Hyla squirella
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.
Hylid frog
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.
Hypercapnia
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
Hypergravity
graviresponses in *Paramecium* and *Didinium*: BRÄUCKER, MACHEMER-RÖHNISCH AND MACHEMER **197**, 271.
Hyperoxia
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
Hypoxia
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
adrenaline-stimulated cardiac performance in hypoxic trout: GAMPERL, PINDER, GRANT AND BOUTILIER **193**, 209.
cardiac K_{ATP} channels in muskrat: STREEBY AND McKEAN **197**, 101.
cardiovascular responses to hypoxic exposure: AIRRIESS AND McMAHON **190**, 23.
catecholamine release in hypoxic trout: PERRY AND REID **186**, 289.
periodic air-breathing in a primitive fish: HEDRICK, KATZ AND JONES **197**, 429.
swimming activity during hypoxia in cod: SCHURMANN AND STEFFENSEN **197**, 129.
Hypoxic drive
ventilatory control in *Bufo paracnemis*: WANG, BRANCO AND GLASS **186**, 1.

Identified neurone
actions of bicuculline on identified cockroach neurones: BUCKINGHAM, HUE AND SATTELLE **186**, 235.
Immunocytochemistry
brain neurotransmitter transporters: JURSKY, TAMURA, TAMURA, MANDIYAN, NELSON AND NELSON **196**, 283.
buccalin and myomodulin in the crab stomatogastric ganglion: CHRISTIE, HALL, OSHINSKY AND MARDER **193**, 337.
norepinephrine and serotonin transporters: BLAKELY, DE FELICE AND HARTZELL **196**, 263.
Immunofluorescence microscopy
immunolocalization of H^+-ATPase in fish gills: LIN, PFEIFFER, VOGL, PAN AND RANDALL **195**, 169.
Immunolocalization
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
***In situ* hybridization**
norepinephrine and serotonin transporters: BLAKELY, DE FELICE AND HARTZELL **196**, 263.
***In vitro* tissue culture**
respiratory rhythm in neonatal opossum: ZOU **197**, 201.
Inclination
latitude detection in sea turtles: LOHMANN AND LOHMANN **194**, 23.
Indirect proton pumps
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.
Inertia
energetics of diving lesser scaup: STEPHENSON **190**, 155.
Ingestion responsiveness
regulation of feeding behaviour in *Drosophila*: EDGECOMB, HARTH AND SCHNEIDERMAN **197**, 215.
Inhibition
dopamine modulation of K^+ and Ca^{2+} channels: BARNES, SYED, BULLOCH AND LUKOWIAK **189**, 37.
Innate directional information
crucial role of melatonin in migratory orientation: SCHNEIDER, THALAU, SEMM AND WILTSCHKO **194**, 255.
Insect
a cockroach auditory-vibration sensor: SHAW **193**, 13.
calcium channel currents of locust neurones: BICKMEYER, RÖSSLER AND WIEGAND **197**, 393.
effect of body morphology on stepping patterns in ants: ZOLLIKOFER **192**, 107.
effect of load on stepping patterns in ants: ZOLLIKOFER **192**, 119.
effect of speed on stepping patterns in ants: ZOLLIKOFER **192**, 95.
K^+/H^+ antiport in insect midgut: LEPIER, AZUMA, HARVEY AND WIECZOREK **196**, 361.
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
modulatory effects of SchistoFLRFamide: ROBB AND EVANS **197**, 437.
motion-sensitive neurones in a butterfly: ICHIKAWA **195**, 361.
potentiation of a response to a peptide by biogenic amines: PRIER, BECKMAN AND TUBLITZ **197**, 377.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
terminal networks of a locust DUM neurone: BRÄUNIG, STEVENSON AND EVANS **192**, 225.
work output of a blowfly steering muscle: TU AND DICKINSON **192**, 207.
Interatomic potentials
inorganic granules and cell death: SIMKISS AND TAYLOR **190**, 131.
Interneurone
switching the activity state of a neurone: GRAMOLL, SCHMIDT AND CALABRESE **186**, 157.
Intestine
ion transport in eel intestine: MARVÃO, EMILÍO, FERREIRA AND FERNANDES **193**, 97.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Intracellular carbon dioxide content
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
Intracellular concentration
intracellular ion concentrations in trout gill cells: MORGAN, POTTS AND OATES **194**, 139.
Intracellular granules
inorganic granules and cell death: SIMKISS AND TAYLOR **190**, 131.

Intracellular K^+ concentration
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
Intracellular pH
catecholamines and Na^+/H^+ exchange in cod red blood cells: BERENBRINK AND BRIDGES **192**, 253.
Na^+/H^+ exchange in lamprey erythrocytes: VIRKKI AND NIKINMAA **191**, 89.
pH of leech giant salivary gland cells: WUTTKE, MUNSCH AND BERRY **189**, 179.
regulation of pHi in Atlantic cod red blood cells: BERENBRINK AND BRIDGES **192**, 239.
Invertase
hexose/H^+ symporters in plants: CASPARI, WILL, OPEKAROVÁ, SAUER AND TANNER **196**, 483.
Invertebrate
redistribution of molecules during neural regeneration: LÜTHI **186**, 43.
Iodoacetic acid
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
Ion channels
cardiac K_{ATP} channels in muskrat: STREEBY AND McKEAN **197**, 101.
dopamine modulation of K^+ and Ca^{2+} channels: BARNES, SYED, BULLOCH AND LUKOWIAK **189**, 37.
Ion exchange
bacterial and plant antiporters: MALONEY **196**, 439.
Ion regulation
ammonia excretion in freshwater rainbow trout: WILSON, WRIGHT, MUNGER AND WOOD **191**, 37.
differences in oxygen uptake and ion loss among fish: GONZALES AND McDONALD **190**, 95.
regulation of pHi in Atlantic cod red blood cells: BERENBRINK AND BRIDGES **192**, 239.
Ion substitution
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
Ion transport
fluid secretion by *Drosophila* Malpighian tubules: DOW, MADDRELL, GÖRTZ, SKAER, BROGAN AND KAISER **197**, 421.
ion transport in eel intestine: MARVÃO, EMILIO, FERREIRA AND FERNANDES **193**, 97.
structure and function of eel somatostatins: UESAKA, YANO, YAMASAKI, NAGASHIMA AND ANDO **188**, 205.
Ion-coupled transport
thermodynamics of symport and antiport: GERENCSER AND STEVENS **196**, 59.
Ion–substrate symport
ion-coupled metabolite transport: SLAYMAN **196**, 139.
Ionic circuit analysis
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
Ionophore
blocking the midgut K^+ pump of *Manduca sexta*: SCHIRMANNS AND ZEISKE **188**, 191.
Isopod
effects of ammonia loading in *Porcellio scaber*: WRIGHT, O'DONNELL AND REICHERT **188**, 143.

Jaculus orientalis
stimulus–secretion coupling in jerboa neurohypophysis: RAJI AND NORDMANN **195**, 19.
Jamming echolocation
jamming bat echolocation: the clicks of the dogbane tiger moth: FULLARD, SIMMONS AND SAILLANT **194**, 285.
Jerboa
stimulus–secretion coupling in jerboa neurohypophysis: RAJI AND NORDMANN **195**, 19.
Joint control
physiology of the femoral chordotonal organ: BÜSCHGES **189**, 285.
Jumping
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.

K^+ channel selectivity
insect midgut K^+ channel: SCHIRMANNS AND ZEISKE **197**, 179.
K^+/H^+ antiporter
antiporters and pH homeostasis: KRULWICH, CHENG AND GUFFANTI **196**, 457.

K^+/H^+ antiport in insect midgut: LEPIER, AZUMA, HARVEY AND WIECZOREK **196**, 361.

K^+/H^+ exchange
cation antiports of animal plasma membranes: GRINSTEIN AND WIECZOREK **196**, 307.

K^+ secretion
insect midgut K^+ channel: SCHIRMANNS AND ZEISKE **197**, 179.

K^+ transport
active alkalization by *Manduca sexta* midgut: MOFFETT AND CUMMINGS **194**, 341.

K^+ uptake mechanisms
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.

Katsuwonus pelamis
tuna swimming energetics: DEWAR AND GRAHAM **192**, 13.

Kelp
allometry and mechanics of a giant kelp: JOHNSON AND KOEHL **195**, 381.

Kidney
structure, function and evolution of solute transporters: HEDIGER **196**, 15.

Kinematics
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
effect of body morphology on stepping patterns in ants: ZOLLIKOFER **192**, 107.
effect of load on stepping patterns in ants: ZOLLIKOFER **192**, 119.
effect of speed on stepping patterns in ants: ZOLLIKOFER **192**, 95.
intermittent flight in the budgerigar: TOBALSKE AND DIAL **187**, 1.
kinematics of feeding behaviour in a salamander: GILLIS AND LAUDER **187**, 159.
kinematics of pectoral fin locomotion: GIBB, JAYNE AND LAUDER **189**, 133.
salamander hindlimb kinematics: ASHLEY-ROSS **193**, 255.
salamander locomotion: ASHLEY-ROSS **193**, 285.
swimming kinematics of *Spirillum volutans*: RAMIA AND SWAN **187**, 75.
tuna swimming kinetics: DEWAR AND GRAHAM **192**, 45.

Kinetics
active sugar transport: WRIGHT, LOO, PANAYOTOVA-HEIERMANN, LOSTAO, HIRAYAMA, MACKENZIE, BOORER AND ZAMPIGHI **196**, 197.

Lactate
carbon dioxide formation in eel swimbladder tissue: PELSTER, HICKS AND DRIEDZIC **197**, 119.
effect of exercise on penguins: KOOYMAN AND PONGANIS **195**, 199.
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
lactate metabolism in crabs: HENRY, BOOTH, LALLIER AND WALSH **186**, 215.

Lactate production
trout blood energy turnover: WANG, NIELSEN AND LYKKEBOE **190**, 43.

Lake Magadi
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.

Lamella
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.

Lampreta fluviatilis
Na^+/H^+ exchange in lamprey erythrocytes: VIRKKI AND NIKINMAA **191**, 89.

Lamprey
carbon dioxide transport in sea lamprey blood: CAMERON AND TUFTS **197**, 337.
Na^+/H^+ exchange in lamprey erythrocytes: VIRKKI AND NIKINMAA **191**, 89.

Land crab
ammonia excretion in a terrestrial crab: VARLEY AND GREENAWAY **190**, 179.
energetics of locomotion in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 257.
gas transport in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 235.
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.

Larval fish
feeding ability of larval fish with regenerating cupulae: MUKAI, YOSHIKAWA AND KOBAYASHI **197**, 399.

Lateral line
feeding ability of larval fish with regenerating cupulae: MUKAI, YOSHIKAWA AND KOBAYASHI **197**, 399.
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
Latitude
latitude detection in sea turtles: LOHMANN AND LOHMANN **194**, 23.
Leech
pH of leech giant salivary gland cells: WUTTKE, MUNSCH AND BERRY **189**, 179.
redistribution of molecules during neural regeneration: LÜTHI **186**, 43.
switching the activity state of a neurone: GRAMOLL, SCHMIDT AND CALABRESE **186**, 157.
Lemakalim
cardiac K_{ATP} channels in muskrat: STREEBY AND McKEAN **197**, 101.
Length
effect of muscle length on force: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **193**, 49.
Lepidoptera
glutamate symport in larval *Manduca sexta*: XIE, PARTHASARATHY, WOLFERSBERGER AND HARVEY **194**, 181.
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
sound production and hearing in a moth: HELLER AND KRAHE **187**, 101.
Lepomis gibbosus
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
kinematics of undulatory swimming: LONG, McHENRY AND BOETTICHER **192**, 129.
Lepomis macrochirus
kinematics of pectoral fin locomotion: GIBB, JAYNE AND LAUDER **189**, 133.
Leucine
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
Lift
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
Limpet
extreme drag forces on wind- and water-swept organisms: DENNY **194**, 97.
Liver
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.
Lizard
effects of Ba^{2+} on colonic NaCl transport: DÍAZ, LORENZO, GÓMEZ, BADÍA AND BOLAÑOS **186**, 9.
Load
effect of load on stepping patterns in ants: ZOLLIKOFER **192**, 119.
Lobster
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Locomotion
energetics of locomotion in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 257.
force measurements in cat muscle: HERZOG, ZATSIORSKY, PRILUTSKY AND LEONARD **191**, 19.
kinematics of pectoral fin locomotion: GIBB, JAYNE AND LAUDER **189**, 133.
salamander hindlimb kinematics: ASHLEY-ROSS **193**, 255.
salamander locomotion: ASHLEY-ROSS **193**, 285.
sound and heat flux in bumblebees: SCHULTZE-MOTEL AND LAMPRECHT **187**, 315.
stability in hexapedal runners: TING, BLICKHAN AND FULL **197**, 251.
swimming kinematics of *Spirillum volutans*: RAMIA AND SWAN **187**, 75.
the energetic cost of walking in a toad: WALTON, PETERSON AND BENNETT **197**, 165.
tuna swimming kinetics: DEWAR AND GRAHAM **192**, 45.
Locomotor activity
food and locomotor activity in crayfish: FERNÁNDEZ DE MIGUEL AND ARÉCHIGA **190**, 9.
Locomotor power
kinematics of undulatory swimming: LONG, McHENRY AND BOETTICHER **192**, 129.
Locust
locust postural position-dependent resistance reflexes: FIELD AND COLES **188**, 65.
modulatory effects of SchistoFLRFamide: ROBB AND EVANS **197**, 437.

peptidergic modulation of locust neuromuscular transmission: EVANS **190**, 253.
scaling of elastic modulus in locust tibiae: KATZ AND GOSLINE **187**, 207.
Locusta migratoria
calcium channel currents of locust neurones: BICKMEYER, RÖSSLER AND WIEGAND **197**, 393.
locust postural position-dependent resistance reflexes: FIELD AND COLES **188**, 65.
terminal networks of a locust DUM neurone: BRÄUNIG, STEVENSON AND EVANS **192**, 225.
Lucifer Yellow
dye coupling in *Lymnaea stagnalis* neurones: EWADINGER, SYED, LUKOWIAK AND BULLOCH **192**, 291.
Luminal K^+ concentration
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
Lung–eardrum pathway
lung–eardrum sound transmission in frogs: EHRET, KEILWERTH AND KAMADA **195**, 329.
Lungs
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Lymnaea stagnalis
dopamine modulation of K^+ and Ca^{2+} channels: BARNES, SYED, BULLOCH AND LUKOWIAK **189**, 37.
dye coupling in *Lymnaea stagnalis* neurones: EWADINGER, SYED, LUKOWIAK AND BULLOCH **192**, 291.
motor control of shell turning in *Lymnaea stagnalis*: HERMANN, TER MAAT AND JANSEN **197**, 79.
Lysine
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
y^+-type cationic amino acid transport: MACLEOD, FINLEY AND KAKUDA **196**, 109.
Lysosome
mistargetting of ion-indicator dyes: SLAYMAN, MOUSSATOS AND WEBB **196**, 419.
Macrophage
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Magnesium
calcium uptake in postmoult crabs: NEUFELD AND CAMERON **187**, 1.
Magnetic
latitude detection in sea turtles: LOHMANN AND LOHMANN **194**, 23.
sea turtle magnetic compass: LOHMANN AND LOHMANN **190**, 1.
Magnetic compass
crucial role of melatonin in migratory orientation: SCHNEIDER, THALAU, SEMM AND WILTSCHKO **194**, 255.
Magnetic compass orientation
magnetoreception and homing in a newt: PHILLIPS AND BORLAND **188**, 275.
Magnetite
magnetoreception and homing in a newt: PHILLIPS AND BORLAND **188**, 275.
Magnetoreception
latitude detection in sea turtles: LOHMANN AND LOHMANN **194**, 23.
magnetoreception and homing in a newt: PHILLIPS AND BORLAND **188**, 275.
sea turtle magnetic compass: LOHMANN AND LOHMANN **190**, 1.
Malpighian tubule
effects of *Acheta* diuretic peptide: COAST AND KAY **187**, 225.
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
electrophysiology of tsetse fly Malpighian tubules: ISAACSON AND NICOLSON **186**, 199.
Manduca sexta
allatotropin is a cardioacceleratory peptide in *Manduca sexta*: VEENSTRA, LEHMAN AND DAVIS **188**, 347.
blocking the midgut K^+ pump of *Manduca sexta*: SCHIRMANNS AND ZEISKE **188**, 191.
glutamate symport in larval *Manduca sexta*: XIE, PARTHASARATHY, WOLFERSBERGER AND HARVEY **194**, 181.
insect midgut K^+ channel: SCHIRMANNS AND ZEISKE **197**, 179.
K^+/H^+ antiport in insect midgut: LEPIER, AZUMA, HARVEY AND WIECZOREK **196**, 361.

substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
active alkalization by *Manduca sexta* midgut: MOFFETT AND CUMMINGS **194**, 341.
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
potentiation of a response to a peptide by biogenic amines: PRIER, BECKMAN AND TUBLITZ **197**, 377.

Mantle
respiratory flow in *Sepia officinalis*: BONE, BROWN AND TRAVERS **194**, 153.

Marine mammals
gas exchange of freely diving grey seals: REED, CHAMBERS, FEDAK AND BUTLER **191**, 1.
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.

Mass spectrometry
measurement of protein synthesis in rainbow trout: CARTER, OWEN, HE, WATT, SCRIMGEOUR, HOULIHAN AND RENNIE **189**, 279.

Mate choice
developmental plasticity in *Drosophila*: HIRSCH AND TOMPKINS **195**, 1.

Material properties
scaling of elastic modulus in locust tibiae: KATZ AND GOSLINE **187**, 207.

mCAT
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.

Meal volume
regulation of feeding behaviour in *Drosophila*: EDGECOMB, HARTH AND SCHNEIDERMAN **197**, 215.

Mechanical efficiency
efficiency of mouse muscle: BARCLAY **193**, 65.

Mechanical vibration
effect of vibration on active tension in sea cucumber muscle: KOBAYASHI, USHITANI, WADA, INOUE, KAWAKAMI AND SUGI **194**, 319.

Mechanics
stability in hexapedal runners: TING, BLICKHAN AND FULL **197**, 251.

Mechanoreceptor
directional sensitivity of octopus hair cells: BUDELMANN AND WILLIAMSON **187**, 245.
feeding ability of larval fish with regenerating cupulae: MUKAI, YOSHIKAWA AND KOBAYASHI **197**, 399.
regulation of nematocyst discharge: WATSON AND HESSINGER **187**, 57.
stimulus paradigm for aquatic mechanoreceptors: WILKENS AND DOUGLASS **189**, 263.

Mechanoreceptor current
receptor currents in *Paramecium*: TOMINAGA AND NAITOH **189**, 117.

Medial neurosecretory cell
calcium channel currents of locust neurones: BICKMEYER, RÖSSLER AND WIEGAND **197**, 393.

Medulla
motion-sensitive neurones in a butterfly: ICHIKAWA **195**, 361.

Melatonin
crucial role of melatonin in migratory orientation: SCHNEIDER, THALAU, SEMM AND WILTSCHKO **194**, 255.

Melopsittacus undulatus
intermittent flight in the budgerigar: TOBALSKE AND DIAL **187**, 1.

Membrane
energizing porters by proton-motive force: NELSON **196**, 7.
Na^+/H^+ antiporters in *Escherichia coli*: PADAN AND SCHULDINER **196**, 443.
porters and neurotransmitter transporters: NELSON AND LILL **196**, 213.

Membrane carrier
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.

Membrane potential
circadian rhythm and membrane potential in *Paramecium*: JOHNSON, NAKAOKA AND MIWA **197**, 295.

Membrane proteins
the lactose permease meets Frankenstein: KABACK, FRILLINGOS, JUNG, JUNG, PRIVÉ, UJWAL, WEITZMAN, WU AND ZEN **196**, 183.

Membrane resistance
blowfly ocellar neurones: SIMMONS, JIAN AND RIND **191**, 231.

Membrane transport
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MACLEOD **196**, 297.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
thermodynamics of symport and antiport: GERENCSER AND STEVENS **196**, 59.

Metabolic depression
metabolic depression in turtle brain: DOLL, HOCHACHKA AND HAND **191**, 141.
Metabolic rate
gas exchange of freely diving grey seals: REED, CHAMBERS, FEDAK AND BUTLER **191**, 1.
heart rate and oxygen consumption of albatrosses: BEVAN, WOAKES, BUTLER AND BOYD **193**, 119.
locomotory energetics and metabolic fuel consumption of an opossum: FOURNIER AND WEBER **197**, 1.
sound and heat flux in bumblebees: SCHULTZE-MOTEL AND LAMPRECHT **187**, 315.
tuna swimming energetics: DEWAR AND GRAHAM **192**, 13.
Metabolism
energy metabolism of trout red blood cells: PESQUERO, ROIG, BERMUDEZ AND SANCHEZ **193**, 183.
lactate metabolism in crabs: HENRY, BOOTH, LALLIER AND WALSH **186**, 215.
swimming metabolism of zebrafish: PLAUT AND GORDON **194**, 209.
the energetic cost of walking in a toad: WALTON, PETERSON AND BENNETT **197**, 165.
Metabolite
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.
Metacerebral giant neurone
effect of injury on a snail cerebrobuccal neurone: CHIASSON, BAKER AND CROLL **192**, 147.
Metachronal waves
ciliary movements and metachronal waves: OKAMOTO AND NAKAOKA **192**, 73.
stability of ciliary metachronal waves: OKAMOTO AND NAKAOKA **192**, 61.
Metal detoxification
inorganic granules and cell death: SIMKISS AND TAYLOR **190**, 131.
Metallothionein
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
Metamorphosis
motion-sensitive neurones in a butterfly: ICHIKAWA **195**, 361.
salamander locomotion: ASHLEY-ROSS **193**, 285.
Microcalorimetry
energy metabolism of trout red blood cells: PESQUERO, ROIG, BERMUDEZ AND SANCHEZ **193**, 183.
Microcirculation
capillary blood transit time and body size: KAYAR, HOPPELER, JONES, LONGWORTH, ARMSTRONG, LAUGHLIN, LINDSTEDT, BICUDO, GROEBE, TAYLOR AND WEIBEL **194**, 69.
Mictyris longicarpus
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Midgut
K^+/H^+ antiport in insect midgut: LEPIER, AZUMA, HARVEY AND WIECZOREK **196**, 361.
active alkalization by *Manduca sexta* midgut: MOFFETT AND CUMMINGS **194**, 341.
Migration
crucial role of melatonin in migratory orientation: SCHNEIDER, THALAU, SEMM AND WILTSCHKO **194**, 255.
Mitochondria
mitochondrial distribution in rat skeletal muscle fibres: PHILIPPI AND SILLAU **189**, 1.
temperature adaptation of muscle mitochondria: JOHNSTON, GUDERLEY, FRANKLIN, CROCKFORD AND KAMUNDE **195**, 293.
Mitochondria-rich cell
intracellular ion concentrations in trout gill cells: MORGAN, POTTS AND OATES **194**, 139.
Mixture perception
the olfactory memory of the honeybee: SMITH AND COBEY **195**, 91.
Molal volume
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
Molecular cloning
sodium-coupled neurotransmitter transport: KANNER **196**, 237.
Molecular recognition
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MacLEOD **196**, 297.
Molluscan anatomy
muscle anatomy and activity of *Aplysia*: KUENZI AND CAREW **195**, 53.

Monoamines
the vesicular monoamine transporter: HENRY, BOTTON, SAGNE, ISAMBERT, DESNOS, BLANCHARD, RAISMAN-VOZARI, KREJCI, MASSOULIE AND GASNIER **196**, 251.
Monodelphis domestica
respiratory rhythm in neonatal opossum: ZOU **197**, 201.
Moth
sound production and hearing in a moth: HELLER AND KRAHE **187**, 101.
Motility
acquisition of motility by polychaete spermatozoa: PACEY, COSSON AND BENTLEY **195**, 259.
Motion analysis
motion analysis of tactile-mediated escape movements: SCHAEFER, KONDAGUNTA AND RITZMANN **190**, 287.
Motion detection
motion-sensitive neurones in a butterfly: ICHIKAWA **195**, 361.
Motor control
interganglionic control of head waving in *Aplysia*: KUENZI AND CAREW **195**, 75.
Motor neurone
motor control of shell turning in *Lymnaea stagnalis*: HERMANN, TER MAAT AND JANSEN **197**, 79.
plateau properties of crustacean motor neurones: CATTAERT, ARAQUE, BUNO AND CLARAC **188**, 339.
reflex subgroups of crayfish motor neurones: SKORUPSKI, VESCOVI AND BUSH **187**, 305.
Mottled sculpin
nearfield detection of dipole sources by fish: COOMBS **190**, 109.
Moulting
calcium uptake in postmoult crabs: NEUFELD AND CAMERON **187**, 1.
water uptake in moulting crabs: NEUFELD AND CAMERON **187**, 11.
Mouse
efficiency of mouse muscle: BARCLAY **193**, 65.
Moustached bat
Doppler-shift compensation by moustached bats: KEATING, HENSON, HENSON, LANCASTER AND XIE **188**, 115.
Mouth
the cooling power of the pigeon head: ST-LAURENT AND LAROCHELLE **194**, 329.
Movement detection
physiology of the femoral chordotonal organ: BÜSCHGES **189**, 285.
Muscarinic agonist
arecoline-induced nicotinic and muscarinic responses of DUM neurones: TRIBUT, DUVAL AND LAPIED **186**, 325.
Muscle
contraction kinetics of a crustacean muscle: STOKES AND JOSEPHSON **187**, 275.
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
effect of vibration on active tension in sea cucumber muscle: KOBAYASHI, USHITANI, WADA, INOUE, KAWAKAMI AND SUGI **194**, 319.
efficiency of frog ventricular muscle: SYME **197**, 143.
efficiency of mouse muscle: BARCLAY **193**, 65.
EMG–force relationship of cat soleus muscle: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **186**, 75.
energetics of locomotion in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 257.
functional morphology of singing in the cricket: PFAU AND KOCH **195**, 147.
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.
mitochondrial distribution in rat skeletal muscle fibres: PHILIPPI AND SILLAU **189**, 1.
muscle glucose uptake in exercised trout: WEST, SCHULTE AND HOCHACHKA **189**, 69.
power output of a crustacean muscle: JOSEPHSON AND STOKES **187**, 295.
power output of scallop adductor muscle: MARSH AND OLSON **193**, 139.
respiratory flow in *Sepia officinalis*: BONE, BROWN AND TRAVERS **194**, 153.
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.
the effects of muscle fatigue on bone strain: YOSHIKAWA, MORI, SANTIESTEBAN, SUN, HAFSTAD, CHEN AND BURR **188**, 217.
work output of a blowfly steering muscle: TU AND DICKINSON **192**, 207.
Muscle fibre type
stomatopod eye musculature: JONES **188**, 317.
Muskrat
cardiac K_{ATP} channels in muskrat: STREEBY AND McKEAN **197**, 101.

Myocardial membrane
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
Myomodulin
peptidergic modulation of locust neuromuscular transmission: EVANS **190**, 253.
Myoxocephalus
temperature adaptation of muscle mitochondria: JOHNSTON, GUDERLEY, FRANKLIN, CROCKFORD AND KAMUNDE **195**, 293.
Myoxocephalus octodecimspinosus
acid–base regulation in fish exposed to low salinities: CLAIBORNE, WALTON AND COMPTON-McCULLOUGH **193**, 79.
Mysidacea
a mysid shrimp carrying a pair of binoculars: NILSSON AND MODLIN **189**, 213.
Mytilus californianus
cell volume regulation in *Mytilus californianus* gill: SILVA AND WRIGHT **194**, 47.

Na^+/Ca^{2+} antiport
Na^+/Ca^{2+} antiport in the mammalian heart: REEVES, CONDRESCU, CHERNAYA AND GARDNER **196**, 375.
Na^+/Ca^{2+} exchange
calcium transport in crab gills: FLIK, VERBOST, ATSMA AND LUCU **195**, 109.
cation antiports of animal plasma membranes: GRINSTEIN AND WIECZOREK **196**, 307.
Na^+/glucose cotransporter
active sugar transport: WRIGHT, LOO, PANAYOTOVA-HEIERMANN, LOSTAO, HIRAYAMA, MACKENZIE, BOORER AND ZAMPIGHI **196**, 197.
Na^+/H^+ antiporter
antiporters and pH homeostasis: KRULWICH, CHENG AND GUFFANTI **196**, 457.
Na^+/H^+ antiporters in *Escherichia coli*: PADAN AND SCHULDINER **196**, 443.
Na^+/H^+ exchange
cation antiports of animal plasma membranes: GRINSTEIN AND WIECZOREK **196**, 307.
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Na^+/H^+ exchange in lamprey erythrocytes: VIRKKI AND NIKINMAA **191**, 89.
regulation of Na^+/H^+ antiport: DEMAUREX AND GRINSTEIN **196**, 389.
vertebrate Na^+/H^+ exchangers: BIANCHINI AND POUYSSÉGUR **196**, 337.
Na^+/K^+-ATPase
calcium transport in crab gills: FLIK, VERBOST, ATSMA AND LUCU **195**, 109.
Na^+/phosphate symport
Na^+/phosphate and Na^+/sulphate symport: MURER, MARKOVICH AND BIBER **196**, 167.
Na^+/sulphate symport
Na^+/phosphate and Na^+/sulphate symport: MURER, MARKOVICH AND BIBER **196**, 167.
Na^+/K^+-ATPase
ATP- and Na^+-driven Ca^{2+} transport in tilapia: VERBOST, SCHOENMAKERS, FLIK AND WENDELAAR BONGA **186**, 95.
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
NaCl absorption
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
NaCl transport
effects of Ba^{2+} on colonic NaCl transport: DÍAZ, LORENZO, GÓMEZ, BADÍA AND BONAÑOS **186**, 9.
Nematocyst
regulation of nematocyst discharge: WATSON AND HESSINGER **187**, 57.
Nematocyte
gadolinium blocks activation of nematocytes: SALLEO, LA SPADA AND BARBERA **187**, 201.
Nereocystis luetkeana
allometry and mechanics of a giant kelp: JOHNSON AND KOEHL **195**, 381.
Nerve endings
stimulus–secretion coupling in jerboa neurohypophysis: RAJI AND NORDMANN **195**, 19.
Nervous system
modulatory effects of SchistoFLRFamide: ROBB AND EVANS **197**, 437.
Neural network
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.

Neural remodelling
motion-sensitive neurones in a butterfly: ICHIKAWA **195**, 361.
Neurohormone
achetakinins in the house cricket: CHUNG, GOLDSWORTHY AND COAST **193**, 307.
Neurohypophysis
stimulus–secretion coupling in jerboa neurohypophysis: RAJI AND NORDMANN **195**, 19.
Neuromast
feeding ability of larval fish with regenerating cupulae: MUKAI, YOSHIKAWA AND KOBAYASHI **197**, 399.
Neuromodulation
allatostatin in the stomatogastric nervous system: SKIEBE AND SCHNEIDER **194**, 195.
modulatory effects of SchistoFLRFamide: ROBB AND EVANS **197**, 437.
potentiation of a response to a peptide by biogenic amines: PRIER, BECKMAN AND TUBLITZ **197**, 377.
Neuromodulator
buccalin and myomodulin in the crab stomatogastric ganglion: CHRISTIE, HALL, OSHINSKY AND MARDER **193**, 337.
Neuromuscular junction
reflex subgroups of crayfish motor neurones: SKORUPSKI, VESCOVI AND BUSH **187**, 305.
Neuromuscular synapse
thermal acclimation of frog end-plate: TIISKA AND LAGERSPETZ **187**, 131.
Neuromuscular transmission
peptidergic modulation of locust neuromuscular transmission: EVANS **190**, 253.
Neuropeptide
buccalin and myomodulin in the crab stomatogastric ganglion: CHRISTIE, HALL, OSHINSKY AND MARDER **193**, 337.
motor control of shell turning in *Lymnaea stagnalis*: HERMANN, TER MAAT AND JANSEN **197**, 79.
modulatory effects of SchistoFLRFamide: ROBB AND EVANS **197**, 437.
peptidergic modulation of locust neuromuscular transmission: EVANS **190**, 253.
potentiation of a response to a peptide by biogenic amines: PRIER, BECKMAN AND TUBLITZ **197**, 377.
Neuropeptide secretion
neurosecretion of crab hyperglycaemic hormone: KELLER, HAYLETT AND COOKE **188**, 293.
Neurosecretion
neurosecretion of crab hyperglycaemic hormone: KELLER, HAYLETT AND COOKE **188**, 293.
Neurosecretory cells
terminal networks of a locust DUM neurone: BRÄUNIG, STEVENSON AND EVANS **192**, 225.
Neurospora crassa
mistargetting of ion-indicator dyes: SLAYMAN, MOUSSATOS AND WEBB **196**, 419.
Neurotransmission
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MACLEOD **196**, 297.
Neurotransmitter
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Neurotransmitter transporter
brain neurotransmitter transporters: JURSKY, TAMURA, TAMURA, MANDIYAN, NELSON AND NELSON **196**, 283.
porters and neurotransmitter transporters: NELSON AND LILL **196**, 213.
sodium-coupled neurotransmitter transport: KANNER **196**, 237.
the vesicular monoamine transporter: HENRY, BOTTON, SAGNE, ISAMBERT, DESNOS, BLANCHARD, RAISMAN-VOZARI, KREJCI, MASSOULIE AND GASNIER **196**, 251.
Neutral amino acid/K^+ symport
determinants for amino acid/K^+ symport: GIORDANA AND PARENTI **196**, 145.
Neutrophilic granulocyte
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Newt
magnetoreception and homing in a newt: PHILLIPS AND BORLAND **188**, 275.
NHE
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
vertebrate Na^+/H^+ exchangers: BIANCHINI AND POUYSSÉGUR **196**, 337.
Nicotinic antagonist
arecoline-induced nicotinic and muscarinic responses of DUM neurones: TRIBUT, DUVAL AND LAPIED **186**, 325.

Nitrogen excretion
ammonia excretion in a terrestrial crab: VARLEY AND GREENAWAY **190**, 179.
Nitrogen metabolism
measurement of protein synthesis in rainbow trout: CARTER, OWEN, HE, WATT, SCRIMGEOUR, HOULIHAN AND RENNIE **189**, 279.
Non-periodic
effect of muscle length on force: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **193**, 49.
Noradrenaline
brain neurotransmitter transporters: JURSKY, TAMURA, TAMURA, MANDIYAN, NELSON AND NELSON **196**, 283.
catecholamine release in hypoxic trout: PERRY AND REID **186**, 289.
Normal variations
force measurements in cat muscle: HERZOG, ZATSIORSKY, PRILUTSKY AND LEONARD **191**, 19.
Notophthalmus viridescens
magnetoreception and homing in a newt: PHILLIPS AND BORLAND **188**, 275.
Nucleoside triphosphates
haemoglobin, ATP and GTP assay in fish: FEUERLEIN AND WEBER **189**, 273.
Nucleotide receptor
purinergic receptors in equine sweat gland epithelial cells: KO, O'DOWD, PEDIANI, BOVELL, ELDER, JENKINSON AND WILSON **190**, 239.
Nutrient absorption
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
Nutrition
regulation of feeding behaviour in *Drosophila*: EDGECOMB, HARTH AND SCHNEIDERMAN **197**, 215.
Nyctophilus gouldi
heterothermy in the long-eared bat: MORRIS, CURTIN AND THOMPSON **197**, 309.

Octopamine
terminal networks of a locust DUM neurone: BRÄUNIG, STEVENSON AND EVANS **192**, 225.
Octopus
directional sensitivity of octopus hair cells: BUDELMANN AND WILLIAMSON **187**, 245.
Octopus bimaculoides
directional sensitivity of octopus hair cells: BUDELMANN AND WILLIAMSON **187**, 245.
***Ocypode* species**
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
Odontodactylus scyllarus
stomatopod eye musculature: JONES **188**, 317.
Odour modulation
transduction diversity in olfaction: DIONNE AND DUBIN **194**, 1.
Odour transduction
transduction diversity in olfaction: DIONNE AND DUBIN **194**, 1.
OF4
antiporters and pH homeostasis: KRULWICH, CHENG AND GUFFANTI **196**, 457.
Okanagana rimosa
auditory threshold change in singing cicadas: HENNIG, WEBER, HUBER, KLEINDIENST, MOORE AND POPOV **187**, 45.
Olfaction
electrophysiology of frog olfactory cilia: KLEENE, GESTELAND AND BRYANT **195**, 307.
flow through arrays of hairs: LOUDON, BEST AND KOEHL **193**, 233.
the olfactory memory of the honeybee: SMITH AND COBEY **195**, 91.
transduction diversity in olfaction: DIONNE AND DUBIN **194**, 1.
Olfactory receptor neurones
transduction diversity in olfaction: DIONNE AND DUBIN **194**, 1.
Oncorhynchus kisutch
visual pigments in juvenile salmon: ALEXANDER, SWEETING AND McKEOWN **195**, 185.
Oncorhynchus mykiss
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
adrenaline-stimulated cardiac output in trout: GAMPERL, PINDER AND BOUTILIER **186**, 127.
adrenaline-stimulated cardiac performance in hypoxic trout: GAMPERL, PINDER, GRANT AND BOUTILIER **193**, 209.
β-adrenoceptor down-regulation in fish red blood cells: GILMOUR, DIDYK, REID AND PERRY **186**, 309.
ammonia excretion in freshwater rainbow trout: WILSON, WRIGHT, MUNGER AND WOOD **191**, 37.
catecholamine release in hypoxic trout: PERRY AND REID **186**, 289.

chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
effects of angiotensin II on trout vasculature: OLSON, CHAVEZ, CONKLIN, COUSINS, FARRELL, FERLIC, KEEN, KNE, KOWALSKI AND VELDMAN **194**, 117.
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
fish gustation and ionic environment: KITADA AND HARA **186**, 173.
gastrointestinal blood flow in trout: KÅGSTRÖM, AXELSSON AND HOLMGREN **191**, 155.
glucose metabolism by sea raven and trout red blood cells: SEPHTON AND DRIEDZIC **194**, 167.
immunolocalization of H^+-ATPase in fish gills: LIN, PFEIFFER, VOGL, PAN AND RANDALL **195**, 169.
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
maximum sustainable swimming performance in trout: WILSON AND EGGINTON **192**, 299.
measurement of protein synthesis in rainbow trout: CARTER, OWEN, HE, WATT, SCRIMGEOUR, HOULIHAN AND RENNIE **189**, 279.
muscle glucose uptake in exercised trout: WEST, SCHULTE AND HOCHACHKA **189**, 69.
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.
trout blood energy turnover: WANG, NIELSEN AND LYKKEBOE **190**, 43.

Ontogeny
ontogeny of shivering in blackbirds: OLSON **191**, 59.
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.

Ophioderma brevispinum
extraocular polarization sensitivity in an echinoderm: JOHNSEN **195**, 281.

Ophiuroid
extraocular polarization sensitivity in an echinoderm: JOHNSEN **195**, 281.

Opossum
locomotory energetics and metabolic fuel consumption of an opossum: FOURNIER AND WEBER **197**, 1.
respiratory rhythm in neonatal opossum: ZOU **197**, 201.

Opsanus beta
confinement and ureogenesis in toadfish: WALSH, TUCKER AND HOPKINS **191**, 195.
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.

***Opsanus* species**
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.

Optomotor response
visual behaviour of blind cave fish: TEYKE AND SCHAERER **188**, 89.

Oreochromis alcalicus grahami
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.

Oreochromis mossambicus
ATP- and Na^+-driven Ca^{2+} transport in tilapia: VERBOST, SCHOENMAKERS, FLIK AND WENDELAAR BONGA **186**, 95.

Orientation
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
extraocular polarization sensitivity in an echinoderm: JOHNSEN **195**, 281.
latitude detection in sea turtles: LOHMANN AND LOHMANN **194**, 23.
sea turtle magnetic compass: LOHMANN AND LOHMANN **190**, 1.

Ornithine–urea cycle
confinement and ureogenesis in toadfish: WALSH, TUCKER AND HOPKINS **191**, 195.
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.

Oscillation
blowfly ocellar neurones: SIMMONS, JIAN AND RIND **191**, 231.

Osmoregulation
cell volume regulation in *Mytilus californianus* gill: SILVA AND WRIGHT **194**, 47.

Osteopilus septendrionalis
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.
Ouabain
fluid secretion by *Drosophila* Malpighian tubules: DOW, MADDRELL, GÓRTZ, SKAER, BROGAN AND KAISER **197**, 421.
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
Oxidative capacity
mitochondrial distribution in rat skeletal muscle fibres: PHILIPPI AND SILLAU **189**, 1.
Oxidative fuel
locomotory energetics and metabolic fuel consumption of an opossum: FOURNIER AND WEBER **197**, 1.
OxlT
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.
Oxygen
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
efficiency of frog ventricular muscle: SYME **197**, 143.
energetics of locomotion in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 257.
gas transport in the Christmas Island red crab: ADAMCZEWSKA AND MORRIS **188**, 235.
heterothermy in the long-eared bat: MORRIS, CURTIN AND THOMPSON **197**, 309.
ventilatory control in *Bufo paracnemis*: WANG, BRANCO AND GLASS **186**, 1.
Oxygen affinity
oxygen transport in a sea turtle: WELLS AND BALDWIN **188**, 103.
Oxygen consumption
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
effect of exercise on penguins: KOOYMAN AND PONGANIS **195**, 199.
energetics of diving lesser scaup: STEPHENSON **190**, 155.
gas exchange of freely diving grey seals: REED, CHAMBERS, FEDAK AND BUTLER **191**, 1.
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
heart rate and oxygen consumption of albatrosses: BEVAN, WOAKES, BUTLER AND BOYD **193**, 119.
respiration in arboreal foam nests: SEYMOUR AND LOVERIDGE **197**, 31.
Oxygen radicals
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Oxygen transport
capillary blood transit time and body size: KAYAR, HOPPELER, JONES, LONGWORTH, ARMSTRONG, LAUGHLIN, LINDSTEDT, BICUDO, GROEBE, TAYLOR AND WEIBEL **194**, 69.
oxygen transport in amphibian egg masses: PINDER AND FRIET **197**, 17.
oxygen transport in the haemolymph of arachnids: PAUL, BERGNER, PFEFFER-SEIDL, DECKER, EFINGER AND STORZ **188**, 25.
Oxygen uptake
differences in oxygen uptake and ion loss among fish: GONZALES AND McDONALD **190**, 95.
trout blood energy turnover: WANG, NIELSEN AND LYKKEBOE **190**, 43.
Oxygen-affinity regulation
phosphate binding in crocodilian haemoglobins: WEBER AND WHITE **192**, 1.

Pacemaker potential
plateau properties of crustacean motor neurones: CATTAERT, ARAQUE, BUNO AND CLARAC **188**, 339.
Pacifastacus leniusculus
reflex subgroups of crayfish motor neurones: SKORUPSKI, VESCOVI AND BUSH **187**, 305.
Pacific hagfish
glucose transport in hagfish erythrocytes: YOUNG, YAO, TSE, DAVIES AND BALDWIN **186**, 23.
Paddlefish
buccal flow velocity in paddlefish: SANDERSON, CECH AND CHEER **186**, 145.
Pagothenia borchgrevinki
blood pressure control in Antartic fish: AXELSSON, DAVISON, FORSTER AND NILSSON **190**, 265.
Palatine nerve
fish gustation and ionic environment: KITADA AND HARA **186**, 173.

Pandinus imperator
carbon dioxide transport in the haemolymph of arachnids: PAUL, PFEFFER-SEIDL, EFINGER, PÖRTNER AND STORZ **188**, 47.
oxygen transport in the haemolymph of arachnids: PAUL, BERGNER, PFEFFER-SEIDL, DECKER, EFINGER AND STORZ **188**, 25.
Panulirus interruptus
bioactivity of a crustacean cholecystokinin: TURRIGIANO, VAN WORMHOUDT, OGDEN AND SELVERSTON **187**, 181.
Panulirus japonicus
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
Papilio xuthus
motion-sensitive neurones in a butterfly: ICHIKAWA **195**, 361.
Paramecium bursaria
circadian rhythm and membrane potential in *Paramecium*: JOHNSON, NAKAOKA AND MIWA **197**, 295.
Paramecium caudatum
graviresponses in *Paramecium* and *Didinium*: BRÄUCKER, MACHEMER-RÖHNISCH AND MACHEMER **197**, 271.
receptor currents in *Paramecium*: TOMINAGA AND NAITOH **189**, 117.
Paramecium multimicronucleatum
ciliary movements and metachronal waves: OKAMOTO AND NAKAOKA **192**, 73.
stability of ciliary metachronal waves: OKAMOTO AND NAKAOKA **192**, 61.
Parkinson's disease
neurotransmitter transporters: UHL AND JOHNSON **196**, 229.
Patch-clamp
norepinephrine and serotonin transporters: BLAKELY, DE FELICE AND HARTZELL **196**, 263.
Pavement epithelial cell
intracellular ion concentrations in trout gill cells: MORGAN, POTTS AND OATES **194**, 139.
Pectoral fin
kinematics of pectoral fin locomotion: GIBB, JAYNE AND LAUDER **189**, 133.
Pelagia noctiluca
gadolinium blocks activation of nematocytes: SALLEO, LA SPADA AND BARBERA **187**, 201.
Penguin
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
effect of exercise on penguins: KOOYMAN AND PONGANIS **195**, 199.
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
Pentose phosphate shunt
carbon dioxide formation in eel swimbladder tissue: PELSTER, HICKS AND DRIEDZIC **197**, 119.
Peptides
allatostatin in the stomatogastric nervous system: SKIEBE AND SCHNEIDER **194**, 195.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Perfusion
intrinsic properties of perfused crocodile hearts: FRANKLIN AND AXELSSON **186**, 269.
Periplaneta americana
a cockroach auditory-vibration sensor: SHAW **193**, 13.
actions of bicuculline on identified cockroach neurones: BUCKINGHAM, HUE AND SATTELLE **186**, 235.
arecoline-induced nicotinic and muscarinic responses of DUM neurones: TRIBUT, DUVAL AND LAPIED **186**, 325.
electrical conductance of cockroach cuticle: MACHIN, SMITH AND LAMPERT **192**, 83.
motion analysis of tactile-mediated escape movements: SCHAEFER, KONDAGUNTA AND RITZMANN **190**, 287.
Periplasmic permease
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Permeability ratio
insect midgut K^+ channel: SCHIRMANNS AND ZEISKE **197**, 179.
Petromyzon marinus
carbon dioxide transport in sea lamprey blood: CAMERON AND TUFTS **197**, 337.
pH
a unique permeability barrier in gastric gland cells: BORON, WAISBREN, MODLIN AND GEIBEL **196**, 347.
acquisition of motility by polychaete spermatozoa: PACEY, COSSON AND BENTLEY **195**, 259.
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.

pH balance
acid–base regulation in fish exposed to low salinities: CLAIBORNE, WALTON AND COMPTON-McCULLOUGH **193**, 79.
pH regulation
regulation of Na^+/H^+ antiport: DEMAUREX AND GRINSTEIN **196**, 389.
Phagocytosis
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Phalacrocorax carbo sinensis
daily food intake in cormorants: GRÉMILLET AND PLÖS **189**, 105.
Phalacrocorax neglectus
daily food intake in cormorants: GRÉMILLET AND PLÖS **189**, 105.
Phenylalanine
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
Pheromones
electrical conductance of cockroach cuticle: MACHIN, SMITH AND LAMPERT **192**, 83.
pHi regulation
vertebrate Na^+/H^+ exchangers: BIANCHINI AND POUYSSÉGUR **196**, 337.
Phloretin-sensitive transport
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.
Phoca vitulina
metabolic characteristics of seal muscle: REED, BUTLER AND FEDAK **194**, 33.
Phosphorylation
regulation of Na^+/H^+ antiport: DEMAUREX AND GRINSTEIN **196**, 389.
Photoreception
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
Photoreceptor
magnetoreception and homing in a newt: PHILLIPS AND BORLAND **188**, 275.
Pied flycatcher
crucial role of melatonin in migratory orientation: SCHNEIDER, THALAU, SEMM AND WILTSCHKO **194**, 255.
Pigeon
polarization sensitivity of the pigeon: COEMANS, VOS HZN AND NUBOER **191**, 107.
the cooling power of the pigeon head: ST-LAURENT AND LAROCHELLE **194**, 329.
Pinacidil
cardiac K_{ATP} channels in muskrat: STREEBY AND McKEAN **197**, 101.
Pineal gland
crucial role of melatonin in migratory orientation: SCHNEIDER, THALAU, SEMM AND WILTSCHKO **194**, 255.
Pink-footed goose
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
Plant transport
bacterial and plant antiporters: MALONEY **196**, 439.
Plasma membrane
ATP- and Na^+-driven Ca^{2+} transport in tilapia: VERBOST, SCHOENMAKERS, FLIK AND WENDELAAR BONGA **186**, 95.
calcium transport in crab gills: FLIK, VERBOST, ATSMA AND LUCU **195**, 109.
K^+/H^+ antiport in insect midgut: LEPIER, AZUMA, HARVEY AND WIECZOREK **196**, 361.
Plasticity
developmental plasticity in *Drosophila*: HIRSCH AND TOMPKINS **195**, 1.
Plateau properties
plateau properties of crustacean motor neurones: CATTAERT, ARAQUE, BUNO AND CLARAC **188**, 339.
Platichthys flesus
osmolarity-sensitive taurine channels in flounder: THOROED AND FUGELLI **186**, 245.
Polarization sensitivity
extraocular polarization sensitivity in an echinoderm: JOHNSEN **195**, 281.
polarization sensitivity of the pigeon: COEMANS, VOS HZN AND NUBOER **191**, 107.
Polychaeta
acquisition of motility by polychaete spermatozoa: PACEY, COSSON AND BENTLEY **195**, 259.
Polyodon spathula
buccal flow velocity in paddlefish: SANDERSON, CECH AND CHEER **186**, 145.
Porcellio scaber
effects of ammonia loading in *Porcellio scaber*: WRIGHT, O'DONNELL AND REICHERT **188**, 143.
Porin
structure, function and evolution of solute transporters: HEDIGER **196**, 15.

Porter
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
Posture
locust postural position-dependent resistance reflexes: FIELD AND COLES **188**, 65.
Potassium
cell volume regulation in *Mytilus californianus* gill: SILVA AND WRIGHT **194**, 47.
Potassium channel
cardiac K_{ATP} channels in muskrat: STREEBY AND McKEAN **197**, 101.
Potassium conductance
plateau properties of crustacean motor neurones: CATTAERT, ARAQUE, BUNO AND CLARAC **188**, 339.
Potassium pump
K^+/H^+ antiport in insect midgut: LEPIER, AZUMA, HARVEY AND WIECZOREK **196**, 361.
Potassium secretion
blocking the midgut K^+ pump of *Manduca sexta*: SCHIRMANNS AND ZEISKE **188**, 191.
Power
efficiency of frog ventricular muscle: SYME **197**, 143.
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.
power output of a crustacean muscle: JOSEPHSON AND STOKES **187**, 295.
power output of scallop adductor muscle: MARSH AND OLSON **193**, 139.
Power spectrum
periodic air-breathing in a primitive fish: HEDRICK, KATZ AND JONES **197**, 429.
Predator–prey co-evolution
jamming bat echolocation: the clicks of the dogbane tiger moth: FULLARD, SIMMONS AND SAILLANT **194**, 285.
Pressure shunting
intracardiac shunting in turtle: HICKS AND COMEAU **186**, 109.
Presteady-state kinetics
active sugar transport: WRIGHT, LOO, PANAYOTOVA-HEIERMANN, LOSTAO, HIRAYAMA, MACKENZIE, BOORER AND ZAMPIGHI **196**, 197.
Prey capture
kinematics of feeding behaviour in a salamander: GILLIS AND LAUDER **187**, 159.
Prey transport
kinematics of feeding behaviour in a salamander: GILLIS AND LAUDER **187**, 159.
Proboscis extension
regulation of feeding behaviour in *Drosophila*: EDGECOMB, HARTH AND SCHNEIDERMAN **197**, 215.
the olfactory memory of the honeybee: SMITH AND COBEY **195**, 91.
Procambarus clarki
food and locomotor activity in crayfish: FERNÁNDEZ DE MIGUEL AND ARÉCHIGA **190**, 9.
plateau properties of crustacean motor neurones: CATTAERT, ARAQUE, BUNO AND CLARAC **188**, 339.
Projection errors
three-dimensional method for analysing single-view movies: VAN DEN BERG **191**, 283.
Proline
potential difference and amino acid/Na^+ symport: PARTHASARATHY AND HARVEY **189**, 55.
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MacLEOD **196**, 297.
Proprioception
locust postural position-dependent resistance reflexes: FIELD AND COLES **188**, 65.
Protein synthesis
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
measurement of protein synthesis in rainbow trout: CARTER, OWEN, HE, WATT, SCRIMGEOUR, HOULIHAN AND RENNIE **189**, 279.
Proton gradient
energizing porters by proton-motive force: NELSON **196**, 7.
Proton transport
the vesicular monoamine transporter: HENRY, BOTTON, SAGNE, ISAMBERT, DESNOS, BLANCHARD, RAISMAN-VOZARI, KREJCI, MASSOULIE AND GASNIER **196**, 251.
Proximal tubule
Na^+/phosphate and Na^+/sulphate symport: MURER, MARKOVICH AND BIBER **196**, 167.
Pseudacris crucifer
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.

Pseudemys scripta
intracardiac shunting in turtle: HICKS AND COMEAU **186**, 109.
Psychophysics
polarization sensitivity of the pigeon: COEMANS, VOS HZN AND NUBOER **191**, 107.
Pteronotus parnellii parnellii
Doppler-shift compensation by moustached bats: KEATING, HENSON, HENSON, LANCASTER AND XIE **188**, 115.
Pulmocutaneous arch
cardiac output in conscious toads: WEST AND SMITS **186**, 315.
Pulsed-Doppler flowmeter
cardiovascular responses to hypoxic exposure: AIRRIESS AND McMAHON **190**, 23.
Pump
energizing porters by proton-motive force: NELSON **196**, 7.
ionic circuit of insect midgut vesicles: MARTIN AND HARVEY **196**, 77.
Purification
sodium-coupled neurotransmitter transport: KANNER **196**, 237.
Pycnopodia helianthoides
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Pygoscelis adeliae
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
Pygoscelis papua
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
Pyloric caeca
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.
Pyralidae
sound production and hearing in a moth: HELLER AND KRAHE **187**, 101.
Pyruvate
energy metabolism of trout red blood cells: PESQUERO, ROIG, BERMUDEZ AND SANCHEZ **193**, 183.

Radioimmunoassay
achetakinins in the house cricket: CHUNG, GOLDSWORTHY AND COAST **193**, 307.
Rainbow trout
adrenaline-stimulated cardiac output in trout: GAMPERL, PINDER AND BOUTILIER **186**, 127.
β-adrenoceptor down-regulation in fish red blood cells: GILMOUR, DIDYK, REID AND PERRY **186**, 309.
catecholamine release in hypoxic trout: PERRY AND REID **186**, 289.
chloride cells and respiratory function in blood: BINDON, GILMOUR, FENWICK AND PERRY **197**, 47.
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
fish gustation and ionic environment: KITADA AND HARA **186**, 173.
glucose metabolism by sea raven and trout red blood cells: SEPHTON AND DRIEDZIC **194**, 167.
immunolocalization of H^+-ATPase in fish gills: LIN, PFEIFFER, VOGL, PAN AND RANDALL **195**, 169.
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
measurement of protein synthesis in rainbow trout: CARTER, OWEN, HE, WATT, SCRIMGEOUR, HOULIHAN AND RENNIE **189**, 279.
muscle glucose uptake in exercised trout: WEST, SCHULTE AND HOCHACHKA **189**, 69.
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
Ram ventilation
buccal flow velocity in paddlefish: SANDERSON, CECH AND CHEER **186**, 145.
Rana catesbeiana
acid-induced current in frog taste cells: OKADA, MIYAMOTO AND SATO **187**, 19.
Rana pipiens
efficiency of frog ventricular muscle: SYME **197**, 143.
Rana sylvatica
oxygen transport in amphibian egg masses: PINDER AND FRIET **197**, 17.
Rana temporaria
thermal acclimation of frog end-plate: TIISKA AND LAGERSPETZ **187**, 131.

Rapid filtration
glutamate symport in larval *Manduca sexta*: XIE, PARTHASARATHY, WOLFERSBERGER AND HARVEY **194**, 181.
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
Rat
mitochondrial distribution in rat skeletal muscle fibres: PHILIPPI AND SILLAU **189**, 1.
rBAT
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.
proteins involved in amino acid transport: PALACÍN **196**, 123.
Reaction time
polarization sensitivity of the pigeon: COEMANS, VOS HZN AND NUBOER **191**, 107.
Receptor neurone
electrophysiology of frog olfactory cilia: KLEENE, GESTELAND AND BRYANT **195**, 307.
Rectal gland
chloride transport in shark rectal gland: RIORDAN, FORBUSH III AND HANRAHAN **196**, 405.
Red blood cell
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
β-adrenoceptor down-regulation in fish red blood cells: GILMOUR, DIDYK, REID AND PERRY **186**, 309.
catecholamines and Na^+/H^+ exchange in cod red blood cells: BERENBRINK AND BRIDGES **192**, 253.
energy metabolism of trout red blood cells: PESQUERO, ROIG, BERMUDEZ AND SANCHEZ **193**, 183.
glucose metabolism by sea raven and trout red blood cells: SEPHTON AND DRIEDZIC **194**, 167.
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.
regulation of pHi in Atlantic cod red blood cells: BERENBRINK AND BRIDGES **192**, 239.
trout blood energy turnover: WANG, NIELSEN AND LYKKEBOE **190**, 43.
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.
Red-winged blackbird
ontogeny of shivering in blackbirds: OLSON **191**, 59.
Reducible-channel model
gill arch movements during filter-feeding: VAN DEN BERG, VAN DEN BOOGAART, SIBBING AND OSSE **191**, 257.
Reflection artefact
polarization sensitivity of the pigeon: COEMANS, VOS HZN AND NUBOER **191**, 107.
Reflex
reflex subgroups of crayfish motor neurones: SKORUPSKI, VESCOVI AND BUSH **187**, 305.
Regeneration
effect of injury on a snail cerebrobuccal neurone: CHIASSON, BAKER AND CROLL **192**, 147.
redistribution of molecules during neural regeneration: LÜTHI **186**, 43.
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
Regulation
β-adrenoceptor down-regulation in fish red blood cells: GILMOUR, DIDYK, REID AND PERRY **186**, 309.
Na^+/Ca^{2+} antiport in the mammalian heart: REEVES, CONDRESCU, CHERNAYA AND GARDNER **196**, 375.
Reptile
intracardiac shunting in turtle: HICKS AND COMEAU **186**, 109.
Reserpine
the vesicular monoamine transporter: HENRY, BOTTON, SAGNE, ISAMBERT, DESNOS, BLANCHARD, RAISMAN-VOZARI, KREJCI, MASSOULIE AND GASNIER **196**, 251.
Resistance reflex
locust postural position-dependent resistance reflexes: FIELD AND COLES **188**, 65.
Respiration
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
lung and gill gas exchange in air-breathing crabs: FARRELLY AND GREENAWAY **187**, 113.
oxygen transport in amphibian egg masses: PINDER AND FRIET **197**, 17.
respiration in arboreal foam nests: SEYMOUR AND LOVERIDGE **197**, 31.
respiratory flow in *Sepia officinalis*: BONE, BROWN AND TRAVERS **194**, 153.
respiratory rhythm in neonatal opossum: ZOU **197**, 201.

temperature adaptation of muscle mitochondria: JOHNSTON, GUDERLEY, FRANKLIN, CROCKFORD AND KAMUNDE **195**, 293.
Respiratory acidosis
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.
Respiratory burst
macrophage and granulocyte function in carp: VERBURG-VAN KEMENADE, GROENEVELD, VAN RENS AND ROMBOUT **187**, 143.
Respiratory exchange ratio
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
Respiratory physiology
gas exchange of freely diving grey seals: REED, CHAMBERS, FEDAK AND BUTLER **191**, 1.
Rete mirabile
control of swimbladder perfusion: PELSTER **189**, 237.
physiological thermoregulation in tuna: DEWAR, GRAHAM AND BRILL **192**, 33.
Retention ability
gill arch movements during filter-feeding: VAN DEN BERG, VAN DEN BOOGAART, SIBBING AND OSSE **191**, 257.
Retia
small tunas can elevate muscle temperature: DICKSON **190**, 79.
Retina
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
structure of firefly squid banked retina: MICHINOMAE, MASUDA, SIEDOU AND KITO **193**, 1.
Reynolds number
flow through arrays of hairs: LOUDON, BEST AND KOEHL **193**, 233.
Rheotaxis
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
RNA
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.

Safety factor
allometry and mechanics of a giant kelp: JOHNSON AND KOEHL **195**, 381.
wing bone stresses and safety factors: KIRKPATRICK **190**, 195.
Salamander
kinematics of feeding behaviour in a salamander: GILLIS AND LAUDER **187**, 159.
salamander hindlimb kinematics: ASHLEY-ROSS **193**, 255.
salamander locomotion: ASHLEY-ROSS **193**, 285.
Salinity
acid–base regulation in fish exposed to low salinities: CLAIBORNE, WALTON AND COMPTON-McCULLOUGH **193**, 79.
Salinity acclimation
water uptake in moulting crabs: NEUFELD AND CAMERON **187**, 11.
Salivary gland
pH of leech giant salivary gland cells: WUTTKE, MUNSCH AND BERRY **189**, 179.
Salmo trutta
energy metabolism of trout red blood cells: PESQUERO, ROIG, BERMUDEZ AND SANCHEZ **193**, 183.
intracellular ion concentrations in trout gill cells: MORGAN, POTTS AND OATES **194**, 139.
Sarcoplasmic reticulum
Na^+/Ca^{2+} antiport in the mammalian heart: REEVES, CONDRESCU, CHERNAYA AND GARDNER **196**, 375.
Sarcosine
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
Scale effects
effect of body morphology on stepping patterns in ants: ZOLLIKOFER **192**, 107.
Scaling
scaling of cicada song frequency: BENNET-CLARK AND YOUNG **191**, 291.
scaling of elastic modulus in locust tibiae: KATZ AND GOSLINE **187**, 207.
wing bone stresses and safety factors: KIRKPATRICK **190**, 195.
Scallop
power output of scallop adductor muscle: MARSH AND OLSON **193**, 139.
Sch28080
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
Schistocerca gregaria
modulatory effects of SchistoFLRFamide: ROBB AND EVANS **197**, 437.

peptidergic modulation of locust neuromuscular transmission: EVANS **190**, 253.
scaling of elastic modulus in locust tibiae: KATZ AND GOSLINE **187**, 207.
SchistoFLRFamide
modulatory effects of SchistoFLRFamide: ROBB AND EVANS **197**, 437.
Scianops ocellatus
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.
Scomberomorus sierra
small tunas can elevate muscle temperature: DICKSON **190**, 79.
Scombridae
small tunas can elevate muscle temperature: DICKSON **190**, 79.
Scyliorhinin
gastrointestinal blood flow in trout: KÅGSTRÖM, AXELSSON AND HOLMGREN **191**, 155.
Scyliorhinus canicula
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.
Sea anemone
regulation of nematocyst discharge: WATSON AND HESSINGER **187**, 57.
Sea cucumber
effect of vibration on active tension in sea cucumber muscle: KOBAYASHI, USHITANI, WADA, INOUE, KAWAKAMI AND SUGI **194**, 319.
Sea raven
glucose metabolism by sea raven and trout red blood cells: SEPHTON AND DRIEDZIC **194**, 167.
Sea turtle
latitude detection in sea turtles: LOHMANN AND LOHMANN **194**, 23.
sea turtle magnetic compass: LOHMANN AND LOHMANN **190**, 1.
Sea urchin
physical properties of sea urchin gametes: THOMAS **194**, 263.
Searching behaviour
head waving movements of *Aplysia*: KUENZI AND CAREW **195**, 35.
Season
regulation of pHi in Atlantic cod red blood cells: BERENBRINK AND BRIDGES **192**, 239.
Secondary active transport
thermodynamics of symport and antiport: GERENCSER AND STEVENS **196**, 59.
Secretion
pH of leech giant salivary gland cells: WUTTKE, MUNSCH AND BERRY **189**, 179.
stimulus–secretion coupling in jerboa neurohypophysis: RAJI AND NORDMANN **195**, 19.
Sensitization
injury-induced alterations in sensory neurones: CLATWORTHY AND WALTERS **190**, 217.
Sensory input
sensory control of *Sepia* countershading: FERGUSON, MESSENGER AND BUDELMANN **191**, 247.
Sepia officinalis
respiratory flow in *Sepia officinalis*: BONE, BROWN AND TRAVERS **194**, 153.
sensory control of *Sepia* countershading: FERGUSON, MESSENGER AND BUDELMANN **191**, 247.
Serotonin
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.
Shark
chloride transport in shark rectal gland: RIORDAN, FORBUSH III AND HANRAHAN **196**, 405.
Shell movement
motor control of shell turning in *Lymnaea stagnalis*: HERMANN, TER MAAT AND JANSEN **197**, 79.
Shivering
ontogeny of shivering in blackbirds: OLSON **191**, 59.
Short-circuit current
blocking the midgut K^+ pump of *Manduca sexta*: SCHIRMANNS AND ZEISKE **188**, 191.
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
insect midgut K^+ channel: SCHIRMANNS AND ZEISKE **197**, 179.
Shortening velocity
contraction kinetics of a crustacean muscle: STOKES AND JOSEPHSON **187**, 275.
Shunting
intrinsic properties of perfused crocodile hearts: FRANKLIN AND AXELSSON **186**, 269.
Sinus gland
neurosecretion of crab hyperglycaemic hormone: KELLER, HAYLETT AND COOKE **188**, 293.

Site-directed mutagenesis
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.
sodium-coupled neurotransmitter transport: KANNER **196**, 237.
the lactose permease meets Frankenstein: KABACK, FRILLINGOS, JUNG, JUNG, PRIVÉ, UJWAL, WEITZMAN, WU AND ZEN **196**, 183.
Site-directed spectroscopy
the lactose permease meets Frankenstein: KABACK, FRILLINGOS, JUNG, JUNG, PRIVÉ, UJWAL, WEITZMAN, WU AND ZEN **196**, 183.
Skeletal muscle
functional morphology of singing in the cricket: PFAU AND KOCH **195**, 147.
temperature adaptation of muscle mitochondria: JOHNSTON, GUDERLEY, FRANKLIN, CROCKFORD AND KAMUNDE **195**, 293.
Skin
kinematics of undulatory swimming: LONG, McHENRY AND BOETTICHER **192**, 129.
Slack test
contraction kinetics of a crustacean muscle: STOKES AND JOSEPHSON **187**, 275.
Small intestine
Na^+/phosphate and Na^+/sulphate symport: MURER, MARKOVICH AND BIBER **196**, 167.
Smoltification
visual pigments in juvenile salmon: ALEXANDER, SWEETING AND McKEOWN **195**, 185.
Smooth muscle
effects of angiotensin II on trout vasculature: OLSON, CHAVEZ, CONKLIN, COUSINS, FARRELL, FERLIC, KEEN, KNE, KOWALSKI AND VELDMAN **194**, 117.
Snail
dopamine modulation of K^+ and Ca^{2+} channels: BARNES, SYED, BULLOCH AND LUKOWIAK **189**, 37.
effect of injury on a snail cerebrobuccal neurone: CHIASSON, BAKER AND CROLL **192**, 147.
SNARF-AM
mistargetting of ion-indicator dyes: SLAYMAN, MOUSSATOS AND WEBB **196**, 419.
Sodium
ammonia excretion in freshwater rainbow trout: WILSON, WRIGHT, MUNGER AND WOOD **191**, 37.
Sodium cotransport
sodium-coupled neurotransmitter transport: KANNER **196**, 237.
Sodium-dependence
amino acid transport designations: CHRISTENSEN, ALBRITTON, KAKUDA AND MacLEOD **196**, 51.
Sodium flux
ammonia excretion in a terrestrial crab: VARLEY AND GREENAWAY **190**, 179.
Sodium permeability
Na^+/H^+ exchange in lamprey erythrocytes: VIRKKI AND NIKINMAA **191**, 89.
Sodium transport
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Sodium/proton exchange
catecholamines and Na^+/H^+ exchange in cod red blood cells: BERENBRINK AND BRIDGES **192**, 253.
Somatostatin
structure and function of eel somatostatins: UESAKA, YANO, YAMASAKI, NAGASHIMA AND ANDO **188**, 205.
Sound amplitude modulation
function of cicada tensor muscle: HENNIG, WEBER, MOORE, HUBER, KLEINDIENST AND POPOV **187**, 33.
Sound production
function of cicada tensor muscle: HENNIG, WEBER, MOORE, HUBER, KLEINDIENST AND POPOV **187**, 33.
scaling of cicada song frequency: BENNET-CLARK AND YOUNG **191**, 291.
sound production and hearing in a moth: HELLER AND KRAHE **187**, 101.
Sound receptor
a cockroach auditory-vibration sensor: SHAW **193**, 13.
Spawning
physical properties of sea urchin gametes: THOMAS **194**, 263.
Speed
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
kinematics of pectoral fin locomotion: GIBB, JAYNE AND LAUDER **189**, 133.
salamander locomotion: ASHLEY-ROSS **193**, 285.
Spermatozoa
acquisition of motility by polychaete spermatozoa: PACEY, COSSON AND BENTLEY **195**, 259.

Spike
blowfly ocellar neurones: SIMMONS, JIAN AND RIND **191**, 231.
Spiny lobster
bioactivity of a crustacean cholecystokinin: TURRIGIANO, VAN WORMHOUDT, OGDEN AND SELVERSTON **187**, 181.
Spirillum volutans
swimming kinematics of *Spirillum volutans*: RAMIA AND SWAN **187**, 75.
Spontaneous activity switch
switching the activity state of a neurone: GRAMOLL, SCHMIDT AND CALABRESE **186**, 157.
Stability
effect of load on stepping patterns in ants: ZOLLIKOFER **192**, 119.
stability of ciliary metachronal waves: OKAMOTO AND NAKAOKA **192**, 61.
Stable isotope
measurement of protein synthesis in rainbow trout: CARTER, OWEN, HE, WATT, SCRIMGEOUR, HOULIHAN AND RENNIE **189**, 279.
Statocyst
directional sensitivity of octopus hair cells: BUDELMANN AND WILLIAMSON **187**, 245.
sensory control of *Sepia* countershading: FERGUSON, MESSENGER AND BUDELMANN **191**, 247.
Steering
cockroach giant interneurones mediate evasion during flight: LIBERSAT **197**, 405.
Stenohaline
acid–base regulation in fish exposed to low salinities: CLAIBORNE, WALTON AND COMPTON-McCULLOUGH **193**, 79.
Stereochemistry
substrate structure and amino acid/K^+ symport in *Manduca sexta*: PARTHASARATHY, XIE, WOLFERSBERGER AND HARVEY **197**, 237.
Stereospecificity
sense in CNS affinities for D amino acids: CHRISTENSEN, GREENE, KAKUDA AND MacLEOD **196**, 297.
Stichopus japonicus
effect of vibration on active tension in sea cucumber muscle: KOBAYASHI, USHITANI, WADA, INOUE, KAWAKAMI AND SUGI **194**, 319.
Stiffness
kinematics of undulatory swimming: LONG, McHENRY AND BOETTICHER **192**, 129.
Stimulation
effect of muscle length on force: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **193**, 49.
EMG–force relationship of cat soleus muscle: GUIMARAES, HERZOG, HULLIGER, ZHANG AND DAY **186**, 75.
Stomach
a unique permeability barrier in gastric gland cells: BORON, WAISBREN, MODLIN AND GEIBEL **196**, 347.
Stomach content
daily food intake in cormorants: GRÉMILLET AND PLÖS **189**, 105.
Stomach temperature sensor
daily food intake in cormorants: GRÉMILLET AND PLÖS **189**, 105.
Stomatogastric ganglion
allatostatin in the stomatogastric nervous system: SKIEBE AND SCHNEIDER **194**, 195.
bioactivity of a crustacean cholecystokinin: TURRIGIANO, VAN WORMHOUDT, OGDEN AND SELVERSTON **187**, 181.
multiple 5-HT receptors in crab stomatogastric neurones: ZHANG AND HARRIS-WARRICK **190**, 55.
Stomatopod
stomatopod eye musculature: JONES **188**, 317.
Strain
the effects of muscle fatigue on bone strain: YOSHIKAWA, MORI, SANTIESTEBAN, SUN, HAFSTAD, CHEN AND BURR **188**, 217.
Stress
confinement and ureogenesis in toadfish: WALSH, TUCKER AND HOPKINS **191**, 195.
the effects of muscle fatigue on bone strain: YOSHIKAWA, MORI, SANTIESTEBAN, SUN, HAFSTAD, CHEN AND BURR **188**, 217.
wing bone stresses and safety factors: KIRKPATRICK **190**, 195.
Stroke frequency
activity patterns of a crustacean muscle: JOSEPHSON AND STOKES **187**, 261.
Structural design
scaling of elastic modulus in locust tibiae: KATZ AND GOSLINE **187**, 207.
Structure–function analysis
ion-coupled metabolite transport: SLAYMAN **196**, 139.
Subgenual organ
a cockroach auditory-vibration sensor: SHAW **193**, 13.

Substrate translocation pathway
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.
Sugar transport
hexose/H^+ symporters in plants: CASPARI, WILL, OPEKAROVÁ, SAUER AND TANNER **196**, 483.
Sulphydryl reagents
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.
Suppression ratio
polarization sensitivity of the pigeon: COEMANS, VOS HZN AND NUBOER **191**, 107.
Survivorship
extreme drag forces on wind- and water-swept organisms: DENNY **194**, 97.
Suspension feeding
buccal flow velocity in paddlefish: SANDERSON, CECH AND CHEER **186**, 145.
Swimbladder
carbon dioxide formation in eel swimbladder tissue: PELSTER, HICKS AND DRIEDZIC **197**, 119.
control of swimbladder perfusion: PELSTER **189**, 237.
Swimming
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
elongated body theory and propellor efficiency: CHENG AND BLICKHAN **192**, 169.
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
kinematics of pectoral fin locomotion: GIBB, JAYNE AND LAUDER **189**, 133.
swimming activity during hypoxia in cod: SCHURMANN AND STEFFENSEN **197**, 129.
swimming kinematics of *Spirillum volutans*: RAMIA AND SWAN **187**, 75.
swimming metabolism of zebrafish: PLAUT AND GORDON **194**, 209.
tuna swimming kinetics: DEWAR AND GRAHAM **192**, 45.
Symmetry
ciliary movements and metachronal waves: OKAMOTO AND NAKAOKA **192**, 73.
Symmoracma minoralis
sound production and hearing in a moth: HELLER AND KRAHE **187**, 101.
Sympathetic nervous system
terminal networks of a locust DUM neurone: BRÄUNIG, STEVENSON AND EVANS **192**, 225.
Symport
neurotransmitter transporters: UHL AND JOHNSON **196**, 229.
norepinephrine and serotonin transporters: BLAKELY, DE FELICE AND HARTZELL **196**, 263.
thermodynamics of symport and antiport: GERENCSER AND STEVENS **196**, 59.
Synaptic delay
thermal acclimation of frog end-plate: TIISKA AND LAGERSPETZ **187**, 131.
Synaptic facilitation
injury-induced alterations in sensory neurones: CLATWORTHY AND WALTERS **190**, 217.
Synaptic transmission
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
Synaptic vesicle
the vesicular monoamine transporter: HENRY, BOTTON, SAGNE, ISAMBERT, DESNOS, BLANCHARD, RAISMAN-VOZARI, KREJCI, MASSOULIE AND GASNIER **196**, 251.
Systematic nomenclature
amino acid transport designations: CHRISTENSEN, ALBRITTON, KAKUDA AND MACLEOD **196**, 51.

Tachykinins
gastrointestinal blood flow in trout: KÅGSTRÖM, AXELSSON AND HOLMGREN **191**, 155.
Tactile escape
motion analysis of tactile-mediated escape movements: SCHAEFER, KONDAGUNTA AND RITZMANN **190**, 287.
Take-off velocity
jumping performance of hylid frogs: MARSH AND JOHN-ALDER **188**, 131.
Taste
fish gustation and ionic environment: KITADA AND HARA **186**, 173.
Taste cell
acid-induced current in frog taste cells: OKADA, MIYAMOTO AND SATO **187**, 19.
Taurine
cell volume regulation in *Mytilus californianus* gill: SILVA AND WRIGHT **194**, 47.

osmolarity-sensitive taurine channels in flounder: THOROED AND FUGELLI **186**, 245.
Telemetry
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
energetic cost of penguin underwater swimming: CULIK, WILSON AND BANNASCH **197**, 65.
Temperature
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
cooling-induced spiking in lobster myocardium: KURAMOTO **197**, 413.
glycolytic function in goldfish hepatocytes: KRUMSCHNABEL, MALLE, SCHWARZBAUM AND WIESER **192**, 285.
performance of normoxic and anoxic turtle hearts: FARRELL, FRANKLIN, ARTHUR, THORARENSEN AND COUSINS **191**, 207.
temperature adaptation of muscle mitochondria: JOHNSTON, GUDERLEY, FRANKLIN, CROCKFORD AND KAMUNDE **195**, 293.
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.
thermal acclimation of frog end-plate: TIISKA AND LAGERSPETZ **187**, 131.
Temperature acclimation
stress protein threshold induction temperatures: DIETZ **188**, 333.
Temperature regulation
the cooling power of the pigeon head: ST-LAURENT AND LAROCHELLE **194**, 329.
Temperature stress
catecholamine release in hypoxic trout: PERRY AND REID **186**, 289.
Tension
effect of vibration on active tension in sea cucumber muscle: KOBAYASHI, USHITANI, WADA, INOUE, KAWAKAMI AND SUGI **194**, 319.
Tensor muscle
function of cicada tensor muscle: HENNIG, WEBER, MOORE, HUBER, KLEINDIENST AND POPOV **187**, 33.
Terminal ganglion
activity of giant interneurones in walking crickets: KOHSTALL-SCHNELL AND GRAS **193**, 157.
Terrestrial locomotion
effect of body morphology on stepping patterns in ants: ZOLLIKOFER **192**, 107.
effect of load on stepping patterns in ants: ZOLLIKOFER **192**, 119.
effect of speed on stepping patterns in ants: ZOLLIKOFER **192**, 95.
Tetrabenazine
the vesicular monoamine transporter: HENRY, BOTTON, SAGNE, ISAMBERT, DESNOS, BLANCHARD, RAISMAN-VOZARI, KREJCI, MASSOULIE AND GASNIER **196**, 251.
Tetracycline efflux pump
antiporters and pH homeostasis: KRULWICH, CHENG AND GUFFANTI **196**, 457.
Tetrandrine
calcium channel currents of locust neurones: BICKMEYER, RÖSSLER AND WIEGAND **197**, 393.
Theophylline
cyclic AMP stimulation of NaCl uptake across crab gill: RIESTENPATT, ZEISKE AND ONKEN **188**, 159.
Thermal acclimation
thermal acclimation of frog end-plate: TIISKA AND LAGERSPETZ **187**, 131.
Thermal stress
stress protein threshold induction temperatures: DIETZ **188**, 333.
Thermodynamics
thermodynamics of symport and antiport: GERENCSER AND STEVENS **196**, 59.
Thermogenesis
ontogeny of shivering in blackbirds: OLSON **191**, 59.
Thermoreceptor current
receptor currents in *Paramecium*: TOMINAGA AND NAITOH **189**, 117.
Thermoregulation
physiological thermoregulation in tuna: DEWAR, GRAHAM AND BRILL **192**, 33.
Thoracic interneurone
motion analysis of tactile-mediated escape movements: SCHAEFER, KONDAGUNTA AND RITZMANN **190**, 287.
Thunniform
tuna swimming kinetics: DEWAR AND GRAHAM **192**, 45.
Thunnus albacares
physiological thermoregulation in tuna: DEWAR, GRAHAM AND BRILL **192**, 33.
small tunas can elevate muscle temperature: DICKSON **190**, 79.

tuna swimming energetics: DEWAR AND GRAHAM **192**, 13.
tuna swimming kinetics: DEWAR AND GRAHAM **192**, 45.
viscosity of yellowfin tuna blood: BRILL AND JONES **189**, 199.
Thyroid hormones
visual pigments in juvenile salmon: ALEXANDER, SWEETING AND McKEOWN **195**, 185.
Thyroxine
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
Tibicen linnei
auditory threshold change in singing cicadas: HENNIG, WEBER, HUBER, KLEINDIENST, MOORE AND POPOV **187**, 45.
function of cicada tensor muscle: HENNIG, WEBER, MOORE, HUBER, KLEINDIENST AND POPOV **187**, 33.
Tiger moth
jamming bat echolocation: the clicks of the dogbane tiger moth: FULLARD, SIMMONS AND SAILLANT **194**, 285.
Tilapia
ATP- and Na^+-driven Ca^{2+} transport in tilapia: VERBOST, SCHOENMAKERS, FLIK AND WENDELAAR BONGA **186**, 95.
Toad
carbon dioxide concentration in toads: STINNER, NEWLON AND HEISLER **195**, 345.
cardiac output in conscious toads: WEST AND SMITS **186**, 315.
the energetic cost of walking in a toad: WALTON, PETERSON AND BENNETT **197**, 165.
ventilatory control in *Bufo paracnemis*: WANG, BRANCO AND GLASS **186**, 1.
Toadfish
confinement and ureogenesis in toadfish: WALSH, TUCKER AND HOPKINS **191**, 195.
Tobacco hornworm
blocking the midgut K^+ pump of *Manduca sexta*: SCHIRMANNS AND ZEISKE **188**, 191.
insect midgut K^+ channel: SCHIRMANNS AND ZEISKE **197**, 179.
active alkalization by *Manduca sexta* midgut: MOFFETT AND CUMMINGS **194**, 341.
Tolerance
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
Torpor
heterothermy in the long-eared bat: MORRIS, CURTIN AND THOMPSON **197**, 309.
Transduction
electrophysiology of frog olfactory cilia: KLEENE, GESTELAND AND BRYANT **195**, 307.
fish gustation and ionic environment: KITADA AND HARA **186**, 173.
Transepithelial potential
calcium uptake in postmoult crabs: NEUFELD AND CAMERON **187**, 1.
electrophysiology of tsetse fly Malpighian tubules: ISAACSON AND NICOLSON **186**, 199.
active alkalization by *Manduca sexta* midgut: MOFFETT AND CUMMINGS **194**, 341.
Transmitter
a back-mounted data logger for penguins: BANNASCH, WILSON AND CULIK **194**, 83.
Transport
energizing porters by proton-motive force: NELSON **196**, 7.
Na^+/H^+ antiporters in *Escherichia coli*: PADAN AND SCHULDINER **196**, 443.
osmolarity-sensitive taurine channels in flounder: THOROED AND FUGELLI **186**, 245.
the lactose permease meets Frankenstein: KABACK, FRILLINGOS, JUNG, JUNG, PRIVÉ, UJWAL, WEITZMAN, WU AND ZEN **196**, 183.
Transport inhibitors
ion transport in eel intestine: MARVÃO, EMILIO, FERREIRA AND FERNANDES **193**, 97.
Transport kinetics
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.
Transporters
amino acid transport designations: CHRISTENSEN, ALBRITTON, KAKUDA AND MacLEOD **196**, 51.
coupling as a way of life: HARVEY AND SLAYMAN **196**, 1.
uniporters, symporters and antiporters: WOLFERSBERGER **196**, 5.
Trimethylamine
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
Trimethyltin chloride
blocking the midgut K^+ pump of *Manduca sexta*: SCHIRMANNS AND ZEISKE **188**, 191.

Tripneustes gratilla
physical properties of sea urchin gametes: THOMAS **194**, 263.
Trout
adrenaline-stimulated cardiac performance in hypoxic trout: GAMPERL, PINDER, GRANT AND BOUTILIER **193**, 209.
ammonia excretion in freshwater rainbow trout: WILSON, WRIGHT, MUNGER AND WOOD **191**, 37.
energy metabolism of trout red blood cells: PESQUERO, ROIG, BERMUDEZ AND SANCHEZ **193**, 183.
gastrointestinal blood flow in trout: KÅGSTRÖM, AXELSSON AND HOLMGREN **191**, 155.
maximum sustainable swimming performance in trout: WILSON AND EGGINTON **192**, 299.
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.
temperature and acid–base and metabolite status in trout: KIEFFER, CURRIE AND TUFTS **194**, 299.
trout blood energy turnover: WANG, NIELSEN AND LYKKEBOE **190**, 43.
Tsetse fly
electrophysiology of tsetse fly Malpighian tubules: ISAACSON AND NICOLSON **186**, 199.
Tuna
physiological thermoregulation in tuna: DEWAR, GRAHAM AND BRILL **192**, 33.
small tunas can elevate muscle temperature: DICKSON **190**, 79.
tuna swimming energetics: DEWAR AND GRAHAM **192**, 13.
tuna swimming kinetics: DEWAR AND GRAHAM **192**, 45.
Turbulence
blue crabs use odour plumes to find prey: WEISSBURG AND ZIMMER-FAUST **197**, 349.
extreme drag forces on wind- and water-swept organisms: DENNY **194**, 97.
Turtle
intracardiac shunting in turtle: HICKS AND COMEAU **186**, 109.
metabolic depression in turtle brain: DOLL, HOCHACHKA AND HAND **191**, 141.
performance of normoxic and anoxic turtle hearts: FARRELL, FRANKLIN, ARTHUR, THORARENSEN AND COUSINS **191**, 207.
Tymbal
function of cicada tensor muscle: HENNIG, WEBER, MOORE, HUBER, KLEINDIENST AND POPOV **187**, 33.
Tympanum
auditory threshold change in singing cicadas: HENNIG, WEBER, HUBER, KLEINDIENST, MOORE AND POPOV **187**, 45.
Tympanum vibration
lung–eardrum sound transmission in frogs: EHRET, KEILWERTH AND KAMADA **195**, 329.

UhpT
bacterial ion exchange: MALONEY, YAN AND ABE **196**, 471.
Ultraviolet photosensitivity
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
Uniport
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.
Unsteady aerodynamics
aerodynamics of wing rotation: DICKINSON **192**, 179.
Uptake
ammonia excretion in freshwater rainbow trout: WILSON, WRIGHT, MUNGER AND WOOD **191**, 37.
Urea
buoyancy in elasmobranchs: WITHERS, MORRISON, HEFTER AND PANG **188**, 175.
structure, function and evolution of solute transporters: HEDIGER **196**, 15.
urea and pH regulation in Lake Magadi tilapia: WOOD, BERGMAN, LAURENT, MAINA, NARAHARA AND WALSH **189**, 13.
urea transport in fishes: WALSH, WOOD, PERRY AND THOMAS **193**, 321.
Ureogenesis
confinement and ureogenesis in toadfish: WALSH, TUCKER AND HOPKINS **191**, 195.

V-ATPase
blocking the midgut K^+ pump of *Manduca sexta*: SCHIRMANNS AND ZEISKE **188**, 191.
energizing porters by proton-motive force: NELSON **196**, 7.

fluid secretion by *Drosophila* Malpighian tubules: DOW, MADDRELL, GÓRTZ, SKAER, BROGAN AND KAISER **197**, 421.
K^+/H^+ antiport in insect midgut: LEPIER, AZUMA, HARVEY AND WIECZOREK **196**, 361.
Vacuole
Ca^{2+} transport in yeast: CUNNINGHAM AND FINK **196**, 157.
mistargetting of ion-indicator dyes: SLAYMAN, MOUSSATOS AND WEBB **196**, 419.
Vagal regulation
intracardiac shunting in turtle: HICKS AND COMEAU **186**, 109.
Vanadate
effects of ions and inhibitors on K^+ uptake across Malpighian tubules: LEYSSENS, DIJKSTRA, VAN KERKHOVE AND STEELS **195**, 123.
Vascular control
blood pressure control in Antartic fish: AXELSSON, DAVISON, FORSTER AND NILSSON **190**, 265.
Vascular resistance
effects of angiotensin II on trout vasculature: OLSON, CHAVEZ, CONKLIN, COUSINS, FARRELL, FERLIC, KEEN, KNE, KOWALSKI AND VELDMAN **194**, 117.
Vasopressin
stimulus–secretion coupling in jerboa neurohypophysis: RAJI AND NORDMANN **195**, 19.
Vector method
three-dimensional method for analysing single-view movies: VAN DEN BERG **191**, 283.
Ventilation
acid–base disequilibrium in trout blood: GILMOUR AND PERRY **192**, 269.
periodic air-breathing in a primitive fish: HEDRICK, KATZ AND JONES **197**, 429.
post-exercise ventilation in trout: WOOD AND MUNGER **194**, 225.
ventilatory control in *Bufo paracnemis*: WANG, BRANCO AND GLASS **186**, 1.
Verapamil
invertebrate electrogenic $2Na^+/H^+$ antiporter: AHEARN, ZHUANG, DUERR AND PENNINGTON **196**, 319.
Vertical stimulus orientation
stimulus paradigm for aquatic mechanoreceptors: WILKENS AND DOUGLASS **189**, 263.
Vesicle
calcium transport in crab gills: FLIK, VERBOST, ATSMA AND LUCU **195**, 109.
glutamate symport in larval *Manduca sexta*: XIE, PARTHASARATHY, WOLFERSBERGER AND HARVEY **194**, 181.
immunolocalization of the $2Na^+/1H^+$ antiporter: KIMURA, AHEARN, BUSQUETS-TURNER, HALEY, NAGAO AND DE COUET **189**, 85.
Vibration receptor
a cockroach auditory-vibration sensor: SHAW **193**, 13.
Video tracking
swimming activity during hypoxia in cod: SCHURMANN AND STEFFENSEN **197**, 129.
Viscosity
oxygen transport in a sea turtle: WELLS AND BALDWIN **188**, 103.
physical properties of sea urchin gametes: THOMAS **194**, 263.
viscosity of yellowfin tuna blood: BRILL AND JONES **189**, 199.
Vision
a mysid shrimp carrying a pair of binoculars: NILSSON AND MODLIN **189**, 213.
developmental plasticity in *Drosophila*: HIRSCH AND TOMPKINS **195**, 1.
role of retinoic acid in fish retinal development: BROWMAN AND HAWRYSHYN **193**, 191.
role of ultraviolet vision in foraging fish: BROWMAN, NOVALES-FLAMARIQUE AND HAWRYSHYN **186**, 187.
structure of firefly squid banked retina: MICHINOMAE, MASUDA, SIEDOU AND KITO **193**, 1.
Visual pigment
visual pigments in juvenile salmon: ALEXANDER, SWEETING AND McKEOWN **195**, 185.
Voltage-clamp
switching the activity state of a neurone: GRAMOLL, SCHMIDT AND CALABRESE **186**, 157.
Voltage-dependent Ba^{2+}-block
insect midgut K^+ channel: SCHIRMANNS AND ZEISKE **197**, 179.
Volume regulation
Na^+/H^+ exchange in lamprey erythrocytes: VIRKKI AND NIKINMAA **191**, 89.
regulation of Na^+/H^+ antiport: DEMAUREX AND GRINSTEIN **196**, 389.

Vorticella
control of contraction in *Vorticella*: KATOH AND NAITOH **189**, 163.

Walking
activity of giant interneurones in walking crickets: KOHSTALL-SCHNELL AND GRAS **193**, 157.
heart rate and oxygen consumption of albatrosses: BEVAN, WOAKES, BUTLER AND BOYD **193**, 119.
plateau properties of crustacean motor neurones: CATTAERT, ARAQUE, BUNO AND CLARAC **188**, 339.
Walking system
physiology of the femoral chordotonal organ: BÜSCHGES **189**, 285.
Wall effects
flow through arrays of hairs: LOUDON, BEST AND KOEHL **193**, 233.
Washout shunting
intracardiac shunting in turtle: HICKS AND COMEAU **186**, 109.
Watasenia scintillans
structure of firefly squid banked retina: MICHINOMAE, MASUDA, SIEDOU AND KITO **193**, 1.
Water absorption
structure and function of eel somatostatins: UESAKA, YANO, YAMASAKI, NAGASHIMA AND ANDO **188**, 205.
Water loss
heterothermy in the long-eared bat: MORRIS, CURTIN AND THOMPSON **197**, 309.
Water regulation
water uptake in moulting crabs: NEUFELD AND CAMERON **187**, 11.
Wavelength discrimination
structure of firefly squid banked retina: MICHINOMAE, MASUDA, SIEDOU AND KITO **193**, 1.
Western blot
immunolocalization of H^+-ATPase in fish gills: LIN, PFEIFFER, VOGL, PAN AND RANDALL **195**, 169.
White blood cell
trout blood energy turnover: WANG, NIELSEN AND LYKKEBOE **190**, 43.
White muscle
integrated responses of trout muscle to exercise: WANG, HEIGENHAUSER AND WOOD **195**, 227.
Whole-cell patch-clamp
acid-induced current in frog taste cells: OKADA, MIYAMOTO AND SATO **187**, 19.
GABA response in crustacean neurones: JACKEL, KRENZ AND NAGY **191**, 167.
Wind
the cooling power of the pigeon head: ST-LAURENT AND LAROCHELLE **194**, 329.
Wing
aerodynamics of wing rotation: DICKINSON **192**, 179.
wing bone stresses and safety factors: KIRKPATRICK **190**, 195.
Wing movement
functional morphology of singing in the cricket: PFAU AND KOCH **195**, 147.
Wing-tip spacing
energy savings in goose formation flying: CUTTS AND SPEAKMAN **189**, 251.
Work
efficiency of frog ventricular muscle: SYME **197**, 143.
power output of a crustacean muscle: JOSEPHSON AND STOKES **187**, 295.
work output of a blowfly steering muscle: TU AND DICKINSON **192**, 207.

X-organ
neurosecretion of crab hyperglycaemic hormone: KELLER, HAYLETT AND COOKE **188**, 293.
X-ray microanalysis
intracellular ion concentrations in trout gill cells: MORGAN, POTTS AND OATES **194**, 139.
***Xenopus* expression**
facilitated nutrient transport: KAKUDA AND MACLEOD **196**, 93.

Yellowfin tuna
viscosity of yellowfin tuna blood: BRILL AND JONES **189**, 199.

Zebrafish
swimming metabolism of zebrafish: PLAUT AND GORDON **194**, 209.
Zinc
effects of zinc on calcium uptake kinetics: HOGSTRAND, WILSON, POLGAR AND WOOD **186**, 55.